Mortality Tables

Table J1. Average Annual Number of Cancer Deaths by Site, Race, and Sex, 2015-2019, Louisiana

	All races			White			Black		
Primary Site	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	9,385	5,070	4,315	6,424	3,479	2,945	2,863	1,535	1,328
Oral Cavity and Pharynx	175	129	46	119	88	31	55	40	14
Lip	^	^	^	^	^	^	^	^	^
Tongue	36	24	11	27	18	9	8	6	2
Salivary Gland	13	9	3	10	8	2	3	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	25	13	11	17	9	8	7	4	3
Nasopharynx	12	9	3	7	6	^	5	3	^
Tonsil	15	12	3	11	9	2	4	3	^
Oropharynx	19	15	4	10	8	2	8	7	^
Hypopharynx	7	5	^	4	3	^	2	^	^
Other Oral Cavity and Pharynx	48	39	9	32	26	5	16	13	3
Digestive System	2,596	1,538	1,058	1,683	999	684	877	515	362
Esophagus	215	173	42	156	130	26	57	42	15
Stomach	177	108	70	90	55	35	83	50	33
Small Intestine	22	13	9	15	9	6	7	4	3
Colon and Rectum	866	474	392	553	303	250	302	164	137
Colon excluding Rectum	698	377	321	440	239	201	249	133	116
Rectum and Rectosigmoid Junction	167	96	71	113	64	49	53	32	21
Anus, Anal Canal and Anorectum	14	8	7	11	6	6	3	2	^
Liver and Intrahepatic Bile Duct	512	367	145	316	221	95	183	136	48
Liver	447	333	114	271	197	74	165	127	38
Intrahepatic Bile Duct	65	34	31	45	24	21	18	9	10
Gallbladder	37	13	24	23	8	15	13	5	9
Other Biliary	26	15	11	21	12	9	5	3	2
Pancreas	687	350	337	471	245	227	210	103	107
Retroperitoneum	5	3	2	3	2	^	^	^	^
Peritoneum, Omentum and Mesentery	17	5	12	13	3	9	4	^	3
Other Digestive Organs	19	10	9	11	6	5	7	4	3
Respiratory System	2,619	1,520	1,099	1,857	1,038	818	738	466	271
Nose, Nasal Cavity and Middle Ear	8	4	4	5	3	^	2	^	^
Larynx	75	61	14	44	35	8	31	25	6
Lung and Bronchus	2,525	1,446	1,078	1,799	993	806	702	439	263
Pleura	7	5	^	6	5	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	4	3	^	3	2	^	^	^	^
Bones and Joints	39	22	18	27	15	12	12	6	6
Soft Tissue including Heart	65	33	31	44	23	21	20	10	10
Skin	136	95	42	124	86	38	11	8	4

Melanoma of the Skin	83	55	29	79	52	27	4	2	^
Non-Melanoma Skin	53	40	13	46	34	11	7	5	^
Breast	663	6	657	411	3	408	246	3	243
Female Genital System	438	^	438	271	^	271	163	^	163
Cervix Uteri	81	^	81	43	^	43	37	^	37
Corpus and Uterus, NOS	144	^	144	76	^	76	67	^	67
Corpus Uteri	81	^	81	44	^	44	38	^	38
Uterus, NOS	63	^	63	33	^	33	30	^	30
Ovary	179	^	179	127	^	127	51	^	51
Vagina	8	^	8	6	^	6	^	^	^
Vulva	16	^	16	13	^	13	3	^	3
Other Female Genital Organs	9	^	9	6	^	6	3	^	3
Male Genital System	442	442	^	266	266	^	174	174	^
Prostate	432	432	^	258	258	^	171	171	^
Testis	4	4	^	3	3	^	^	^	^
Penis	5	5	^	3	3	^	^	^	^
Other Male Genital Organs	2	2	^	^	^	^	^	^	^
Urinary System	465	308	157	355	242	113	105	63	42
Urinary Bladder	209	145	64	166	121	45	41	22	19
Kidney and Renal Pelvis	246	158	88	181	116	65	62	40	22
Ureter	3	2	^	2	2	^	^	^	^
Other Urinary Organs	8	3	4	6	3	3	^	^	^
Eye and Orbit	4	2	2	3	^	^	^	^	^
Brain and Other Nervous System	232	129	103	189	106	83	39	22	17
Endocrine System	42	19	24	29	14	15	13	4	8
Thyroid	26	10	16	18	8	10	7	^	6
Other Endocrine including Thymus	16	8	8	11	5	5	5	3	3
Lymphoma	308	176	132	239	138	101	64	36	28
Hodgkin Lymphoma	15	7	8	11	5	6	4	2	^
Non-Hodgkin Lymphoma	293	169	124	228	133	95	60	34	27
Myeloma	195	106	89	114	64	50	80	41	39
Leukemia	329	187	143	249	143	106	76	41	35
Lymphocytic Leukemia	82	48	34	62	36	26	20	12	8
Acute Lymphocytic Leukemia	18	10	8	13	7	7	5	3	^
Chronic Lymphocytic Leukemia	53	32	21	40	25	15	13	8	6
Other Lymphocytic Leukemia	10	5	5	8	4	4	^	^	^
Myeloid and Monocytic Leukemia	156	86	70	116	65	50	38	19	19
Acute Myeloid Leukemia	125	67	59	94	51	42	30	14	16
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	15	9	5	11	7	3	4	^	2
Other Myeloid/Monocytic Leukemia	14	9	5	10	6	4	4	3	^
Other Leukemia	92	53	39	72	42	30	18	11	8
Other Acute Leukemia	15	8	7	12	7	5	3	^	2
Aleukemic, Subleukemic and NOS	77	45	32	60	35	25	15	9	6
Miscellaneous Malignant Cancer	637	360	277	443	252	191	189	105	84

^The NCI does not present counts for cells smaller than 10 for the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
-- Not Applicable

Table J2. Percent Distribution of Cancer Deaths by Site, Race, and Sex, 2015-2019, Louisiana

Primary Site	All races			White			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	1.9	2.6	1.1	1.9	2.5	1.1	1.9	2.6	1.1
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.4	0.5	0.3	0.4	0.5	0.3	0.3	0.4	0.2
Salivary Gland	0.1	0.2	0.1	0.2	0.2	0.1	0.1	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2
Nasopharynx	0.1	0.2	0.1	0.1	0.2	^	0.2	0.2	^
Tonsil	0.2	0.2	0.1	0.2	0.3	0.1	0.1	0.2	^
Oropharynx	0.2	0.3	0.1	0.2	0.2	0.1	0.3	0.5	^
Hypopharynx	0.1	0.1	^	0.1	0.1	^	0.1	^	^
Other Oral Cavity and Pharynx	0.5	0.8	0.2	0.5	0.8	0.2	0.6	0.8	0.3
Digestive System	27.7	30.3	24.5	26.2	28.7	23.2	30.6	33.5	27.3
Esophagus	2.3	3.4	1.0	2.4	3.7	0.9	2.0	2.7	1.2
Stomach	1.9	2.1	1.6	1.4	1.6	1.2	2.9	3.3	2.5
Small Intestine	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.3
Colon and Rectum	9.2	9.3	9.1	8.6	8.7	8.5	10.5	10.7	10.3
Colon excluding Rectum	7.4	7.4	7.4	6.8	6.9	6.8	8.7	8.6	8.7
Rectum and Rectosigmoid Junction	1.8	1.9	1.6	1.8	1.8	1.7	1.8	2.1	1.6
Anus, Anal Canal and Anorectum	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	^
Liver and Intrahepatic Bile Duct	5.5	7.2	3.4	4.9	6.4	3.2	6.4	8.8	3.6
Liver	4.8	6.6	2.6	4.2	5.7	2.5	5.8	8.3	2.9
Intrahepatic Bile Duct	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.7
Gallbladder	0.4	0.3	0.6	0.4	0.2	0.5	0.5	0.3	0.6
Other Biliary	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2
Pancreas	7.3	6.9	7.8	7.3	7.0	7.7	7.3	6.7	8.1
Retroperitoneum	0.1	0.1	0.1	0.1	0.1	^	^	^	^
Peritoneum, Omentum and Mesentery	0.2	0.1	0.3	0.2	0.1	0.3	0.2	^	0.2
Other Digestive Organs	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
Respiratory System	27.9	30.0	25.5	28.9	29.9	27.8	25.8	30.4	20.4
Nose, Nasal Cavity and Middle Ear	0.1	0.1	0.1	0.1	0.1	^	0.1	^	^
Larynx	0.8	1.2	0.3	0.7	1.0	0.3	1.1	1.7	0.4
Lung and Bronchus	26.9	28.5	25.0	28.0	28.5	27.4	24.5	28.6	19.8
Pleura	0.1	0.1	^	0.1	0.1	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.0	0.1	^	0.0	0.1	^	^	^	^
Bones and Joints	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Soft Tissue including Heart	0.7	0.7	0.7	0.7	0.7	0.7	0.7	0.6	0.8
Skin	1.5	1.9	1.0	1.9	2.5	1.3	0.4	0.5	0.3
Melanoma of the Skin	0.9	1.1	0.7	1.2	1.5	0.9	0.1	0.2	^
Non-Melanoma Skin	0.6	0.8	0.3	0.7	1.0	0.4	0.3	0.4	^

Breast	7.1	0.1	15.2	6.4	0.1	13.9	8.6	0.2	18.3
Female Genital System	4.7	^	10.1	4.2	^	9.2	5.7	^	12.3
Cervix Uteri	0.9	^	1.9	0.7	^	1.5	1.3	^	2.8
Corpus and Uterus, NOS	1.5	^	3.3	1.2	^	2.6	2.4	^	5.1
Corpus Uteri	0.9	^	1.9	0.7	^	1.5	1.3	^	2.8
Uterus, NOS	0.7	^	1.5	0.5	^	1.1	1.0	^	2.2
Ovary	1.9	^	4.1	2.0	^	4.3	1.8	^	3.9
Vagina	0.1	^	0.2	0.1	^	0.2	^	^	^
Vulva	0.2	^	0.4	0.2	^	0.4	0.1	^	0.2
Other Female Genital Organs	0.1	^	0.2	0.1	^	0.2	0.1	^	0.2
Male Genital System	4.7	8.7	^	4.1	7.6	^	6.1	11.3	^
Prostate	4.6	8.5	^	4.0	7.4	^	6.0	11.1	^
Testis	0.0	0.1	^	0.0	0.1	^	^	^	^
Penis	0.0	0.1	^	0.0	0.1	^	^	^	^
Other Male Genital Organs	0.0	0.0	^	^	^	^	^	^	^
Urinary System	5.0	6.1	3.6	5.5	7.0	3.9	3.7	4.1	3.2
Urinary Bladder	2.2	2.9	1.5	2.6	3.5	1.5	1.4	1.5	1.4
Kidney and Renal Pelvis	2.6	3.1	2.0	2.8	3.3	2.2	2.2	2.6	1.6
Ureter	0.0	0.0	^	0.0	0.1	^	^	^	^
Other Urinary Organs	0.1	0.1	0.1	0.1	0.1	0.1	^	^	^
Eye and Orbit	0.0	0.0	0.0	0.0	^	^	^	^	^
Brain and Other Nervous System	2.5	2.5	2.4	2.9	3.0	2.8	1.4	1.4	1.3
Endocrine System	0.5	0.4	0.6	0.5	0.4	0.5	0.4	0.3	0.6
Thyroid	0.3	0.2	0.4	0.3	0.2	0.3	0.3	^	0.4
Other Endocrine including Thymus	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Lymphoma	3.3	3.5	3.0	3.7	4.0	3.4	2.2	2.3	2.1
Hodgkin Lymphoma	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.1	^
Non-Hodgkin Lymphoma	3.1	3.3	2.9	3.6	3.8	3.2	2.1	2.2	2.0
Myeloma	2.1	2.1	2.1	1.8	1.9	1.7	2.8	2.7	2.9
Leukemia	3.5	3.7	3.3	3.9	4.1	3.6	2.7	2.7	2.6
Lymphocytic Leukemia	0.9	0.9	0.8	1.0	1.0	0.9	0.7	0.8	0.6
Acute Lymphocytic Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	^
Chronic Lymphocytic Leukemia	0.6	0.6	0.5	0.6	0.7	0.5	0.5	0.5	0.4
Other Lymphocytic Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	^	^	^
Myeloid and Monocytic Leukemia	1.7	1.7	1.6	1.8	1.9	1.7	1.3	1.3	1.4
Acute Myeloid Leukemia	1.3	1.3	1.4	1.5	1.5	1.4	1.1	0.9	1.2
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.2	0.2	0.1	0.2	0.2	0.1	0.1	^	0.2
Other Myeloid/Monocytic Leukemia	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	^
Other Leukemia	1.0	1.1	0.9	1.1	1.2	1.0	0.6	0.7	0.6
Other Acute Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.1	^	0.2
Aleukemic, Subleukemic and NOS	0.8	0.9	0.7	0.9	1.0	0.9	0.5	0.6	0.4
Miscellaneous Malignant Cancer	6.8	7.1	6.4	6.9	7.2	6.5	6.6	6.8	6.3

^The NCI does not present counts for cells smaller than 10 for the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
-- Not Applicable

Table K. Average Annual Death Rate[1] by Site, Race, and Sex, 2015-2019, Louisiana

Primary Site	All races			White			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	172.5	211.2	143.9	164.4	198.9	138.5	198.9	254.3	161.5
Oral Cavity and Pharynx	3.2	5.1	1.6	3.0	4.9	1.5	3.5	5.8	1.7
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.7	1.0	0.4	0.7	1.0	0.4	0.5	0.9	^
Salivary Gland	0.2	0.4	0.1	0.3	0.5	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.5	0.5	0.4	0.4	0.5	0.4	0.5	0.6	0.4
Nasopharynx	0.2	0.3	^	0.2	0.3	^	0.3	0.4	^
Tonsil	0.3	0.5	^	0.3	0.5	^	0.3	0.5	^
Oropharynx	0.3	0.6	0.1	0.3	0.4	^	0.5	1.0	^
Hypopharynx	0.1	0.2	^	0.1	0.2	^	^	^	^
Other Oral Cavity and Pharynx	0.8	1.5	0.3	0.8	1.4	0.3	1.0	1.9	0.4
Digestive System	47.0	61.5	35.0	42.6	55.5	31.8	59.3	79.6	44.1
Esophagus	3.8	6.8	1.4	4.0	7.1	1.3	3.7	6.2	1.8
Stomach	3.3	4.4	2.3	2.3	3.2	1.6	5.8	8.0	4.1
Small Intestine	0.4	0.6	0.3	0.4	0.6	0.3	0.5	0.7	0.4
Colon and Rectum	15.9	19.5	13.1	14.2	17.3	11.7	20.8	26.5	16.8
Colon excluding Rectum	12.9	15.6	10.7	11.3	13.7	9.3	17.3	21.8	14.2
Rectum and Rectosigmoid Junction	3.1	3.9	2.4	2.9	3.6	2.3	3.5	4.7	2.5
Anus, Anal Canal and Anorectum	0.3	0.3	0.2	0.3	0.3	0.3	^	^	^
Liver and Intrahepatic Bile Duct	8.8	13.6	4.7	7.7	11.6	4.4	11.4	18.8	5.6
Liver	7.6	12.3	3.7	6.6	10.3	3.4	10.1	17.4	4.4
Intrahepatic Bile Duct	1.2	1.3	1.0	1.1	1.3	1.0	1.3	1.4	1.2
Gallbladder	0.7	0.5	0.8	0.6	0.4	0.7	0.9	0.8	1.0
Other Biliary	0.5	0.6	0.4	0.5	0.7	0.4	0.4	^	^
Pancreas	12.6	14.3	11.1	12.0	13.8	10.5	14.7	16.5	13.2
Retroperitoneum	0.1	^	^	0.1	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.3	0.2	0.4	0.3	0.2	0.4	0.3	^	^
Other Digestive Organs	0.3	0.4	0.3	0.3	0.3	0.3	0.5	0.7	0.4
Respiratory System	47.3	61.9	35.9	46.7	57.9	37.8	50.7	76.2	32.5
Nose, Nasal Cavity and Middle Ear	0.1	0.2	0.1	0.1	0.2	^	^	^	^
Larynx	1.3	2.4	0.4	1.1	1.9	0.4	2.1	4.0	0.7
Lung and Bronchus	45.7	59.0	35.3	45.2	55.4	37.2	48.3	71.9	31.6
Pleura	0.1	0.2	^	0.2	0.3	^	^	^	^
Trachea, Mediastinum and Other Respiratory Organs	0.1	^	^	^	^	^	^	^	^
Bones and Joints	0.8	1.0	0.6	0.8	0.9	0.6	0.8	1.1	0.7
Soft Tissue including Heart	1.2	1.4	1.1	1.2	1.4	1.1	1.3	1.4	1.2
Skin	2.6	4.2	1.4	3.2	5.2	1.8	0.8	1.2	0.5
Melanoma of the Skin	1.6	2.4	1.0	2.1	3.1	1.3	0.3	^	^
Non-Melanoma Skin	1.0	1.7	0.4	1.2	2.0	0.5	0.4	0.8	^
Breast	12.5	0.2	22.4	10.8	0.2	19.7	17.3	^	29.6

Female Genital System	8.2	--	14.9	7.2	--	13.3	11.2	--	19.4
Cervix Uteri	1.7	--	3.2	1.3	--	2.6	2.6	--	4.7
Corpus and Uterus, NOS	2.6	--	4.7	1.9	--	3.5	4.5	--	7.7
Corpus Uteri	1.4	--	2.6	1.1	--	2.1	2.5	--	4.2
Uterus, NOS	1.1	--	2.0	0.8	--	1.5	2.0	--	3.5
Ovary	3.3	--	6.0	3.3	--	6.0	3.5	--	6.1
Vagina	0.2	--	0.3	0.2	--	0.3	^	--	^
Vulva	0.3	--	0.5	0.3	--	0.6	0.2	--	0.4
Other Female Genital Organs	0.2	--	0.3	0.1	--	0.3	^	--	^
Male Genital System	8.4	20.4	--	6.8	16.5	--	13.3	35.0	--
Prostate	8.2	20.0	--	6.6	16.1	--	13.1	34.5	--
Testis	0.1	0.2	--	0.1	0.2	--	^	^	--
Penis	0.1	0.2	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	8.6	13.3	5.1	9.1	14.2	5.1	7.6	10.8	5.3
Urinary Bladder	4.0	6.6	2.1	4.3	7.3	2.0	3.1	4.1	2.4
Kidney and Renal Pelvis	4.5	6.5	2.9	4.6	6.5	3.0	4.3	6.7	2.7
Ureter	^	^	^	^	^	^	^	^	^
Other Urinary Organs	0.1	0.1	0.1	0.1	^	^	^	^	^
Eye and Orbit	0.1	^	^	0.1	^	^	^	^	^
Brain and Other Nervous System	4.3	5.3	3.5	5.0	6.1	4.1	2.7	3.5	2.1
Endocrine System	0.8	0.8	0.8	0.8	0.8	0.7	0.9	0.7	1.0
Thyroid	0.5	0.4	0.5	0.5	0.5	0.4	0.6	^	0.8
Other Endocrine including Thymus	0.3	0.3	0.3	0.3	0.3	0.3	0.4	^	^
Lymphoma	5.9	7.9	4.4	6.3	8.4	4.6	4.5	5.9	3.5
Hodgkin Lymphoma	0.3	0.3	0.3	0.3	0.4	0.3	0.2	^	^
Non-Hodgkin Lymphoma	5.6	7.5	4.1	5.9	8.0	4.3	4.3	5.6	3.3
Myeloma	3.7	4.7	2.9	2.9	3.8	2.3	6.0	7.6	4.9
Leukemia	6.4	8.4	4.9	6.6	8.7	5.1	5.6	7.4	4.5
Lymphocytic Leukemia	1.6	2.2	1.1	1.6	2.2	1.2	1.5	2.1	1.1
Acute Lymphocytic Leukemia	0.4	0.4	0.3	0.4	0.4	0.4	0.4	0.5	^
Chronic Lymphocytic Leukemia	1.0	1.5	0.7	1.0	1.5	0.7	1.1	1.5	0.8
Other Lymphocytic Leukemia	0.2	0.3	0.2	0.2	0.3	0.2	^	^	^
Myeloid and Monocytic Leukemia	3.0	3.7	2.4	3.1	3.8	2.4	2.7	3.2	2.3
Acute Myeloid Leukemia	2.4	2.8	2.0	2.5	3.0	2.1	2.1	2.3	1.9
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.3	0.4	0.2	0.3	0.5	0.2	0.3	^	^
Other Myeloid/Monocytic Leukemia	0.3	0.4	0.2	0.3	0.3	0.2	0.3	0.5	^
Other Leukemia	1.8	2.5	1.3	1.9	2.6	1.4	1.4	2.1	1.0
Other Acute Leukemia	0.3	0.4	0.2	0.3	0.4	0.2	0.3	^	^
Aleukemic, Subleukemic and NOS	1.5	2.1	1.1	1.6	2.2	1.2	1.2	1.9	0.7
Miscellaneous Malignant Cancer	11.7	15.1	9.2	11.3	14.5	9.0	13.2	17.5	10.3
In situ, benign or unknown behavior neoplasm	4.2	5.4	3.3	4.2	5.4	3.2	4.3	5.6	3.4

[1]Rates are per 100,000 and age-adjusted to the 2000 Population (19 age groups – Census P25-1130) standard.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
--Not Applicable

Table L1. Average Annual Death Rates[1] for Selected Cancers by Race and Sex, 2015-2019: U.S., Louisiana, and 7-Parish Industrial Corridor[2] (Please review: Cautions in Interpretation)

Primary Site	White Males					White Females					Black Males					Black Females				
	US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.	
All Malignant Cancers	182.0	198.9	↑	173.8	*	132.0	138.5	↑	121.5	*	215.3	254.3	↑	245.3		147.6	161.5	↑	152.6	
Oral Cavity and Pharynx	3.9	4.9	↑	4.2		1.4	1.5		1.3		4.3	5.8	↑	6.7		1.2	1.7	↑	^	
Esophagus	7.3	7.1		6.5		1.4	1.3		^		4.8	6.2	↑	6.3		1.5	1.8		2.1	
Stomach	3.4	3.2		2.1		1.9	1.6		1.5		7.3	8.0		7.3		3.4	4.1	↑	4.2	
Small Intestine	0.5	0.6		^		0.3	0.3		^		0.8	0.7		^		0.6	0.4		^	
Colon and Rectum	15.6	17.3	↑	13.5	*	11.1	11.7		8.5	*	22.1	26.5	↑	27.0		14.4	16.8	↑	13.9	
Liver and Intrahepatic Bile Duct	9.1	11.6	↑	10.1		3.9	4.4	↑	3.6		13.0	18.8	↑	21.6		4.7	5.6	↑	6.3	
Pancreas	12.8	13.8	↑	12.5		9.5	10.5	↑	9.0		14.9	16.5	↑	16.4		12.0	13.2	↑	13.1	
Larynx	1.6	1.9	↑	1.5		0.3	0.4		^		2.8	4.0	↑	3.5		0.5	0.7		^	
Lung and Bronchus	44.7	55.4	↑	42.8	*	32.0	37.2	↑	32.4	*	52.4	71.9	↑	64.0		28.3	31.6	↑	26.8	*
Breast	0.3	0.2		^		19.4	19.7		17.6		0.5	^		^		27.1	29.6	↑	30.8	
Cervix Uteri	--	--		--		2.1	2.6	↑	1.5		--	--		--		3.2	4.7	↑	3.9	
Corpus and Uterus, NOS	--	--		--		4.6	3.5	↓	1.6	*	--	--		--		8.8	7.7	↓	7.3	
Ovary	--	--		--		6.7	6.0	↓	6.8		--	--		--		5.7	6.1		5.3	
Prostate	17.7	16.1	↓	15.3		--	--		--		36.9	34.5		32.4		--	--		--	
Urinary Bladder	7.7	7.3		6.9		2.1	2.0		1.5		5.2	4.1	↓	3.7		2.3	2.4		2.5	
Kidney and Renal Pelvis	5.4	6.5	↑	5.1		2.3	3.0	↑	2.2		5.1	6.7	↑	7.6		2.1	2.7	↑	2.8	
Brain and Other Nervous System	5.9	6.1		6.8		3.9	4.1		4.8		3.2	3.5		3.3		2.2	2.1		2.3	
Hodgkin Lymphoma	0.4	0.4		^		0.2	0.3		^		0.3	^		^		0.2	^		^	
Non-Hodgkin Lymphoma	7.1	8.0	↑	7.6		4.2	4.3		4.1		5.0	5.6		5.2		3.0	3.3		3.2	
Myeloma	3.8	3.8		3.7		2.3	2.3		2.1		7.2	7.6		8.9		4.9	4.9		7.5	#
Leukemia	8.5	8.7		8.1		4.7	5.1		5.7		6.6	7.4		4.7	*	4.2	4.5		4.3	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate. #The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.
↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table L2. Average Annual Death Rates[1] for Selected Cancers by Race and Sex, 2015-2019: U.S., Louisiana, and 11-Parish Industrial Corridor[2] (Please review: Cautions in Interpretation)

Primary Site	White Males					White Females					Black Males					Black Females				
	US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.		US	Louisiana		Ind. Corr.	
All Malignant Cancers	182.0	198.9	↑	175.9	*	132.0	138.5	↑	125.7	*	215.3	254.3	↑	234.5	*	147.6	161.5	↑	153.8	*
Oral Cavity and Pharynx	3.9	4.9	↑	4.6		1.4	1.5		1.2		4.3	5.8	↑	4.9		1.2	1.7	↑	1.2	
Esophagus	7.3	7.1		6.5		1.4	1.3		1.1		4.8	6.2	↑	5.5		1.5	1.8		1.5	
Stomach	3.4	3.2		2.7		1.9	1.6		1.4		7.3	8.0		7.0		3.4	4.1	↑	3.9	
Small Intestine	0.5	0.6		0.7		0.3	0.3		^		0.8	0.7		^		0.6	0.4		^	
Colon and Rectum	15.6	17.3	↑	13.8	*	11.1	11.7		9.3	*	22.1	26.5	↑	23.7		14.4	16.8	↑	15.5	
Liver and Intrahepatic Bile Duct	9.1	11.6	↑	10.9		3.9	4.4	↑	3.7		13.0	18.8	↑	19.4		4.7	5.6	↑	5.5	
Pancreas	12.8	13.8	↑	12.1		9.5	10.5	↑	8.9	*	14.9	16.5	↑	14.7		12.0	13.2	↑	11.7	
Larynx	1.6	1.9	↑	1.6		0.3	0.4		^		2.8	4.0	↑	3.9		0.5	0.7		^	
Lung and Bronchus	44.7	55.4	↑	45.1	*	32.0	37.2	↑	32.3	*	52.4	71.9	↑	64.6	*	28.3	31.6	↑	29.2	
Breast	0.3	0.2		^		19.4	19.7		18.6		0.5	^		^		27.1	29.6	↑	29.6	
Cervix Uteri	--	--		--		2.1	2.6	↑	2.0		--	--		--		3.2	4.7	↑	4.0	
Corpus and Uterus, NOS	--	--		--		4.6	3.5	↓	3.2		--	--		--		8.8	7.7	↓	7.1	
Ovary	--	--		--		6.7	6.0	↓	6.4		--	--		--		5.7	6.1		6.2	
Prostate	17.7	16.1	↓	14.9		--	--		--		36.9	34.5		31.3		--	--		--	
Urinary Bladder	7.7	7.3		6.3		2.1	2.0		1.7		5.2	4.1	↓	3.9		2.3	2.4		2.4	
Kidney and Renal Pelvis	5.4	6.5	↑	5.6		2.3	3.0	↑	2.2	*	5.1	6.7	↑	6.4		2.1	2.7	↑	2.7	
Brain and Other Nervous System	5.9	6.1		5.3		3.9	4.1		4.3		3.2	3.5		3.1		2.2	2.1		2.0	
Hodgkin Lymphoma	0.4	0.4		^		0.2	0.3		^		0.3	^		^		0.2	^		^	
Non-Hodgkin Lymphoma	7.1	8.0	↑	7.9		4.2	4.3		4.0		5.0	5.6		6.2		3.0	3.3		3.3	
Myeloma	3.8	3.8		3.6		2.3	2.3		2.1		7.2	7.6		8.0		4.9	4.9		5.1	
Leukemia	8.5	8.7		7.8		4.7	5.1		4.6		6.6	7.4		6.6		4.2	4.5		3.9	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).
*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate. #The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.
↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table M1. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2015-2019: White Males

	All Malignant Cancers	Lung and Bronchus	Colon and Rectum	Prostate	Pancreas	Liver and Intrahepatic Bile Duct	Leukemia	Non-Hodgkin Lymphoma	Urinary Bladder	Esophagus	Kidney and Renal Pelvis
Louisiana	198.9	55.4	17.3	16.1	13.8	11.6	8.7	8.0	7.3	7.1	6.5
Acadia Parish	236.3	72.9	31.8	18.6	12.0	^	^	^	^	^	^
Allen Parish	251.3	79.3	^	^	^	^	^	^	^	^	^
Ascension Parish	160.5	46.0	13.3	10.8	15.4	10.8	^	^	^	^	^
Assumption Parish	198.3	62.4	^	^	^	^	^	^	^	^	^
Avoyelles Parish	223.5	74.4	30.5	^	^	^	^	^	^	^	^
Beauregard Parish	245.2	86.4	18.5	^	^	20.7	^	^	^	^	^
Bienville Parish	289.9	74.7	^	^	^	^	^	^	^	^	^
Bossier Parish	198.4	48.6	13.7	13.4	14.5	11.4	11.7	8.8	9.3	^	9.2
Caddo Parish	195.9	54.6	18.2	15.1	13.3	10.9	9.8	6.5	9.7	9.2	6.4
Calcasieu Parish	211.1	58.2	14.8	15.7	17.0	14.7	9.5	10.0	7.0	9.7	8.4
Caldwell Parish	201.2	73.0	^	^	^	^	^	^	^	^	^
Cameron Parish	119.0	^	^	^	^	^	^	^	^	^	^
Catahoula Parish	252.9	67.2	^	^	^	^	^	^	^	^	^
Claiborne Parish	184.2	53.1	^	^	^	^	^	^	^	^	^
Concordia Parish	229.3	69.4	^	^	^	^	^	^	^	^	^
De Soto Parish	218.2	71.6	^	^	^	^	^	^	^	^	^
East Baton Rouge Parish	170.5	40.0	12.8	15.9	11.5	9.4	8.7	7.4	7.6	6.0	5.0
East Carroll Parish	178.7	^	^	^	^	^	^	^	^	^	^
East Feliciana Parish	218.2	63.1	^	^	^	^	^	^	^	^	^
Evangeline Parish	222.2	65.7	21.5	^	^	^	^	^	^	^	^
Franklin Parish	193.5	72.5	^	^	^	^	^	^	^	^	^
Grant Parish	215.5	60.5	33.2	^	^	^	^	^	^	^	^
Iberia Parish	213.7	57.7	19.8	23.0	17.2	14.4	^	^	^	^	^
Iberville Parish	215.0	63.9	^	^	^	^	^	^	^	^	^
Jackson Parish	239.3	64.6	^	^	^	^	^	^	^	^	^
Jefferson Parish	185.8	48.6	14.3	14.0	12.4	11.9	8.3	9.0	6.1	6.5	6.7

Jefferson Davis Parish	235.3	70.1	28.2	23.4	^	^	^	^	^	^	^
Lafayette Parish	180.1	44.1	15.8	16.5	15.0	10.0	10.2	6.2	9.1	5.9	3.9
Lafourche Parish	211.0	60.0	23.5	11.4	14.5	17.2	^	11.3	^	8.6	6.4
La Salle Parish	203.3	72.3	^	^	^	^	^	^	^	^	^
Lincoln Parish	175.5	44.9	^	26.6	^	^	^	^	^	^	^
Livingston Parish	200.5	66.6	17.7	13.8	12.5	14.1	7.8	7.2	^	^	6.3
Madison Parish	222.5	^	^	^	^	^	^	^	^	^	^
Morehouse Parish	248.0	68.7	^	^	^	^	^	^	^	^	^
Natchitoches Parish	225.3	54.3	25.9	^	^	^	^	^	^	^	^
Orleans Parish	147.9	34.6	12.5	14.8	11.1	9.8	6.0	6.4	5.9	5.9	^
Ouachita Parish	234.2	64.5	24.5	18.9	18.3	7.6	8.6	10.6	10.7	7.1	7.3
Plaquemines Parish	194.2	52.8	^	^	^	^	^	^	^	^	^
Pointe Coupee Parish	188.4	48.3	^	^	^	^	^	^	^	^	^
Rapides Parish	186.0	47.7	19.0	12.4	13.1	9.4	13.0	8.3	^	8.8	^
Red River Parish	286.7	88.4	^	^	^	^	^	^	^	^	^
Richland Parish	204.1	86.4	^	^	^	^	^	^	^	^	^
Sabine Parish	215.8	54.9	^	^	^	^	^	^	^	^	^
St. Bernard Parish	206.7	75.7	^	^	^	13.8	^	^	^	^	^
St. Charles Parish	177.1	38.6	21.4	19.6	^	^	^	^	^	^	^
St. Helena Parish	222.5	^	^	^	^	^	^	^	^	^	^
St. James Parish	191.1	52.9	^	^	^	^	^	^	^	^	^
St. John the Baptist Parish	198.3	45.4	^	^	^	^	^	^	^	^	^
St. Landry Parish	214.6	54.5	18.5	15.7	14.9	15.3	^	^	^	^	^
St. Martin Parish	206.0	65.1	26.8	^	^	^	^	15.6	^	^	^
St. Mary Parish	244.9	76.7	20.9	16.3	^	^	^	^	^	^	^
St. Tammany Parish	189.1	48.3	14.8	16.0	13.1	9.8	7.5	5.8	9.6	5.9	5.9
Tangipahoa Parish	211.9	67.7	14.7	20.6	14.9	9.7	12.6	8.7	^	6.2	6.8
Tensas Parish	^	^	^	^	^	^	^	^	^	^	^
Terrebonne Parish	229.5	73.3	19.4	16.5	14.4	13.7	^	11.8	^	8.7	^
Union Parish	200.9	48.8	^	^	^	^	^	^	^	^	^
Vermilion Parish	185.1	44.8	17.8	21.0	11.3	12.4	11.3	^	^	^	^
Vernon Parish	260.8	91.6	26.1	^	18.7	^	^	^	^	^	^
Washington Parish	231.2	70.5	16.4	17.1	17.5	18.3	^	^	^	^	^

Webster Parish	247.4	73.5	26.3	^	17.6	17.7	^	^	^	^	^
West Baton Rouge Parish	176.4	33.8	^	^	^	^	^	^	^	^	^
West Carroll Parish	260.2	90.7	^	^	^	^	^	^	^	^	^
West Feliciana Parish	177.2	58.2	^	^	^	^	^	^	^	^	^
Winn Parish	226.7	79.3	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M2. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2015-2019: White Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Ovary	Leukemia	Liver and Intrahepatic Bile Duct	Non-Hodgkin Lymphoma	Brain and Other Nervous System	Corpus and Uterus, NOS
Louisiana	138.5	37.2	19.7	11.7	10.5	6.0	5.1	4.4	4.3	4.1	3.5
Acadia	148.6	41.0	22.3	18.1	12.5	^	^	^	^	^	^
Allen	150.2	38.9	^	^	^	^	^	^	^	^	^
Ascension	116.0	36.9	16.2	^	9.6	^	^	^	^	^	^
Assumption	118.8	42.2	^	^	^	^	^	^	^	^	^
Avoyelles	142.6	40.1	^	19.3	^	^	^	^	^	^	^
Beauregard	147.7	53.4	^	18.8	^	^	^	^	^	^	^
Bienville	152.9	43.9	^	^	^	^	^	^	^	^	^
Bossier	139.2	43.7	18.3	10.4	9.4	6.8	^	^	^	5.3	^
Caddo	148.0	36.7	21.9	12.6	11.1	7.5	5.1	5.6	4.6	6.0	3.6
Calcasieu	156.1	39.9	23.5	16.1	13.5	4.9	6.8	6.1	3.5	4.2	3.6
Caldwell	142.8	^	^	^	^	^	^	^	^	^	^
Cameron	102.0	^	^	^	^	^	^	^	^	^	^
Catahoula	151.0	^	^	^	^	^	^	^	^	^	^
Claiborne	172.7	^	^	^	^	^	^	^	^	^	^
Concordia	177.6	48.8	^	^	^	^	^	^	^	^	^
De Soto	146.2	^	^	^	^	^	^	^	^	^	^
East Baton Rouge	120.2	28.4	18.1	8.9	8.6	7.9	6.0	3.4	4.2	5.6	2.5
East Carroll	201.6	^	^	^	^	^	^	^	^	^	^
East Feliciana	160.2	52.3	^	^	^	^	^	^	^	^	^
Evangeline	146.4	45.0	^	^	^	^	^	^	^	^	^
Franklin	153.5	36.9	^	^	^	^	^	^	^	^	^
Grant	125.7	35.7	^	^	^	^	^	^	^	^	^
Iberia	142.5	44.1	17.4	10.5	^	^	^	^	^	^	^
Iberville	122.8	43.3	^	^	^	^	^	^	^	^	^
Jackson	129.9	34.0	^	^	^	^	^	^	^	^	^
Jefferson	132.0	31.6	20.1	10.2	9.5	5.7	4.6	3.7	4.1	4.4	5.3
Jefferson Davis	187.1	51.3	31.9	18.7	18.6	^	^	^	^	^	^

Lafayette	142.1	37.9	21.8	12.1	11.8	6.3	4.3	4.1	6.1	^	^
Lafourche	149.8	39.6	20.3	17.1	9.5	6.6	7.0	^	8.2	^	^
La Salle	131.0	42.0	^	^	^	^	^	^	^	^	^
Lincoln	129.2	36.1	21.3	^	^	^	^	^	^	^	^
Livingston	130.9	39.1	17.6	8.9	10.5	^	5.8	4.6	^	^	^
Madison	197.1	^	^	^	^	^	^	^	^	^	^
Morehouse	153.8	40.4	^	^	^	^	^	^	^	^	^
Natchitoches	161.2	29.1	24.7	20.2	^	^	^	^	^	^	^
Orleans	115.4	29.5	17.3	9.0	7.1	6.6	^	^	^	^	^
Ouachita	148.1	39.1	22.7	11.2	11.5	7.8	7.2	^	^	^	^
Plaquemines	134.3	38.2	^	^	^	^	^	^	^	^	^
Pointe Coupee	102.8	^	^	^	^	^	^	^	^	^	^
Rapides	137.8	36.8	23.3	12.9	12.6	5.0	^	7.2	4.8	^	^
Red River	132.7	^	^	^	^	^	^	^	^	^	^
Richland	103.8	^	^	^	^	^	^	^	^	^	^
Sabine	150.6	47.3	^	^	^	^	^	^	^	^	^
St. Bernard	145.7	46.7	17.3	^	^	^	^	^	^	^	^
St. Charles	146.8	39.4	19.0	^	16.4	^	^	^	^	^	^
St. Helena	160.3	^	^	^	^	^	^	^	^	^	^
St. James	87.8	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	144.6	34.4	31.7	^	^	^	^	^	^	^	^
St. Landry	165.1	47.5	24.7	19.8	15.5	^	^	^	^	^	^
St. Martin	128.8	38.3	16.9	^	^	^	^	^	^	^	^
St. Mary	152.4	43.3	16.7	^	^	^	^	^	^	^	^
St. Tammany	127.0	33.9	17.9	8.4	10.6	6.3	5.7	3.3	4.0	4.3	3.7
Tangipahoa	141.2	36.5	19.5	10.7	8.7	8.3	^	5.4	^	^	^
Tensas	^	^	^	^	^	^	^	^	^	^	^
Terrebonne	160.2	39.7	23.1	12.9	11.6	^	^	^	9.7	^	^
Union	159.7	26.1	^	^	^	^	^	^	^	^	^
Vermilion	144.0	41.9	19.0	16.7	^	^	^	^	^	^	^
Vernon	181.5	51.5	25.3	17.3	18.1	^	^	^	^	^	^
Washington	151.5	41.6	22.7	15.2	^	^	^	^	^	^	^
Webster	152.6	45.6	21.7	^	15.6	^	^	^	^	^	^

West Baton Rouge	118.9	46.4	^	^	^	^	^	^	^	^	^
West Carroll	145.9	44.2	^	^	^	^	^	^	^	^	^
West Feliciana	117.4	^	^	^	^	^	^	^	^	^	^
Winn	128.8	^	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M3. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2015-2019: Black Males

	All Malignant Cancers	Lung and Bronchus	Prostate	Colon and Rectum	Liver and Intrahepatic Bile Duct	Pancreas	Stomach	Myeloma	Leukemia	Kidney and Renal Pelvis	Esophagus
Louisiana	254.3	71.9	34.5	26.5	18.8	16.5	8.0	7.6	7.4	6.7	6.2
Acadia	327.1	108.8	^	^	^	^	^	^	^	^	^
Allen	242.3	^	^	^	^	^	^	^	^	^	^
Ascension	198.6	50.4	^	^	^	^	^	^	^	^	^
Assumption	315.6	124.6	^	^	^	^	^	^	^	^	^
Avoyelles	332.2	84.1	^	^	^	^	^	^	^	^	^
Beauregard	214.3	^	^	^	^	^	^	^	^	^	^
Bienville	219.1	^	^	^	^	^	^	^	^	^	^
Bossier	191.5	48.9	38.7	^	^	^	^	^	^	^	^
Caddo	264.8	71.2	33.6	29.2	22.7	20.4	7.1	8.2	7.1	7.7	7.9
Calcasieu	265.4	80.0	23.5	31.5	28.1	27.0	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	608.0	^	^	^	^	^	^	^	^	^	^
Claiborne	250.7	86.8	^	^	^	^	^	^	^	^	^
Concordia	356.8	113.6	^	^	^	^	^	^	^	^	^
De Soto	315.4	75.6	^	^	^	^	^	^	^	^	^
East Baton Rouge	254.3	67.7	31.9	26.7	24.1	17.5	6.9	8.3	^	8.1	7.2
East Carroll	469.7	^	^	^	^	^	^	^	^	^	^
East Feliciana	241.2	^	^	^	^	^	^	^	^	^	^
Evangeline	284.4	103.0	^	^	^	^	^	^	^	^	^
Franklin	270.6	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	296.6	82.5	^	^	^	^	^	^	^	^	^
Iberville	295.1	90.6	^	^	^	^	^	^	^	^	^
Jackson	335.8	^	^	^	^	^	^	^	^	^	^
Jefferson	246.1	74.0	33.5	21.0	15.3	14.2	^	11.6	^	^	6.6
Jefferson Davis	282.1	^	^	^	^	^	^	^	^	^	^

Lafayette	255.1	69.3	26.1	29.4	28.2	15.6	^	^	^	^	^
Lafourche	330.3	82.1	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	259.8	95.7	^	^	^	^	^	^	^	^	^
Livingston	226.9	^	^	^	^	^	^	^	^	^	^
Madison	284.4	^	^	^	^	^	^	^	^	^	^
Morehouse	346.3	132.6	^	^	^	^	^	^	^	^	^
Natchitoches	281.1	77.3	^	^	^	^	^	^	^	^	^
Orleans	217.6	61.2	29.6	21.9	18.8	13.5	7.4	5.9	7.4	5.3	3.9
Ouachita	264.9	79.1	54.1	23.9	^	^	^	^	^	^	^
Plaquemines	310.9	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	256.0	^	^	^	^	^	^	^	^	^	^
Rapides	279.4	96.0	54.0	33.5	14.0	^	^	^	^	^	^
Red River	332.2	^	^	^	^	^	^	^	^	^	^
Richland	309.2	^	^	^	^	^	^	^	^	^	^
Sabine	210.1	^	^	^	^	^	^	^	^	^	^
St. Bernard	251.3	^	^	^	^	^	^	^	^	^	^
St. Charles	251.4	^	^	^	^	^	^	^	^	^	^
St. Helena	197.4	^	^	^	^	^	^	^	^	^	^
St. James	195.2	55.0	^	^	^	^	^	^	^	^	^
St. John the Baptist	226.2	48.7	^	^	^	^	^	^	^	^	^
St. Landry	314.6	82.7	34.7	37.8	29.0	21.6	^	^	^	^	^
St. Martin	287.6	71.1	^	64.7	^	^	^	^	^	^	^
St. Mary	268.2	54.4	42.5	^	^	^	^	^	^	^	^
St. Tammany	226.4	56.6	40.6	^	^	22.8	^	^	^	^	^
Tangipahoa	309.7	93.3	58.1	^	27.4	^	^	^	^	^	^
Tensas	180.0	^	^	^	^	^	^	^	^	^	^
Terrebonne	312.7	96.9	^	^	^	^	^	^	^	^	^
Union	260.6	^	^	^	^	^	^	^	^	^	^
Vermilion	250.2	^	^	^	^	^	^	^	^	^	^
Vernon	248.3	^	^	^	^	^	^	^	^	^	^
Washington	281.2	73.5	^	^	^	^	^	^	^	^	^
Webster	239.4	86.8	^	^	^	^	^	^	^	^	^

West Baton Rouge	229.1	^	^	^	^	^	^	^	^	^	^
West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	219.7	69.4	^	^	^	^	^	^	^	^	^
Winn	210.3	^	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M4. Death Rates[1] by Louisiana Parish[2] for the Ten Most Common Cancer Deaths, 2015-2019: Black Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Corpus and Uterus, NOS	Ovary	Liver and Intrahepatic Bile Duct	Myeloma	Cervix Uteri	Leukemia
Louisiana	161.5	31.6	29.6	16.8	13.2	7.7	6.1	5.6	4.9	4.7	4.5
Acadia	189.3	^	^	^	^	^	^	^	^	^	^
Allen	145.0	^	^	^	^	^	^	^	^	^	^
Ascension	130.6	^	41.2	^	^	^	^	^	^	^	^
Assumption	195.4	^	^	^	^	^	^	^	^	^	^
Avoyelles	180.1	^	^	^	^	^	^	^	^	^	^
Beauregard	139.4	^	^	^	^	^	^	^	^	^	^
Bienville	126.5	^	^	^	^	^	^	^	^	^	^
Bossier	163.7	27.8	25.6	^	^	^	^	^	^	^	^
Caddo	168.1	33.9	32.5	16.6	15.1	10.2	^	^	^	^	5.8
Calcasieu	190.0	35.4	32.1	20.2	18.8	^	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	^	^	^	^	^	^	^	^	^	^	^
Claiborne	136.5	^	^	^	^	^	^	^	^	^	^
Concordia	164.6	^	^	^	^	^	^	^	^	^	^
De Soto	188.9	^	^	^	^	^	^	^	^	^	^
East Baton Rouge	150.6	25.5	27.2	16.3	13.7	8.1	5.5	6.4	8.5	4.1	4.6
East Carroll	317.2	122.1	^	^	^	^	^	^	^	^	^
East Feliciana	152.1	^	^	^	^	^	^	^	^	^	^
Evangeline	194.1	75.4	^	^	^	^	^	^	^	^	^
Franklin	132.2	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	160.0	30.8	35.8	^	^	^	^	^	^	^	^
Iberville	168.5	^	38.4	^	^	^	^	^	^	^	^
Jackson	166.8	^	^	^	^	^	^	^	^	^	^
Jefferson	176.6	31.3	30.5	17.9	11.3	7.9	^	5.7	^	5.9	^
Jefferson Davis	124.9	^	^	^	^	^	^	^	^	^	^

Lafayette	151.1	25.7	25.7	15.1	13.5	^	^	^	^	^	^
Lafourche	196.0	^	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	181.3	32.8	41.0	^	^	^	^	^	^	^	^
Livingston	185.3	^	^	^	^	^	^	^	^	^	^
Madison	210.6	^	^	^	^	^	^	^	^	^	^
Morehouse	161.4	^	^	^	^	^	^	^	^	^	^
Natchitoches	174.0	40.6	^	^	^	^	^	^	^	^	^
Orleans	144.9	30.2	27.7	15.2	10.5	6.9	7.2	4.7	3.0	3.7	3.5
Ouachita	171.4	40.2	25.8	12.6	20.0	^	^	^	^	^	^
Plaquemines	188.0	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	137.6	^	^	^	^	^	^	^	^	^	^
Rapides	158.3	27.8	33.2	23.6	^	^	^	^	^	^	^
Red River	160.1	^	^	^	^	^	^	^	^	^	^
Richland	215.4	^	^	^	^	^	^	^	^	^	^
Sabine	132.8	^	^	^	^	^	^	^	^	^	^
St. Bernard	247.9	^	^	^	^	^	^	^	^	^	^
St. Charles	154.9	^	^	^	^	^	^	^	^	^	^
St. Helena	130.3	^	^	^	^	^	^	^	^	^	^
St. James	202.8	47.7	52.6	^	^	^	^	^	^	^	^
St. John the Baptist	143.8	^	24.9	^	^	^	^	^	^	^	^
St. Landry	183.2	40.6	28.2	21.6	^	^	^	^	^	^	^
St. Martin	153.8	40.1	^	^	^	^	^	^	^	^	^
St. Mary	202.6	43.0	^	^	^	^	^	^	^	^	^
St. Tammany	136.7	25.7	23.7	^	^	^	^	^	^	^	^
Tangipahoa	160.4	33.9	19.9	16.6	^	^	^	^	^	^	^
Tensas	181.9	^	^	^	^	^	^	^	^	^	^
Terrebonne	180.8	42.6	48.8	^	^	^	^	^	^	^	^
Union	171.5	^	^	^	^	^	^	^	^	^	^
Vermilion	151.1	^	^	^	^	^	^	^	^	^	^
Vernon	206.8	^	^	^	^	^	^	^	^	^	^
Washington	198.2	33.5	45.3	^	^	^	^	^	^	^	^
Webster	161.8	^	^	^	^	^	^	^	^	^	^

West Baton Rouge	194.1	^	^	^	^	^	^	^	^	^	^
West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	151.3	^	^	^	^	^	^	^	^	^	^
Winn	154.1	^	^	^	^	^	^	^	^	^	^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.
^Statistic not displayed due to fewer than 16 cases during the five-year period.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N1. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: White Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region	Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region	
All Malignant Cancers	182.0	198.9	↑	177.0	*	186.2	*	201.3	203.4		218.9	#	212.1	#	208.9	#	218.3	#
Lung and Bronchus	44.7	55.4	↑	46.7	*	52.2		55.2	55.5		64.9	#	64.0	#	56.6		64.3	#
Prostate	17.7	16.1	↓	14.4		15.7		15.6	17.0		16.3		16.3		15.9		19.5	
Colon and Rectum	15.6	17.3	↑	13.9	*	14.6	*	17.5	20.2	#	16.3		22.9	#	18.4		19.8	
Pancreas	12.8	13.8	↑	12.0		13.3		13.3	14.4		16.2		13.9		14.7		14.7	
Liver and Intrahepatic Bile Duct	9.1	11.6	↑	11.6		11.5		11.9	11.3		15.2	#	9.1		12.7		8.6	*
Leukemia	8.5	8.7		7.2		8.7		7.9	8.9		8.1		10.5		10.7		8.1	
Urinary Bladder	7.7	7.3		5.9		6.6		7.7	7.1		8.1		8.2		8.5		8.7	
Esophagus	7.3	7.1		6.4		5.8		7.7	6.8		8.8		8.3		8.3		6.3	
Non-Hodgkin Lymphoma	7.1	8.0	↑	8.0		7.6		8.5	8.4		10.2		7.6		6.7		8.3	
Brain and Other Nervous System	5.9	6.1		4.2	*	6.4		6.7	5.8		7.5		5.9		5.9		6.9	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N2. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: White Females

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region	
All Malignant Cancers	132.0	138.5	↑	128.8	*	125.5	*	138.3		145.1	#	156.4	#	145.7		147.4	#	144.0	
Lung and Bronchus	32.0	37.2	↑	32.0	*	34.7		36.5		41.1	#	42.8	#	40.4		39.2		38.1	
Breast	19.4	19.7		19.2		17.3	*	19.9		20.1		23.0		20.9		21.0		18.4	
Colon and Rectum	11.1	11.7		10.0		9.0	*	11.0		13.8	#	15.5	#	14.8	#	12.4		11.6	
Pancreas	9.5	10.5	↑	8.9		9.1		10.5		11.1		13.5	#	11.8		10.8		12.0	
Ovary	6.7	6.0	↓	6.0		6.6		5.8		5.7		4.8		4.4		6.8		6.6	
Leukemia	4.7	5.1		3.9	*	5.5		5.9		4.6		5.8		4.7		5.1		5.8	
Corpus and Uterus, NOS	4.6	3.5	↓	4.5		2.9		3.3		3.1		4.1		2.7		3.2		5.2	#
Non-Hodgkin Lymphoma	4.2	4.3		3.9		3.7		5.8	#	4.8		4.1		4.8		4.0		3.4	
Liver and Intrahepatic Bile Duct	3.9	4.4	↑	3.8		4.3		3.9		4.2		5.1		6.2	#	5.2		3.6	
Brain and Other Nervous System	3.9	4.1		4.1		4.0		4.4		3.5		3.9		2.9		5.8	#	4.2	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N3. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: Black Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region	Southeast Region	Acadiana Region		Southwest Region		Central Region		Northwest Region	Northeast Region	
All Malignant Cancers	215.3	254.3	↑	225.5	*	253.3	257.6	283.0	#	257.4		287.9	#	255.5	281.0	#
Lung and Bronchus	52.4	71.9	↑	64.7	*	70.9	64.6	76.4		79.2		89.3	#	70.2	88.5	#
Prostate	36.9	34.5		30.4		34.2	35.4	29.3		23.1	*	49.0	#	36.5	49.3	#
Colon and Rectum	22.1	26.5	↑	21.4	*	25.2	26.4	33.9	#	30.1		34.0		28.3	27.3	
Pancreas	14.9	16.5	↑	13.8		15.7	18.1	20.6		23.0		10.7		17.9	17.4	
Liver and Intrahepatic Bile Duct	13	18.8	↑	18.0		21.8	20.4	23.3		25.3		12.6		18.5	6.9	*
Stomach	7.3	8.0		6.7		7.2	9.9	9.9		^		8.1		7.3	9.7	
Myeloma	7.2	7.6		7.3		9.1	7.2	7.7		^		^		6.9	7.5	
Leukemia	6.6	7.4		7.5		5.8	9.4	10.9		^		^		6.1	7.4	
Urinary Bladder	5.2	4.1	↓	4.1		3.9	^	5.5		^		^		^	^	
Kidney and Renal Pelvis	5.1	6.7	↑	5.2		7.8	^	8.1		^		^		7.7	7.4	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N4. Death Rates[1] by LTR Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region		Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region		Northeast Region	
All Malignant Cancers	147.6	161.5	↑	154.3	152.8		166.9	167.6	177.2	166.9	164.4		178.4	#
Lung and Bronchus	28.3	31.6	↑	30.5	27.5		34.9	36.4	33.5	28.9	31.2		37.0	
Breast	27.1	29.6	↑	28.7	29.1		34.2	27.2	30.3	34.6	29.7		28.3	
Colon and Rectum	14.4	16.8	↑	16.6	15.3		15.6	18.2	18.9	20.4	16.2		17.9	
Pancreas	12.0	13.2	↑	10.8	13.6		10.4	12.5	18.8	13.5	14.2		19.1	#
Corpus and Uterus, NOS	8.8	7.7	↓	7.0	8.5		6.4	6.7	^	^	10.6	#	8.7	
Ovary	5.7	6.1		6.8	5.5		6.9	6.1	^	^	4.4		7.4	
Myeloma	4.9	4.9		3.5	7.0	#	5.5	5.4	^	^	5.5		^	
Liver and Intrahepatic Bile Duct	4.7	5.6	↑	4.9	6.6		6.5	6.6	^	^	5.1		4.7	
Uterus, NOS	4.5	3.5	↓	3.0	4.9		^	^	^	^	3.6		^	
Corpus Uteri	4.3	4.2		4.0	3.6		^	4.4	^	^	7.0	#	5.1	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]LTR Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O1. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: White Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region
All Malignant Cancers	182.0	198.9	↑	177.6	*	174.2	*	213.1	#	199.8		218.9	#	212.1	#	208.9	#	218.3	#	199.7
Lung and Bronchus	44.7	55.4	↑	47.0	*	44.2	*	61.8	#	53.6		64.9	#	64.0	#	56.6		64.3	#	57.8
Prostate	17.7	16.1	↓	14.5		15.5		14.3		17.1		16.3		16.3		15.9		19.5		16.5
Colon and Rectum	15.6	17.3	↑	14.0	*	13.3	*	20.2		20.1	#	16.3		22.9	#	18.4		19.8		15.8
Pancreas	12.8	13.8	↑	11.9		12.8		13.6		14.5		16.2		13.9		14.7		14.7		13.6
Liver and Intrahepatic Bile Duct	9.1	11.6	↑	11.4		10.9		13.3		11.1		15.2	#	9.1		12.7		8.6	*	11.6
Leukemia	8.5	8.7		7.5		8.3		6.9		9.1		8.1		10.5		10.7		8.1		8.8
Urinary Bladder	7.7	7.3		5.8		7.2		6.6		6.7		8.1		8.2		8.5		8.7		7.7
Esophagus	7.3	7.1		6.5		5.7		9.4	#	6.8		8.8		8.3		8.3		6.3		5.6
Non-Hodgkin Lymphoma	7.1	8.0	↑	8.0		7.4		10.5	#	8.0		10.2		7.6		6.7		8.3		7.2
Brain and Other Nervous System	5.9	6.1		4.2	*	6.6		6.2		6.3		7.5		5.9		5.9		6.9		6.3

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O2. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: White Females

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region	
All Malignant Cancers	132.0	138.5	↑	129.0	*	119.8	*	146.8	#	144.6		156.4	#	145.7		147.4	#	144.0		132.7	
Lung and Bronchus	32.0	37.2	↑	32.2	*	32.0	*	39.0		40.9	#	42.8	#	40.4		39.2		38.1		36.6	
Breast	19.4	19.7		19.4		17.2		20.0		20.4		23.0		20.9		21.0		18.4		18.3	
Colon and Rectum	11.1	11.7		9.9		8.4	*	13.0		13.9	#	15.5	#	14.8	#	12.4		11.6		9.6	*
Pancreas	9.5	10.5	↑	8.8		8.7		10.4		11.5		13.5	#	11.8		10.8		12.0		10.1	
Ovary	6.7	6.0	↓	6.1		6.9		5.6		5.7		4.8		4.4		6.8		6.6		6.0	
Leukemia	4.7	5.1		3.8	*	5.8		5.7		4.5		5.8		4.7		5.1		5.8		5.7	
Corpus and Uterus, NOS	4.6	3.5	↓	4.4		2.1	*	2.9		3.3		4.1		2.7		3.2		5.2	#	3.9	
Non-Hodgkin Lymphoma	4.2	4.3		3.9		3.8		7.4	#	4.7		4.1		4.8		4.0		3.4		3.7	
Liver and Intrahepatic Bile Duct	3.9	4.4	↑	3.9		3.9		4.2		4.3		5.1		6.2	#	5.2		3.6		4.0	
Brain and Other Nervous System	3.9	4.1		3.9		4.5		4.4		3.5		3.9		2.9		5.8	#	4.2		3.9	

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Louisiana Office of Public Health Regions
^Statistic not displayed due to fewer than 16 cases during the five-year period.
*The regional rate is significantly lower (P <0.05) than the Louisiana rate.
#The regional rate is significantly higher (P <0.05) than the Louisiana rate.
↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O3. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: Black Males

Primary Site	U.S.	LA		New Orleans Region		Baton Rouge Region		Southeast Region	Acadiana Region		Southwest Region		Central Region		Northwest Region	Northeast Region		Northlake Region
All Malignant Cancers	215.3	254.3	↑	226.7	*	247.7		266.1	284.6	#	257.4		287.9	#	255.5	281.0	#	260.0
Lung and Bronchus	52.4	71.9	↑	64.8	*	66.0		67.9	79.1		79.2		89.3	#	70.2	88.5	#	74.2
Prostate	36.9	34.5		30.6		33.0		32.2	27.7		23.1	*	49.0	#	36.5	49.3	#	42.9
Colon and Rectum	22.1	26.5	↑	21.5	*	26.4		28.4	35.3	#	30.1		34.0		28.3	27.3		18.9
Pancreas	14.9	16.5	↑	13.7		16.2		15.0	21.1		23.0		10.7		17.9	17.4	*	20.3
Liver and Intrahepatic Bile Duct	13.0	18.8	↑	17.9		21.9		17.9	25.4	#	25.3		12.6		18.5	6.9	*	21.3
Stomach	7.3	8.0		6.9		7.1		11.6	9.2		^		8.1		7.3	9.7		^
Myeloma	7.2	7.6		7.4		9.1		8.1	7.9		^		^		6.9	7.5		^
Leukemia	6.6	7.4		7.9		4.2	*	8.0	11.6	#	^		^		6.1	7.4		11.3
Urinary Bladder	5.2	4.1	↓	4.0		4.2		^	^		^		^		^	^		^
Kidney and Renal Pelvis	5.1	6.7	↑	5.5		8.4		^	8.5		^		^		7.7	7.4		^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

[2]Louisiana Office of Public Health Regions

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O4. Death Rates[1] by LA OPH Region[2] for the Ten Most Common Cancer Deaths, 2015-2019: Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region		Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region		Northeast Region		Northlake Region
All Malignant Cancers	147.6	161.5	↑	154.7	150.6	*	177.0	163.6	177.2	166.9	164.4		178.4	#	158.8
Lung and Bronchus	28.3	31.6	↑	30.9	27.0	*	36.1	35.4	33.5	28.9	31.2		37.0		30.1
Breast	27.1	29.6	↑	28.7	30.7		34.5	26.8	30.3	34.6	29.7		28.3		25.5
Colon and Rectum	14.4	16.8	↑	16.6	15.0		16.5	17.6	18.9	20.4	16.2		17.9		16.7
Pancreas	12.0	13.2	↑	10.8	12.7		14.9	12.2	18.8	13.5	14.2		19.1	#	10.2
Corpus and Uterus, NOS	8.8	7.7	↓	6.9	8.2		6.0	6.4	^	^	10.6	#	8.7		9.6
Ovary	5.7	6.1		6.8	5.0		7.4	6.2	^	^	4.4		7.4		7.1
Myeloma	4.9	4.9		3.5	7.6	#	^	5.9	^	^	5.5		^		^
Liver and Intrahepatic Bile Duct	4.7	5.6	↑	5.1	6.1		5.4	6.8	^	^	5.1		4.7		8.2
Uterus, NOS	4.5	3.5	↓	3.0	4.9		^	^	^	^	3.6		^		^
Corpus Uteri	4.3	4.2		4.0	3.3		^	4.2	^	^	7.0	#	5.1		^

[1]Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.
[2]Louisiana Office of Public Health Regions
^Statistic not displayed due to fewer than 16 cases during the five-year period.
*The regional rate is significantly lower (P <0.05) than the Louisiana rate.
#The regional rate is significantly higher (P <0.05) than the Louisiana rate.
↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.
Underlying mortality data provided by NCHS (www.cdc.gov/nchs).