

Incidence Tables

Table A1. Average Annual Number of Cancer Cases by Site, Race, and Sex, 2016-2020, Louisiana

Primary Site <i>Invasive Cancers</i> ³	All races			White			Black			AI/AN ¹ & APIS ²		
	Total ⁴	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	26,491	14,165	12,326	18,476	9,902	8,574	7,539	4,006	3,533	331	169	162
Oral Cavity and Pharynx	732	530	201	561	409	152	158	113	45	9	5	3
Lip	29	22	7	27	20	7	1	1	^	^	^	^
Tongue	229	163	67	191	136	55	35	25	10	2	^	1
Salivary Gland	63	38	25	46	30	16	16	8	9	^	^	^
Floor of Mouth	37	26	11	25	17	8	12	9	3	^	^	^
Gum and Other Mouth	102	64	38	74	47	27	26	15	11	2	1	^
Nasopharynx	29	22	8	18	14	5	9	7	3	2	1	^
Tonsil	136	116	21	108	92	16	27	23	4	^	^	^
Oropharynx	48	36	12	36	26	9	12	10	2	^	^	^
Hypopharynx	41	32	9	25	19	6	15	12	3	^	^	^
Other Oral Cavity and Pharynx	17	12	4	11	9	3	5	4	2	^	^	^
Digestive System	4,991	2,841	2,150	3,244	1,855	1,389	1,646	920	726	80	52	29
Esophagus	258	206	52	190	157	33	65	46	19	2	2	^
Stomach	368	228	140	203	129	74	155	91	64	6	5	1
Small Intestine	176	89	87	103	56	47	71	32	38	2	^	1
Colon and Rectum	2,415	1,300	1,116	1,592	863	729	777	408	369	37	22	15
Colon excluding Rectum	1,680	866	815	1,105	575	530	549	275	274	21	12	9
Cecum	332	155	177	222	106	116	105	47	58	4	2	2
Appendix	97	42	54	73	31	42	22	10	12	2	^	^
Ascending Colon	321	150	171	210	99	111	108	50	58	1	^	^
Hepatic Flexure	80	44	36	52	28	24	27	15	12	^	^	^
Transverse Colon	159	83	75	103	56	47	54	26	27	2	^	^
Splenic Flexure	50	28	22	27	17	11	22	10	11	^	^	^
Descending Colon	116	66	50	73	44	29	41	20	21	2	1	^
Sigmoid Colon	424	244	179	281	163	118	133	76	58	7	4	2
Large Intestine, NOS	102	52	50	63	31	32	37	20	18	2	1	^
Rectum and Rectosigmoid Junction	735	434	301	487	288	199	227	133	95	17	10	7
Rectosigmoid Junction	135	75	60	93	52	41	37	20	17	4	2	1
Rectum	600	359	241	394	236	158	190	113	77	13	8	5
Anus, Anal Canal and Anorectum	110	42	68	83	29	53	27	13	14	^	^	^
Liver and Intrahepatic Bile Duct	634	472	163	387	280	106	226	174	52	19	16	3
Liver	554	428	126	330	250	79	204	161	43	18	15	3
Intrahepatic Bile Duct	80	43	37	57	30	27	22	13	9	1	^	^
Gallbladder	74	25	49	42	13	29	29	11	18	2	^	1
Other Biliary	85	47	39	59	33	26	24	13	11	2	^	1
Pancreas	794	404	390	534	275	259	249	123	126	8	4	4
Retroperitoneum	14	6	8	8	4	4	5	2	4	^	^	^
Peritoneum, Omentum and Mesentery	21	2	18	15	1	14	6	1	4	^	^	^
Other Digestive Organs	41	21	20	27	13	15	13	7	6	^	^	^
Respiratory System	3,858	2,192	1,666	2,732	1,497	1,235	1,070	664	407	48	27	21
Nose, Nasal Cavity and Middle Ear	40	24	16	30	18	12	8	5	3	^	^	^
Larynx	282	218	64	187	144	43	93	73	20	2	2	^
Lung and Bronchus	3,528	1,945	1,583	2,509	1,332	1,177	967	584	383	45	25	20
Pleura	2	1	^	2	1	^	^	^	^	^	^	^
Trachea, Mediastinum and Other	6	4	2	4	2	2	2	1	^	^	^	^
Bones and Joints	44	23	21	33	17	16	10	6	5	^	^	^
Soft Tissue including Heart	195	117	79	140	88	51	52	26	26	2	2	^

Skin excluding Basal and Squamous	1,028	635	393	983	611	371	28	14	15	3	2	^
Melanoma of the Skin	920	568	352	893	554	339	13	6	7	2	2	^
Other Non-Epithelial Skin	108	67	41	89	57	32	15	8	8	1	^	^
Breast	3,688	37	3,650	2,493	25	2,468	1,134	11	1,123	46	^	46
Female Genital System	1,247	--	1,247	805	--	805	413	--	413	20	--	20
Cervix Uteri	213	--	213	125	--	125	81	--	81	4	--	4
Corpus and Uterus, NOS	633	--	633	399	--	399	221	--	221	10	--	10
Corpus Uteri	612	--	612	389	--	389	209	--	209	10	--	10
Uterus, NOS	21	--	21	10	--	10	12	--	12	^	--	^
Ovary	247	--	247	173	--	173	70	--	70	4	--	4
Vagina	27	--	27	18	--	18	9	--	9	^	--	^
Vulva	86	--	86	61	--	61	23	--	23	1	--	1
Other Female Genital Organs	40	--	40	30	--	30	10	--	10	^	--	^
Male Genital System	3,958	3,958	--	2,491	2,491	--	1,398	1,398	--	34	34	--
Prostate	3,817	3,817	--	2,379	2,379	--	1,374	1,374	--	32	32	--
Testis	110	110	--	93	93	--	13	13	--	2	2	--
Penis	25	25	--	15	15	--	10	10	--	^	^	--
Other Male Genital Organs	6	6	--	4	4	--	2	2	--	^	^	--
Urinary System	2,312	1,594	717	1,780	1,260	520	496	309	187	23	16	7
Urinary Bladder	1,004	776	227	829	654	175	161	111	50	9	7	2
Kidney and Renal Pelvis	1,251	784	467	905	577	328	325	194	131	14	9	6
Ureter	30	18	12	26	16	10	3	^	2	^	^	^
Other Urinary Organs	27	16	11	20	13	7	7	3	4	^	^	^
Eye and Orbit	40	23	17	34	20	14	4	2	2	^	^	^
Brain and Other Nervous System	294	165	129	232	130	101	56	32	24	4	2	2
Brain	277	155	122	220	123	97	52	30	22	3	2	1
Cranial Nerves Other Nervous System	17	10	7	12	7	5	4	2	2	^	^	^
Endocrine System	724	195	529	545	154	391	156	36	120	16	3	12
Thyroid	686	173	513	526	143	383	139	26	113	15	3	12
Other Endocrine including Thymus	37	21	16	19	11	8	17	10	7	1	^	^
Lymphoma	1,128	610	518	856	471	385	250	127	123	16	10	7
Hodgkin Lymphoma	133	72	61	92	49	42	38	20	18	2	1	^
Hodgkin - Nodal	132	71	61	91	49	42	38	20	18	2	1	^
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	995	539	457	764	422	343	212	106	106	14	8	6
NHL - Nodal	679	370	309	530	293	237	137	70	67	9	6	4
NHL - Extranodal	316	169	148	234	128	105	75	36	39	5	3	2
Myeloma	456	249	207	240	142	97	209	103	106	5	3	2
Leukemia	739	427	313	560	323	238	166	95	71	8	5	3
Lymphocytic Leukemia	362	218	144	289	174	115	69	41	27	2	1	^
Acute Lymphocytic Leukemia	64	35	28	46	25	22	16	10	6	^	^	^
Chronic Lymphocytic Leukemia	277	169	108	226	138	88	49	30	19	1	^	^
Other Lymphocytic Leukemia	21	13	8	17	11	6	3	2	2	^	^	^
Myeloid and Monocytic Leukemia	348	193	155	251	139	112	89	49	40	6	3	2
Acute Myeloid Leukemia	223	123	100	160	88	72	57	31	26	4	3	2
Acute Monocytic Leukemia	7	4	3	5	3	2	1	^	^	^	^	^
Chronic Myeloid Leukemia	112	62	50	81	45	36	29	16	13	^	^	^
Other Myeloid/Monocytic Leukemia	6	3	3	5	2	2	^	^	^	^	^	^
Other Leukemia	30	16	14	21	10	11	8	5	3	^	^	^
Other Acute Leukemia	9	5	4	7	4	3	2	^	1	^	^	^
Aleukemic, Subleukemic and NOS	21	11	10	14	7	8	6	4	2	^	^	^
Mesothelioma	61	43	18	47	32	15	13	10	3	^	^	^
Kaposi Sarcoma	22	20	2	9	8	^	12	11	1	^	^	^
Miscellaneous	973	504	469	691	367	324	266	131	135	12	5	7
<i>In Situ Cancers (not included above)</i>												
Breast In Situ	726	3	724	466	2	465	248	^	247	10	^	10

¹American Indians/Alaska Natives

²Asians and Pacific Islanders

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴The total case count for each cancer site may not have the same number as the sum of male and female due to rounding.

[^]Count is not displayed due to fewer than 6 cases during the five-year period.

--Not applicable

Table A2. Percent Distribution of Cancer Cases by Site, Race, and Sex, 2016-2020, Louisiana

Primary Site <i>Invasive Cancers</i> ³	All races			White			Black			AI/AN ¹ & APIs ²		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	2.8	3.7	1.6	3.0	4.1	1.8	2.1	2.8	1.3	2.7	3.2	2.1
Lip	0.1	0.2	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.0
Tongue	0.9	1.1	0.5	1.0	1.4	0.6	0.5	0.6	0.3	0.7	0.6	0.9
Salivary Gland	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.4
Floor of Mouth	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2	0.1
Gum and Other Mouth	0.4	0.5	0.3	0.4	0.5	0.3	0.3	0.4	0.3	0.5	0.8	0.2
Nasopharynx	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.5	0.7	0.2
Tonsil	0.5	0.8	0.2	0.6	0.9	0.2	0.4	0.6	0.1	0.2	0.1	0.2
Oropharynx	0.2	0.3	0.1	0.2	0.3	0.1	0.2	0.2	0.1	0.1	0.1	0.0
Hypopharynx	0.2	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.2	0.4	0.0
Other Oral Cavity and Pharynx	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Digestive System	18.8	20.1	17.4	17.6	18.7	16.2	21.8	23.0	20.5	24.2	30.5	17.7
Esophagus	1.0	1.5	0.4	1.0	1.6	0.4	0.9	1.2	0.5	0.6	1.2	0.0
Stomach	1.4	1.6	1.1	1.1	1.3	0.9	2.1	2.3	1.8	1.9	3.0	0.9
Small Intestine	0.7	0.6	0.7	0.6	0.6	0.6	0.9	0.8	1.1	0.6	0.5	0.7
Colon and Rectum	9.1	9.2	9.1	8.6	8.7	8.5	10.3	10.2	10.4	11.2	13.0	9.4
Colon excluding Rectum	6.3	6.1	6.6	6.0	5.8	6.2	7.3	6.9	7.8	6.2	7.1	5.3
Cecum	1.3	1.1	1.4	1.2	1.1	1.4	1.4	1.2	1.6	1.2	0.9	1.5
Appendix	0.4	0.3	0.4	0.4	0.3	0.5	0.3	0.3	0.3	0.5	0.4	0.6
Ascending Colon	1.2	1.1	1.4	1.1	1.0	1.3	1.4	1.3	1.6	0.4	0.2	0.6
Hepatic Flexure	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.5	0.1
Transverse Colon	0.6	0.6	0.6	0.6	0.6	0.6	0.7	0.7	0.8	0.5	0.6	0.5
Splenic Flexure	0.2	0.2	0.2	0.1	0.2	0.1	0.3	0.3	0.3	0.2	0.4	0.1
Descending Colon	0.4	0.5	0.4	0.4	0.4	0.3	0.5	0.5	0.6	0.5	0.7	0.4
Sigmoid Colon	1.6	1.7	1.5	1.5	1.6	1.4	1.8	1.9	1.6	2.0	2.6	1.4
Large Intestine, NOS	0.4	0.4	0.4	0.3	0.3	0.4	0.5	0.5	0.5	0.5	0.8	0.1
Rectum and Rectosigmoid Junction	2.8	3.1	2.4	2.6	2.9	2.3	3.0	3.3	2.7	5.0	5.9	4.1
Rectosigmoid Junction	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1.1	1.3	0.9
Rectum	2.3	2.5	2.0	2.1	2.4	1.8	2.5	2.8	2.2	3.9	4.6	3.2
Anus, Anal Canal and Anorectum	0.4	0.3	0.6	0.4	0.3	0.6	0.4	0.3	0.4	0.2	0.0	0.4
Liver and Intrahepatic Bile Duct	2.4	3.3	1.3	2.1	2.8	1.2	3.0	4.3	1.5	5.7	9.2	2.1
Liver	2.1	3.0	1.0	1.8	2.5	0.9	2.7	4.0	1.2	5.4	8.7	1.9
Intrahepatic Bile Duct	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.5	0.2
Gallbladder	0.3	0.2	0.4	0.2	0.1	0.3	0.4	0.3	0.5	0.6	0.4	0.9
Other Biliary	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.5	0.4	0.7
Pancreas	3.0	2.9	3.2	2.9	2.8	3.0	3.3	3.1	3.6	2.5	2.6	2.4
Retroperitoneum	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1
Peritoneum, Omentum and Mesentery	0.1	0.0	0.1	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0
Other Digestive Organs	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1
Respiratory System	14.6	15.5	13.5	14.8	15.1	14.4	14.2	16.6	11.5	14.5	15.8	13.1
Nose, Nasal Cavity and Middle Ear	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2
Larynx	1.1	1.5	0.5	1.0	1.5	0.5	1.2	1.8	0.6	0.6	0.9	0.2
Lung and Bronchus	13.3	13.7	12.8	13.6	13.4	13.7	12.8	14.6	10.8	13.6	14.5	12.6
Pleura	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Trachea, Mediastinum and Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Bones and Joints	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.5	0.1
Soft Tissue including Heart	0.7	0.8	0.6	0.8	0.9	0.6	0.7	0.6	0.7	0.6	0.9	0.2
Skin excluding Basal and Squamous	3.9	4.5	3.2	5.3	6.2	4.3	0.4	0.3	0.4	1.0	1.4	0.6
Melanoma of the Skin	3.5	4.0	2.9	4.8	5.6	4.0	0.2	0.1	0.2	0.7	1.1	0.2
Other Non-Epithelial Skin	0.4	0.5	0.3	0.5	0.6	0.4	0.2	0.2	0.2	0.4	0.4	0.4

Breast	13.9	0.3	29.6	13.5	0.3	28.8	15.0	0.3	31.8	14.0	0.5	28.2
Female Genital System	4.7	--	10.1	4.4	--	9.4	5.5	--	11.7	6.0	--	12.4
Cervix Uteri	0.8	--	1.7	0.7	--	1.5	1.1	--	2.3	1.1	--	2.4
Corpus and Uterus, NOS	2.4	--	5.1	2.2	--	4.7	2.9	--	6.2	3.0	--	6.2
Corpus Uteri	2.3	--	5.0	2.1	--	4.5	2.8	--	5.9	3.0	--	6.2
Uterus, NOS	0.1	--	0.2	0.1	--	0.1	0.2	--	0.3	0.0	--	0.0
Ovary	0.9	--	2.0	0.9	--	2.0	0.9	--	2.0	1.3	--	2.7
Vagina	0.1	--	0.2	0.1	--	0.2	0.1	--	0.2	0.1	--	0.2
Vulva	0.3	--	0.7	0.3	--	0.7	0.3	--	0.7	0.4	--	0.7
Other Female Genital Organs	0.2	--	0.3	0.2	--	0.3	0.1	--	0.3	0.1	--	0.1
Male Genital System	14.9	27.9	--	13.5	25.2	--	18.5	34.9	--	10.3	20.2	--
Prostate	14.4	26.9	--	12.9	24.0	--	18.2	34.3	--	9.7	18.9	--
Testis	0.4	0.8	--	0.5	0.9	--	0.2	0.3	--	0.5	1.1	--
Penis	0.1	0.2	--	0.1	0.1	--	0.1	0.2	--	0.1	0.2	--
Other Male Genital Organs	0.0	0.0	--	0.0	0.0	--	0.0	0.1	--	0.0	0.0	--
Urinary System	8.7	11.3	5.8	9.6	12.7	6.1	6.6	7.7	5.3	7.1	9.4	4.6
Urinary Bladder	3.8	5.5	1.8	4.5	6.6	2.0	2.1	2.8	1.4	2.7	4.1	1.1
Kidney and Renal Pelvis	4.7	5.5	3.8	4.9	5.8	3.8	4.3	4.8	3.7	4.3	5.1	3.5
Ureter	0.1	0.1	0.1	0.1	0.2	0.1	0.0	0.0	0.1	0.1	0.2	0.0
Other Urinary Organs	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Eye and Orbit	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	0.1	0.2
Brain and Other Nervous System	1.1	1.2	1.0	1.3	1.3	1.2	0.7	0.8	0.7	1.3	1.4	1.1
Brain	1.0	1.1	1.0	1.2	1.2	1.1	0.7	0.7	0.6	1.0	1.1	0.9
Cranial Nerves Other Nervous System	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.3	0.4	0.2
Endocrine System	2.7	1.4	4.3	2.9	1.6	4.6	2.1	0.9	3.4	4.8	2.0	7.7
Thyroid	2.6	1.2	4.2	2.8	1.4	4.5	1.8	0.6	3.2	4.4	1.7	7.3
Other Endocrine including Thymus	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.4	0.4
Lymphoma	4.3	4.3	4.2	4.6	4.8	4.5	3.3	3.2	3.5	4.9	5.7	4.1
Hodgkin Lymphoma	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.7	0.5
Hodgkin - Nodal	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.7	0.5
Hodgkin - Extranodal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin Lymphoma	3.8	3.8	3.7	4.1	4.3	4.0	2.8	2.7	3.0	4.3	5.0	3.6
NHL - Nodal	2.6	2.6	2.5	2.9	3.0	2.8	1.8	1.8	1.9	2.8	3.3	2.2
NHL - Extranodal	1.2	1.2	1.2	1.3	1.3	1.2	1.0	0.9	1.1	1.5	1.7	1.4
Myeloma	1.7	1.8	1.7	1.3	1.4	1.1	2.8	2.6	3.0	1.6	1.7	1.5
Leukemia	2.8	3.0	2.5	3.0	3.3	2.8	2.2	2.4	2.0	2.5	3.1	2.0
Lymphocytic Leukemia	1.4	1.5	1.2	1.6	1.8	1.3	0.9	1.0	0.8	0.7	0.7	0.6
Acute Lymphocytic Leukemia	0.2	0.2	0.2	0.3	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2
Chronic Lymphocytic Leukemia	1.0	1.2	0.9	1.2	1.4	1.0	0.6	0.7	0.5	0.4	0.5	0.4
Other Lymphocytic Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Myeloid and Monocytic Leukemia	1.3	1.4	1.3	1.4	1.4	1.3	1.2	1.2	1.1	1.7	2.0	1.4
Acute Myeloid Leukemia	0.8	0.9	0.8	0.9	0.9	0.8	0.8	0.8	0.7	1.3	1.7	1.0
Acute Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Chronic Myeloid Leukemia	0.4	0.4	0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.3	0.2	0.4
Other Myeloid/Monocytic Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Other Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.0
Other Acute Leukemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Aleukemic, Subleukemic and NOS	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.0
Mesothelioma	0.2	0.3	0.1	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.5	0.0
Kaposi Sarcoma	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.3	0.0	0.0	0.0	0.0
Miscellaneous	3.7	3.6	3.8	3.7	3.7	3.8	3.5	3.3	3.8	3.7	3.2	4.3

¹American Indians/Alaska Natives

²Asians and Pacific Islanders

³Except for urinary bladder (in situ and invasive), only invasive cases are included. --Not applicable

Table B. Average Annual Cancer Incidence Rates by Site, Race, and Sex,¹ 2016-2020, Louisiana

Primary Site <i>Invasive Cancers</i> ²	All races			White			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Sites	478.3	549.7	424.5	477.8	538.6	432.3	486.3	587.0	414.9
Oral Cavity and Pharynx	13.0	20.1	6.9	14.3	21.8	7.5	10.0	16.1	5.3
Lip	0.5	0.9	0.2	0.7	1.1	0.3	^	^	^
Tongue	4.1	6.1	2.3	4.9	7.1	2.8	2.2	3.6	1.2
Salivary Gland	1.2	1.6	0.9	1.2	1.7	0.8	1.1	1.2	1.0
Floor of Mouth	0.6	1.0	0.3	0.6	0.9	0.4	0.7	1.2	^
Gum and Other Mouth	1.8	2.5	1.3	1.9	2.5	1.3	1.7	2.1	1.3
Nasopharynx	0.6	0.9	0.3	0.5	0.8	0.2	0.6	1.0	^
Tonsil	2.4	4.3	0.7	2.8	4.8	0.8	1.6	3.2	0.4
Oropharynx	0.8	1.3	0.4	0.9	1.3	0.5	0.7	1.3	^
Hypopharynx	0.7	1.2	0.3	0.6	1.0	0.3	0.9	1.7	^
Other Oral Cavity and Pharynx	0.3	0.5	0.1	0.3	0.5	^	0.3	0.6	^
Digestive System	89.5	110.3	72.1	83.0	101.3	67.2	106.3	135.2	84.8
Esophagus	4.5	7.9	1.7	4.7	8.4	1.5	4.0	6.6	2.1
Stomach	6.6	9.0	4.7	5.2	7.1	3.5	10.4	14.2	7.6
Small Intestine	3.2	3.5	3.0	2.7	3.1	2.3	4.7	4.9	4.7
Colon and Rectum	44.3	51.7	38.2	41.9	48.4	36.2	50.9	60.9	43.4
Colon excluding Rectum	30.7	34.5	27.6	28.8	32.2	25.9	36.2	41.3	32.3
Cecum	6.1	6.3	5.9	5.7	6.0	5.4	7.1	7.2	7.0
Appendix	1.9	1.8	2.1	2.2	1.9	2.6	1.4	1.5	1.4
Ascending Colon	5.8	6.1	5.6	5.3	5.5	5.2	7.2	7.8	6.8
Hepatic Flexure	1.4	1.8	1.2	1.3	1.6	1.2	1.8	2.4	1.4
Transverse Colon	2.9	3.3	2.5	2.6	3.1	2.2	3.6	4.0	3.3
Splenic Flexure	0.9	1.1	0.7	0.7	0.9	0.5	1.4	1.5	1.2
Descending Colon	2.1	2.6	1.7	1.9	2.5	1.4	2.6	2.9	2.4
Sigmoid Colon	7.7	9.5	6.2	7.4	9.0	6.1	8.5	10.9	6.8
Large Intestine, NOS	1.8	2.1	1.7	1.6	1.7	1.5	2.5	3.1	2.2
Rectum and Rectosigmoid Junction	13.6	17.2	10.6	13.1	16.2	10.3	14.7	19.5	11.1
Rectosigmoid Junction	2.5	3.0	2.1	2.5	2.9	2.1	2.5	3.0	2.1
Rectum	11.1	14.2	8.5	10.6	13.3	8.2	12.2	16.5	9.0
Anus, Anal Canal and Anorectum	2.0	1.7	2.3	2.1	1.6	2.6	1.8	2.0	1.6
Liver and Intrahepatic Bile Duct	10.5	16.8	5.1	9.3	14.3	4.9	12.9	22.3	5.5
Liver	9.1	15.1	3.9	7.9	12.7	3.7	11.5	20.3	4.5
Intrahepatic Bile Duct	1.4	1.7	1.2	1.4	1.6	1.2	1.4	1.9	1.0
Gallbladder	1.3	1.0	1.6	1.0	0.7	1.3	2.0	1.8	2.1
Other Biliary	1.5	1.8	1.2	1.5	1.8	1.2	1.6	2.0	1.3
Pancreas	14.2	15.9	12.8	13.4	14.9	12.0	16.6	19.1	14.9
Retroperitoneum	0.3	0.2	0.3	0.2	0.2	0.2	0.3	^	0.4
Peritoneum, Omentum and Mesentery	0.4	^	0.6	0.4	^	0.7	0.4	^	0.5
Other Digestive Organs	0.7	0.8	0.7	0.7	0.7	0.7	0.8	1.1	0.6
Respiratory System	67.2	84.7	53.3	67.1	80.0	56.7	68.7	100.2	46.0

Nose, Nasal Cavity and Middle Ear	0.7	0.9	0.5	0.8	1.0	0.6	0.6	0.8	0.4
Larynx	4.8	8.2	2.1	4.6	7.5	2.1	5.7	10.3	2.2
Lung and Bronchus	61.5	75.4	50.6	61.6	71.3	54.0	62.3	88.9	43.4
Pleura	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other Respiratory	0.1	0.2	^	0.1	^	^	^	^	^
Bones and Joints	0.9	1.0	0.8	1.1	1.1	1.0	0.7	0.8	0.6
Soft Tissue including Heart	3.8	5.0	2.9	3.9	5.3	2.8	3.4	3.9	3.2
Skin excluding Basal and Squamous	19.5	26.4	14.5	26.9	35.0	20.8	2.0	2.3	1.8
Melanoma of the Skin	17.5	23.4	13.1	24.6	31.7	19.2	0.9	1.1	0.9
Other Non-Epithelial Skin	2.0	2.9	1.4	2.3	3.4	1.6	1.1	1.3	0.9
Breast	68.9	1.5	127.5	66.6	1.4	125.9	75.7	1.8	133.0
Female Genital System	23.3	--	43.8	22.0	--	42.4	26.9	--	47.9
Cervix Uteri	4.6	--	8.8	4.1	--	8.1	5.6	--	10.3
Corpus and Uterus, NOS	11.2	--	21.1	10.4	--	20.0	13.8	--	24.4
Corpus Uteri	10.8	--	20.4	10.1	--	19.5	13.1	--	23.1
Uterus, NOS	0.4	--	0.7	0.2	--	0.4	0.7	--	1.3
Ovary	4.6	--	8.6	4.7	--	8.8	4.6	--	8.2
Vagina	0.5	--	0.9	0.5	--	0.9	0.6	--	1.1
Vulva	1.7	--	3.1	1.7	--	3.1	1.6	--	2.8
Other Female Genital Organs	0.7	--	1.3	0.8	--	1.4	0.6	--	1.1
Male Genital System	66.2	144.4	--	59.8	127.5	--	83.4	194.2	--
Prostate	63.1	138.1	--	55.9	119.9	--	81.8	190.4	--
Testis	2.5	5.0	--	3.3	6.6	--	0.9	1.9	--
Penis	0.5	1.0	--	0.4	0.8	--	0.7	1.6	--
Other Male Genital Organs	0.1	0.3	--	0.1	0.2	--	^	^	--
Urinary System	41.8	64.1	24.0	45.5	69.8	25.3	32.7	47.5	21.7
Urinary Bladder	18.0	31.8	7.4	20.7	36.3	8.2	10.9	18.1	5.9
Kidney and Renal Pelvis	22.8	30.9	15.9	23.6	31.8	16.4	21.0	28.8	15.1
Ureter	0.5	0.7	0.4	0.6	0.9	0.4	^	^	^
Other Urinary Organs	0.5	0.7	0.4	0.5	0.7	0.3	0.5	^	0.5
Eye and Orbit	0.8	0.9	0.6	1.0	1.2	0.8	0.3	^	^
Brain and Other Nervous System	5.7	6.8	4.8	6.7	7.8	5.6	3.7	4.7	3.0
Brain	5.4	6.4	4.5	6.3	7.4	5.3	3.4	4.4	2.7
Cranial Nerves Other Nervous System	0.3	0.4	0.3	0.4	0.5	0.3	0.2	^	^
Endocrine System	14.7	8.0	21.1	16.7	9.2	24.3	10.3	5.2	14.6
Thyroid	14.0	7.1	20.6	16.2	8.5	23.9	9.2	3.7	13.8
Other Endocrine including Thymus	0.7	0.9	0.6	0.5	0.7	0.4	1.1	1.5	0.8
Lymphoma	21.3	25.2	18.1	23.0	27.2	19.4	16.8	19.2	14.9
Hodgkin Lymphoma	2.8	3.1	2.6	3.0	3.2	2.8	2.5	2.9	2.2
Hodgkin - Nodal	2.8	3.0	2.6	3.0	3.2	2.8	2.5	2.8	2.2
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	18.5	22.2	15.6	20.0	24.0	16.6	14.3	16.3	12.7
NHL - Nodal	12.6	15.3	10.5	13.9	16.7	11.4	9.3	11.0	8.1
NHL - Extranodal	5.9	6.9	5.1	6.1	7.3	5.2	5.0	5.4	4.7
Myeloma	8.2	10.0	6.8	6.0	7.9	4.5	14.1	16.3	12.5
Leukemia	14.0	17.7	11.0	15.1	18.8	12.2	11.3	14.9	8.6

Lymphocytic Leukemia	6.8	8.9	5.0	7.8	10.0	5.9	4.6	6.2	3.3
Acute Lymphocytic Leukemia	1.4	1.5	1.2	1.6	1.8	1.5	1.0	1.2	0.8
Chronic Lymphocytic Leukemia	5.0	6.8	3.5	5.7	7.6	4.1	3.4	4.7	2.4
Other Lymphocytic Leukemia	0.4	0.6	0.3	0.5	0.7	0.3	0.2	^	^
Myeloid and Monocytic Leukemia	6.6	8.1	5.5	6.8	8.1	5.8	6.1	7.8	4.8
Acute Myeloid Leukemia	4.2	5.2	3.5	4.3	5.1	3.7	3.9	5.0	3.1
Acute Monocytic Leukemia	0.1	0.2	^	0.1	^	^	^	^	^
Chronic Myeloid Leukemia	2.1	2.6	1.8	2.2	2.7	1.9	2.0	2.5	1.6
Other Myeloid/Monocytic Leukemia	0.1	0.1	^	0.1	^	^	^	^	^
Other Leukemia	0.6	0.7	0.5	0.6	0.6	0.5	0.6	0.9	0.4
Other Acute Leukemia	0.2	0.2	0.2	0.2	0.2	^	^	^	^
Aleukemic, Subleukemic and NOS	0.4	0.5	0.3	0.4	0.4	0.4	0.4	0.7	^
Mesothelioma	1.1	1.8	0.6	1.2	1.8	0.7	0.9	1.8	0.4
Kaposi Sarcoma	0.5	0.9	^	0.3	0.6	^	0.9	1.7	^
Miscellaneous	17.8	20.7	15.6	17.7	20.8	15.3	18.2	21.1	16.2
<i>In Situ Cancers (not included above)</i>									
Breast In Situ	13.4	^	25.1	12.5	^	24	15.9	^	28.3

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

[^]Statistic not displayed due to fewer than 16 cases in the five-year period.

--Not applicable

Table C1. Average Annual Cancer Incidence Rates by Race and Sex,¹ 2016-2020: U.S., Louisiana, and 7-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site <i>Invasive Cancers</i> ³	White Men				Black Men				White Women				Black Women						
	US	LA	Ind. Corr.	#	US	LA	Ind. Corr.	#	US	LA	Ind. Corr.	#	US	LA	Ind. Corr.	#			
All Sites	479.4	538.6	↑	556.2	#	509.6	587.0	↑	612.2	#	422.1	432.3	↑	423.4	389.6	414.9	↑	415.7	
Oral Cavity and Pharynx	18.1	21.8	↑	25.3	#	13.1	16.1	↑	17.2		6.6	7.5	↑	7.3	4.7	5.3		3.9	
Esophagus	7.5	8.4	↑	8.9		5.5	6.6	↑	7.5		1.7	1.5		1.1	1.9	2.1		2.0	
Stomach	8.1	7.1	↓	7.4		12.0	14.2	↑	15.3		4.5	3.5	↓	2.8	7.3	7.6		7.5	
Colon excluding Rectum	27.2	32.2	↑	25.9	*	34.6	41.3	↑	35.5	*	23.3	25.9	↑	21.7	*	27.6	32.3	↑	30.1
Rectum and Rectosigmoid Junction	13.7	16.2	↑	14.4		13.6	19.5	↑	19.9		8.7	10.3	↑	9.1	9.0	11.1	↑	11.7	
Liver and Intrahepatic Bile Duct	12.4	14.3	↑	14.2		15.8	22.3	↑	26.7	#	4.8	4.9		4.7	5.1	5.5		5.6	
Pancreas	14.8	14.9		13.4		17.0	19.1	↑	17.4		11.4	12.0		11.5	14.4	14.9		13.5	
Larynx	4.5	7.5	↑	6.7		6.6	10.3	↑	10.2		1.0	2.1	↑	1.8	1.3	2.2	↑	2.4	
Lung and Bronchus	54.2	71.3	↑	57.7	*	66.3	88.9	↑	78.8	*	45.2	54.0	↑	50.1	42.0	43.4		37.6	
Melanoma of the Skin	35.7	31.7	↓	42.8	#	1.1	1.1		^		22.8	19.2	↓	21.1	0.8	0.9		^	
Breast	1.1	1.4	↑	1.6		1.8	1.8		^		128.7	125.9	↓	132.7	125.8	133.0	↑	137.9	
Cervix Uteri	--	--		--		--	--		--		7.5	8.1	↑	6.3	8.2	10.3	↑	8.7	
Corpus and Uterus, NOS	--	--		--		--	--		--		27.5	20.0	↓	19.3	27.5	24.4	↓	23.2	
Ovary	--	--		--		--	--		--		10.4	8.8	↓	10.9	#	8.3	8.2		9.1
Prostate	105.1	119.9	↑	142.1	#	178.6	190.4	↑	212.6	#	--	--		--	--	--		--	
Testis	7.1	6.6		6.4		1.6	1.9		^		--	--		--	--	--		--	
Urinary Bladder	34.1	36.3	↑	34.7		18.7	18.1		19.6		8.3	8.2		7.1	6.0	5.9		5.8	
Kidney and Renal Pelvis	23.2	31.8	↑	32.4		24.5	28.8	↑	33.0		11.7	16.4	↑	13.8	*	12.7	15.1	↑	14.5
Brain and Other Nervous System	8.1	7.8		8.1		4.5	4.7		5.7		5.7	5.6		5.7	3.3	3.0		3.0	
Thyroid	7.7	8.5	↑	10.8	#	3.4	3.7		3.8		20.9	23.9	↑	25.7	11.9	13.8	↑	18.1	
Hodgkin Lymphoma	2.9	3.2		3.1		2.6	2.9		2.8		2.3	2.8	↑	1.6	*	2.2	2.2		1.8
Non-Hodgkin Lymphoma	23.5	24.0		23.1		16.8	16.3		19.0		16.2	16.6		15.9	11.6	12.7		15.0	
Myeloma	8.0	7.9		9.8	#	16.4	16.3		20.0		5.0	4.5	↓	3.9	12.4	12.5		16.4	
Leukemia	18.5	18.8		18.9		13.5	14.9		15.9		11.4	12.2	↑	11.9	9.0	8.6		9.1	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table C2. Average Annual Cancer Incidence Rates by Race and Sex,¹ 2016-2020: U.S., Louisiana, and 11-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site <i>Invasive Cancers</i> ³	White Men				Black Men				White Women				Black Women			
	US	LA		Ind. Corr.	US	LA		Ind. Corr.	US	LA		Ind. Corr.	US	LA		Ind. Corr.
All Sites	479.4	538.6	↑	521.2 *	509.6	587.0	↑	567.4 *	422.1	432.3	↑	418.4 *	389.6	414.9	↑	403.6 *
Oral Cavity and Pharynx	18.1	21.8	↑	22.9	13.1	16.1	↑	15.1	6.6	7.5	↑	6.8	4.7	5.3		4.5
Esophagus	7.5	8.4	↑	8.4	5.5	6.6	↑	5.9	1.7	1.5		1.5	1.9	2.1		1.8
Stomach	8.1	7.1	↓	6.8	12.0	14.2	↑	14.3	4.5	3.5	↓	3.2	7.3	7.6		6.8
Colon excluding Rectum	27.2	32.2	↑	27.3 *	34.6	41.3	↑	35.1 *	23.3	25.9	↑	22.7 *	27.6	32.3	↑	29.4
Rectum and Rectosigmoid Junction	13.7	16.2	↑	14.4 *	13.6	19.5	↑	19.1	8.7	10.3	↑	8.6 *	9.0	11.1	↑	10.9
Liver and Intrahepatic Bile Duct	12.4	14.3	↑	16.3 #	15.8	22.3	↑	24.3	4.8	4.9		5.2	5.1	5.5		5.6
Pancreas	14.8	14.9		14.0	17.0	19.1	↑	16.3	11.4	12.0		11.3	14.4	14.9		13.6
Larynx	4.5	7.5	↑	7.0	6.6	10.3	↑	9.1	1.0	2.1	↑	1.7	1.3	2.2	↑	2.0
Lung and Bronchus	54.2	71.3	↑	60.1 *	66.3	88.9	↑	80.6 *	45.2	54.0	↑	48.2 *	42.0	43.4		40.7
Melanoma of the Skin	35.7	31.7	↓	34.4 #	1.1	1.1		^	22.8	19.2	↓	19.8	0.8	0.9		1.0
Breast	1.1	1.4	↑	1.7	1.8	1.8		1.4	128.7	125.9	↓	133.5 #	125.8	133.0	↑	132.1
Cervix Uteri	--	--		--	--	--		--	7.5	8.1	↑	6.9	8.2	10.3	↑	9.6
Corpus and Uterus, NOS	--	--		--	--	--		--	27.5	20.0	↓	19.2	27.5	24.4	↓	21.2 *
Ovary	--	--		--	--	--		--	10.4	8.8	↓	10.4 #	8.3	8.2		8.8
Prostate	105.1	119.9	↑	123.9	178.6	190.4	↑	188.5	--	--		--	--	--		--
Testis	7.1	6.6		6.4	1.6	1.9		1.7	--	--		--	--	--		--
Urinary Bladder	34.1	36.3	↑	36.3	18.7	18.1		19.1	8.3	8.2		7.8	6.0	5.9		6.1
Kidney and Renal Pelvis	23.2	31.8	↑	29.5	24.5	28.8	↑	29.8	11.7	16.4	↑	13.9 *	12.7	15.1	↑	15.6
Brain and Other Nervous System	8.1	7.8		7.1	4.5	4.7		5.3	5.7	5.6		5.3	3.3	3.0		3.1
Thyroid	7.7	8.5	↑	8.5	3.4	3.7		3.7	20.9	23.9	↑	22.7	11.9	13.8	↑	14.9
Hodgkin Lymphoma	2.9	3.2		3.5	2.6	2.9		2.7	2.3	2.8	↑	2.1	2.2	2.2		2.1
Non-Hodgkin Lymphoma	23.5	24.0		23.0	16.8	16.3		18.8	16.2	16.6		16.4	11.6	12.7		14.4
Myeloma	8.0	7.9		8.4	16.4	16.3		17.9	5.0	4.5	↓	3.9	12.4	12.5		13.0
Leukemia	18.5	18.8		16.7 *	13.5	14.9		13.4	11.4	12.2	↑	11.6	9.0	8.6		7.9

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. --Not applicable

Table D. Cancer Incidence Rates¹ among American Indians/Alaska Natives and Asians and Pacific Islanders, 2016-2020: U.S. and Louisiana

Primary Site <i>Invasive Cancers</i> ²	Male		Female		
	U.S.	LA	U.S.	LA	
All Sites	288.9	282.3	298.6	247.7	↓
Oral Cavity and Pharynx	11.1	8.0	5.1	4.9	
Esophagus	3.7	^	1.0	^	
Stomach	10.9	7.7	6.5	^	
Colon and rectum	34.6	35.6	25.1	23.3	
Liver and Intrahepatic Bile Duct	17.4	24.1	6.5	5.2	↑
Pancreas	11.1	7.4	9.1	6.4	
Larynx	1.9	^	0.2	^	
Lung and Bronchus	39.3	42.6	27.1	32.6	
Melanoma of the Skin	1.8	^	1.5	^	
Breast	0.6	^	102.8	68.5	↓
Cervix Uteri	--	--	5.9	5.8	
Corpus and Uterus, NOS	--	--	23.0	14.0	↓
Ovary	--	--	8.6	6.3	
Prostate	57.7	53.0	--	--	
Testis	2.6	^	--	--	
Urinary Bladder	14.7	13.6	3.4	^	
Kidney and Renal Pelvis	12.8	14.6	6.3	8.3	
Brain and Other Nervous System	4.3	^	2.9	^	
Thyroid	6.0	^	18.7	17.7	
Hodgkin Lymphoma	1.3	^	1.1	^	
Non-Hodgkin Lymphoma	15.3	14.0	11.0	9.3	
Myeloma	4.7	^	3.3	^	
Leukemia	9.7	9.6	6.2	5.2	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases in the five-year period.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

--Not applicable

Table E1. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
White Males

	All Sites	Prostate	Lung and Bronchus	Colon and Rectum	Urinary Bladder	Kidney and Renal Pelvis	Melanoma of the Skin	Non-Hodgkin Lymphoma	Oral Cavity and Pharynx	Leukemia	Pancreas
Louisiana	538.6	119.9	71.3	48.4	36.3	31.8	31.7	24.0	21.8	18.8	14.9
Acadia	596.3	128.9	85.2	53.6	33.9	42.3	26.6	23.9	24.0	16.9	14.0
Allen	570.1	108.6	81.1	64.9	37.3	34.2	^	35.2	^	^	30.2
Ascension	552.3	142.8	62.2	37.6	28.3	32.7	39.0	23.7	26.9	17.7	13.8
Assumption	555.5	130.6	74.3	43.0	37.7	32.5	^	^	^	^	^
Avoyelles	568.0	121.5	79.3	70.2	49.9	35.6	24.1	23.6	16.9	21.2	^
Beauregard	564.6	115.4	81.7	58.3	25.3	36.8	30.9	28.8	22.4	25.4	^
Bienville	536.6	125.2	62.4	65.6	^	^	^	^	^	^	^
Bossier	540.2	114.4	76.8	44.1	45.4	33.1	30.3	23.0	18.2	21.9	14.9
Caddo	512.5	117.9	68.2	43.4	36.7	27.5	25.1	22.9	23.0	19.8	14.2
Calcasieu	559.5	122.4	78.1	53.0	34.8	31.5	33.1	24.1	17.9	20.5	15.4
Caldwell	509.6	124.9	123.9	^	^	^	^	^	^	^	^
Cameron	460.0	101.0	^	^	^	^	^	^	^	^	^
Catahoula	521.3	105.1	58.7	108.9	^	^	^	^	^	^	^
Claiborne	512.7	125.0	59.1	^	^	^	^	^	^	^	^
Concordia	528.2	120.2	74.0	53.4	^	^	^	^	^	^	^
De Soto	546.4	102.0	68.6	56.0	33.7	39.4	^	^	^	^	^
East Baton Rouge	559.2	153.0	52.1	36.5	34.7	32.5	50.4	22.5	23.7	18.1	13.4
East Carroll	474.6	^	^	^	^	^	^	^	^	^	^
East Feliciana	536.5	130.1	78.5	^	33.5	^	^	^	^	^	^
Evangeline	553.8	81.3	84.9	59.7	46.5	31.9	31.3	38.6	23.8	24.2	^
Franklin	612.0	101.6	125.2	69.8	57.3	^	36.8	^	^	^	^
Grant	562.2	100.1	79.1	68.2	37.2	^	29.4	29.2	33.6	^	^
Iberia	595.1	135.7	78.7	66.5	37.8	34.1	20.4	20.4	23.2	29.0	17.0
Iberville	686.1	130.1	97.2	41.9	43.6	48.6	53.5	^	28.5	^	^
Jackson	545.9	136.7	88.2	49.5	^	^	^	^	^	^	^
Jefferson	500.7	108.8	64.9	43.4	39.6	29.6	22.7	22.8	22.0	15.6	14.7
Jefferson Davis	595.4	144.7	91.0	36.0	32.7	44.4	37.5	^	^	^	^

Lafayette	520.8	139.8	57.7	43.4	31.9	36.8	30.0	23.7	18.7	19.1	13.7
Lafourche	538.5	109.3	68.0	54.2	38.1	38.8	18.6	29.8	20.6	18.3	16.9
La Salle	510.4	89.0	79.4	75.2	54.3	^	^	^	^	^	^
Lincoln	457.3	109.3	58.7	44.0	22.4	27.8	26.0	23.2	21.2	26.1	^
Livingston	525.7	100.9	78.9	49.7	31.2	30.5	40.2	25.1	24.3	22.5	9.4
Madison	492.8	138.7	103.1	^	^	^	^	^	^	^	^
Morehouse	608.7	122.9	92.9	87.5	33.2	^	^	31.0	31.9	^	^
Natchitoches	556.0	120.7	70.5	63.4	31.7	26.4	^	28.8	^	25.2	^
Orleans	466.4	114.7	48.6	40.3	30.2	18.9	41.2	21.2	20.9	15.2	14.7
Ouachita	595.2	131.7	74.2	48.6	34.0	36.5	45.6	27.1	24.6	22.4	20.4
Plaquemines	548.2	129.0	62.2	59.2	50.9	^	^	^	^	^	^
Pointe Coupee	512.6	109.1	50.2	52.2	37.9	33.1	^	31.9	^	^	^
Rapides	525.9	109.6	67.9	53.8	34.1	26.1	28.0	26.0	21.9	23.1	16.5
Red River	526.0	95.3	110.1	^	^	^	^	^	^	^	^
Richland	508.6	100.0	95.5	54.5	34.7	^	^	^	^	^	^
Sabine	575.5	133.5	82.4	42.2	35.7	40.5	26.4	^	^	22.9	^
St. Bernard	508.2	85.5	83.2	46.5	36.2	38.1	^	29.4	^	^	^
St. Charles	528.7	121.7	45.6	56.1	48.8	27.0	21.4	16.2	32.4	21.4	^
St. Helena	524.8	130.6	^	^	^	^	^	^	^	^	^
St. James	544.2	130.1	62.6	85.7	^	^	^	^	^	^	^
St. John the Baptist	510.8	78.1	62.3	38.8	37.8	28.2	^	41.7	26.6	^	^
St. Landry	585.2	130.8	77.9	65.1	28.8	38.6	24.7	20.4	27.3	22.0	15.4
St. Martin	611.0	129.7	95.8	67.0	42.2	46.9	16.3	27.5	23.2	^	22.4
St. Mary	586.6	115.5	99.2	60.6	30.0	27.9	23.9	32.8	22.1	23.1	22.7
St. Tammany	544.4	116.0	67.7	43.6	42.7	30.8	44.9	25.3	22.4	15.1	17.7
Tangipahoa	529.6	124.8	72.6	48.8	32.8	28.7	28.2	24.1	22.3	15.7	13.4
Tensas	283.9	^	^	^	^	^	^	^	^	^	^
Terrebonne	570.5	108.7	93.7	52.9	46.3	36.9	23.6	27.2	20.8	20.0	15.2
Union	442.3	83.8	92.2	36.9	30.4	31.3	^	^	^	^	^
Vermilion	558.8	139.0	60.6	59.3	40.1	42.5	29.7	23.7	13.9	21.9	13.0
Vernon	557.5	90.9	114.5	62.3	45.3	21.9	^	21.7	16.8	^	^
Washington	559.6	89.4	90.1	56.1	29.8	32.4	37.2	21.1	16.6	23.6	17.5
Webster	564.1	125.0	93.8	53.2	43.8	24.1	20.4	^	28.3	24.6	17.5
West Baton Rouge	520.9	140.8	83.9	^	^	^	46.5	^	^	^	^

West Carroll	525.3	130.4	91.2	73.3	^	^	^	^	^	^	^
West Feliciana	502.2	134.5	57.8	^	^	^	^	^	^	^	^
Winn	528.8	73.1	91.4	56.4	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

[^]Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E2. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
White Females

	All Sites	Breast	Lung and Bronchus	Colon and Rectum	Thyroid	Corpus and Uterus, NOS	Melanoma of the Skin	Non-Hodgkin Lymphoma	Kidney and Renal Pelvis	Leukemia	Pancreas
Louisiana	432.3	125.9	54.0	36.2	23.9	20.0	19.2	16.6	16.4	12.2	12.0
Acadia	436.5	102.6	59.3	33.0	29.4	22.0	13.2	15.3	20.0	15.8	14.6
Allen	434.4	88.4	59.4	62.0	^	^	^	^	^	^	^
Ascension	447.4	134.9	69.2	31.1	32.5	17.3	18.5	10.8	16.5	8.8	10.4
Assumption	376.2	78.6	62.5	35.5	^	^	^	^	^	^	^
Avoyelles	362.7	87.1	48.1	43.6	^	17.4	^	16.2	21.9	^	^
Beauregard	442.1	103.8	69.8	35.6	23.1	28.8	^	24.2	17.6	^	^
Bienville	444.6	94.5	57.6	^	^	^	^	^	^	^	^
Bossier	440.7	121.9	58.8	39.0	31.8	18.4	25.9	16.7	10.6	14.2	13.4
Caddo	457.1	125.3	58.7	38.4	28.3	25.4	19.3	14.7	12.3	11.9	12.1
Calcasieu	426.2	119.1	53.1	35.5	18.9	20.4	18.3	15.6	18.7	16.0	11.7
Caldwell	513.5	91.3	93.3	69.5	^	^	^	^	^	^	^
Cameron	463.0	122.4	^	^	^	^	^	^	^	^	^
Catahoula	403.6	124.8	^	^	^	^	^	^	^	^	^
Claiborne	469.1	125.2	40.9	69.6	^	^	^	^	^	^	^
Concordia	408.2	72.2	57.7	58.9	^	^	^	^	^	^	^
De Soto	428.7	107.6	47.8	35.5	^	^	^	25.9	^	^	^
East Baton Rouge	410.8	132.8	41.5	30.4	23.2	19.0	26.6	16.2	12.8	12.7	11.0
East Carroll	496.3	^	^	^	^	^	^	^	^	^	^
East Feliciana	468.3	149.2	75.1	^	^	^	^	^	^	^	^
Evangeline	456.3	108.6	63.3	44.2	29.5	^	^	21.7	32.1	^	20.9
Franklin	486.2	121.0	61.9	64.8	^	^	^	^	^	^	^
Grant	432.1	105.8	52.3	47.7	39.4	^	^	^	^	^	^
Iberia	432.7	133.2	54.8	42.8	15.9	20.1	14.6	18.6	16.5	14.4	12.2
Iberville	418.2	131.6	61.3	29.1	^	^	^	^	^	^	^
Jackson	432.3	98.3	60.9	43.2	^	^	^	^	^	^	^
Jefferson	424.0	136.3	48.6	32.7	23.7	18.9	15.7	18.5	15.0	10.8	12.7
Jefferson Davis	438.0	121.9	57.3	50.3	^	24.5	^	17.8	19.6	^	^

Lafayette	420.6	134.4	48.0	33.8	25.1	20.1	14.7	16.7	16.0	12.2	10.8
Lafourche	408.9	128.6	51.6	37.4	24.3	17.8	13.1	15.6	20.6	11.9	9.2
La Salle	429.1	111.4	57.7	43.4	^	^	^	^	^	^	^
Lincoln	376.0	124.1	47.1	36.8	^	24.7	^	^	^	^	^
Livingston	443.5	113.0	66.2	35.6	24.6	19.6	18.2	17.7	18.4	12.8	11.6
Madison	408.1	^	^	^	^	^	^	^	^	^	^
Morehouse	487.6	133.3	74.4	38.3	^	^	^	^	34.8	^	^
Natchitoches	486.3	157.4	42.9	46.8	^	29.8	^	^	^	^	^
Orleans	397.7	138.7	36.1	30.0	13.9	20.0	28.1	13.1	9.6	11.6	8.5
Ouachita	462.8	129.1	60.1	38.2	22.7	15.9	30.1	14.2	16.2	13.3	13.2
Plaquemines	392.3	100.7	70.9	^	^	^	^	^	^	^	^
Pointe Coupee	433.0	129.1	35.4	27.5	^	^	^	^	^	^	^
Rapides	401.0	104.7	51.6	32.3	29.6	17.0	19.5	17.1	11.9	15.6	11.0
Red River	324.3	99.4	^	^	^	^	^	^	^	^	^
Richland	422.2	104.6	54.1	^	^	^	^	^	^	^	^
Sabine	470.8	131.2	50.2	44.4	^	^	^	^	32.0	^	^
St. Bernard	399.8	113.1	51.5	25.4	19.9	24.4	^	^	21.7	^	^
St. Charles	436.7	130.2	57.6	24.9	23.0	20.2	^	16.0	14.3	13.7	17.0
St. Helena	489.8	130.7	82.8	^	^	^	^	^	^	^	^
St. James	489.8	141.8	45.9	45.9	^	^	^	^	^	^	^
St. John the Baptist	447.0	125.0	38.0	42.5	36.7	26.3	^	28.7	^	^	^
St. Landry	490.6	132.0	66.7	48.8	27.5	21.9	19.1	19.3	23.0	^	16.0
St. Martin	440.9	134.7	56.1	46.2	28.5	21.9	^	13.1	^	^	13.3
St. Mary	419.0	106.6	56.6	34.7	^	25.2	^	25.2	25.8	^	^
St. Tammany	448.2	140.9	53.4	34.0	22.9	16.2	24.6	17.3	16.0	12.8	11.8
Tangipahoa	420.1	119.7	47.3	33.4	17.6	19.8	18.1	15.7	16.5	11.2	13.8
Tensas	512.7	^	^	^	^	^	^	^	^	^	^
Terrebonne	464.2	138.9	60.6	43.9	22.2	19.1	15.0	20.7	15.8	12.6	15.0
Union	505.0	115.3	68.8	41.3	47.2	^	^	^	^	^	^
Vermilion	449.4	120.9	63.5	40.3	22.9	22.5	16.8	21.3	20.4	9.6	14.6
Vernon	506.3	103.2	76.8	56.8	28.4	37.7	22.9	^	18.4	^	^
Washington	425.4	119.1	74.5	29.4	21.2	12.9	16.7	15.7	18.7	^	13.4
Webster	466.7	123.6	44.6	41.4	42.0	26.7	^	25.6	19.8	^	19.4
West Baton Rouge	422.8	127.1	81.3	^	^	^	^	^	^	^	^

West Carroll	483.1	130.7	75.7	49.4	^	^	^	^	^	^	^
West Feliciana	383.9	148.2	^	^	^	^	^	^	^	^	^
Winn	465.8	85.7	63.9	64.5	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

[^]Statistic not displayed due to fewer than 16 cases during the five-year period

Table E3. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
Black Males

	All Sites	Prostate	Lung and Bronchus	Colon and Rectum	Kidney and Renal Pelvis	Liver and Intrahepatic Bile Duct	Pancreas	Urinary Bladder	Non-Hodgkin Lymphoma	Myeloma	Oral Cavity and Pharynx
Louisiana	587.0	190.4	88.9	60.9	28.8	22.3	19.1	18.1	16.3	16.3	16.1
Acadia	567.5	153.0	116.7	76.6	^	^	^	^	^	^	^
Allen	459.7	128.7	^	^	^	^	^	^	^	^	^
Ascension	616.5	197.1	68.0	75.9	39.5	^	^	^	^	^	^
Assumption	605.1	151.7	124.2	97.1	^	^	^	^	^	^	^
Avoyelles	741.5	194.3	154.5	98.8	^	^	^	^	^	^	^
Beauregard	572.7	167.0	^	^	^	^	^	^	^	^	^
Bienville	625.0	226.4	94.0	^	^	^	^	^	^	^	^
Bossier	509.7	180.1	71.0	58.8	^	^	^	^	^	^	^
Caddo	584.4	175.0	103.4	60.8	27.0	24.6	22.0	16.9	12.0	16.3	20.0
Calcasieu	656.8	208.2	106.1	69.5	29.5	21.8	20.3	18.2	^	16.7	^
Caldwell	374.2	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	756.6	^	^	^	^	^	^	^	^	^	^
Claiborne	577.8	163.4	120.4	75.4	^	^	^	^	^	^	^
Concordia	505.3	195.9	105.8	^	^	^	^	^	^	^	^
De Soto	743.5	204.6	122.3	85.4	^	^	^	^	^	^	^
East Baton Rouge	610.0	209.5	79.8	54.2	31.0	30.2	18.1	17.7	20.8	20.9	15.9
East Carroll	661.1	263.2	^	^	^	^	^	^	^	^	^
East Feliciana	634.6	225.9	95.8	^	^	^	^	^	^	^	^
Evangeline	631.9	162.2	122.7	^	^	^	^	^	^	^	^
Franklin	682.7	231.1	^	^	^	^	^	^	^	^	^
Grant	537.4	262.8	^	^	^	^	^	^	^	^	^
Iberia	626.3	166.7	93.9	57.3	42.2	^	41.3	^	^	^	^
Iberville	780.5	265.6	102.3	81.6	^	35.6	^	^	^	^	^
Jackson	603.4	180.4	138.6	^	^	^	^	^	^	^	^
Jefferson	581.4	185.6	89.8	53.7	29.2	21.4	17.2	22.8	19.9	23.6	13.4

Jefferson Davis	519.1	191.6	^	^	^	^	^	^	^	^	^
Lafayette	574.8	170.3	97.6	62.8	31.4	27.8	19.5	^	^	14.1	15.7
Lafourche	564.5	154.4	98.4	66.1	^	^	^	^	^	^	^
La Salle	447.7	^	^	^	^	^	^	^	^	^	^
Lincoln	531.6	210.9	54.8	^	^	^	^	^	^	^	^
Livingston	724.8	276.0	^	^	^	^	^	^	^	^	^
Madison	593.7	175.8	^	^	^	^	^	^	^	^	^
Morehouse	655.2	240.6	92.0	88.7	^	^	^	^	^	^	^
Natchitoches	554.1	155.5	98.8	74.6	^	^	^	^	^	^	^
Orleans	514.2	165.5	79.0	52.5	27.1	22.9	14.8	17.3	18.2	13.8	13.8
Ouachita	579.7	214.9	87.7	55.5	28.0	^	16.4	20.6	18.3	^	13.1
Plaquemines	599.1	164.2	^	^	^	^	^	^	^	^	^
Pointe Coupee	568.8	186.1	74.7	77.0	^	^	^	^	^	^	^
Rapides	598.0	192.8	88.7	69.5	20.4	15.8	^	19.5	^	19.3	25.4
Red River	570.6	^	^	^	^	^	^	^	^	^	^
Richland	759.5	217.7	163.6	^	^	^	^	^	^	^	^
Sabine	368.6	^	^	^	^	^	^	^	^	^	^
St. Bernard	608.4	168.9	^	^	^	^	^	^	^	^	^
St. Charles	576.3	214.0	59.6	^	^	^	^	^	^	^	^
St. Helena	639.1	247.5	^	^	^	^	^	^	^	^	^
St. James	527.4	162.7	105.3	^	^	^	^	^	^	^	^
St. John the Baptist	560.6	225.6	60.7	53.9	38.0	^	^	^	^	^	^
St. Landry	697.4	189.1	101.9	96.2	24.5	25.8	33.3	^	^	^	^
St. Martin	652.1	190.5	77.4	88.7	^	39.5	^	^	^	^	^
St. Mary	512.0	149.8	63.0	60.7	^	^	^	^	^	^	^
St. Tammany	626.0	233.4	61.4	76.5	36.6	^	24.1	28.7	^	^	^
Tangipahoa	653.4	232.8	109.8	65.6	29.5	28.6	^	^	^	^	^
Tensas	553.2	229.9	^	^	^	^	^	^	^	^	^
Terrebonne	645.9	176.5	134.6	65.9	^	^	^	^	^	^	^
Union	636.1	240.2	121.5	^	^	^	^	^	^	^	^
Vermilion	723.8	193.4	99.1	^	^	^	^	^	^	^	^
Vernon	635.1	220.1	^	^	^	^	^	^	^	^	^
Washington	611.2	199.5	74.8	69.8	^	^	^	^	^	^	^
Webster	577.8	185.7	115.3	57.0	^	^	^	^	^	^	^

West Baton Rouge	659.9	251.0	83.1	^	^	^	^	^	^	^	^
West Carroll	480.5	^	^	^	^	^	^	^	^	^	^
West Feliciana	699.3	225.6	118.9	^	^	62.8	^	^	^	^	^
Winn	458.6	182.6	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table E4. Incidence Rates¹ by Louisiana Parish² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
Black Females

	All Sites	Breast	Colon and Rectum	Lung and Bronchus	Corpus and Uterus, NOS	Kidney and Renal Pelvis	Pancreas	Thyroid	Non-Hodgkin Lymphoma	Myeloma	Cervix Uteri
Louisiana	414.9	133.0	43.4	43.4	24.4	15.1	14.9	13.8	12.7	12.5	10.3
Acadia	440.1	128.2	^	73.8	^	^	^	^	^	^	^
Allen	454.3	^	^	^	^	^	^	^	^	^	^
Ascension	373.0	141.7	27.4	31.5	^	^	^	^	^	^	^
Assumption	483.6	186.1	^	^	^	^	^	^	^	^	^
Avoyelles	434.0	174.6	^	44.4	^	^	^	^	^	^	^
Beauregard	443.1	^	^	^	^	^	^	^	^	^	^
Bienville	384.9	110.1	^	^	^	^	^	^	^	^	^
Bossier	426.9	123.1	49.9	54.0	37.4	^	^	^	^	^	^
Caddo	415.8	126.3	49.5	40.7	29.0	13.1	18.0	9.1	13.6	12.0	10.6
Calcasieu	430.4	120.1	44.5	52.5	20.1	16.0	23.4	^	15.8	^	15.0
Caldwell	470.9	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	370.5	^	^	^	^	^	^	^	^	^	^
Claiborne	411.5	162.4	^	^	^	^	^	^	^	^	^
Concordia	344.6	127.4	^	^	^	^	^	^	^	^	^
De Soto	474.3	168.2	^	^	^	^	^	^	^	^	^
East Baton Rouge	421.1	136.8	42.0	38.2	25.2	13.9	14.1	19.1	17.1	16.7	9.3
East Carroll	552.5	^	^	134.0	^	^	^	^	^	^	^
East Feliciana	399.2	147.4	^	^	^	^	^	^	^	^	^
Evangeline	437.5	118.2	^	86.9	^	^	^	^	^	^	^
Franklin	378.4	^	^	^	^	^	^	^	^	^	^
Grant	402.5	^	^	^	^	^	^	^	^	^	^
Iberia	454.0	168.9	51.7	49.5	^	^	^	^	^	^	^
Iberville	430.1	140.9	45.2	41.4	^	^	^	^	^	^	^
Jackson	365.0	141.6	^	^	^	^	^	^	^	^	^
Jefferson	446.0	148.7	44.5	44.0	23.9	20.9	13.5	13.3	13.1	13.1	10.8
Jefferson Davis	413.7	158.9	^	^	^	^	^	^	^	^	^

Lafayette	425.2	148.0	47.1	48.7	26.7	12.3	11.9	12.5	^	^	^
Lafourche	457.7	146.8	^	52.9	^	^	^	^	^	^	^
La Salle	412.4	^	^	^	^	^	^	^	^	^	^
Lincoln	412.1	136.4	34.2	45.2	^	^	^	^	^	^	^
Livingston	400.0	103.5	^	^	^	^	^	^	^	^	^
Madison	294.2	101.5	^	^	^	^	^	^	^	^	^
Morehouse	439.7	111.2	58.5	^	^	^	^	^	^	^	^
Natchitoches	471.5	143.8	67.4	46.5	38.6	^	^	^	^	^	^
Orleans	369.3	117.0	37.1	42.7	18.2	14.1	13.6	11.8	13.7	9.5	10.0
Ouachita	434.1	128.2	51.5	41.6	34.3	16.0	21.6	10.7	^	11.0	13.1
Plaquemines	551.0	189.5	^	^	^	^	^	^	^	^	^
Pointe Coupee	340.6	89.4	^	52.7	^	^	^	^	^	^	^
Rapides	431.4	130.3	49.1	50.0	20.6	16.9	13.1	15.6	^	16.4	^
Red River	390.1	^	^	^	^	^	^	^	^	^	^
Richland	477.0	110.8	^	^	^	^	^	^	^	^	^
Sabine	434.4	^	^	^	^	^	^	^	^	^	^
St. Bernard	462.5	131.0	^	^	^	^	^	^	^	^	^
St. Charles	415.1	145.7	^	^	^	^	^	^	^	^	^
St. Helena	370.0	150.2	^	^	^	^	^	^	^	^	^
St. James	515.6	176.8	63.2	46.5	^	^	^	^	^	^	^
St. John the Baptist	361.4	120.8	39.0	33.0	^	^	^	^	^	^	^
St. Landry	494.3	183.4	49.6	55.9	31.5	^	16.7	^	^	^	^
St. Martin	385.6	126.5	36.1	39.6	^	^	^	^	^	^	^
St. Mary	446.7	141.6	46.1	48.9	40.4	^	^	^	^	^	^
St. Tammany	414.9	152.1	38.9	33.2	25.6	16.5	^	17.9	^	^	^
Tangipahoa	384.6	122.5	29.4	39.6	28.7	18.8	^	^	^	^	^
Tensas	412.5	^	^	^	^	^	^	^	^	^	^
Terrebonne	465.1	141.1	49.4	75.0	31.1	^	^	^	^	^	^
Union	491.6	141.4	^	^	^	^	^	^	^	^	^
Vermilion	422.6	121.4	^	^	^	^	^	^	^	^	^
Vernon	416.9	^	^	^	^	^	^	^	^	^	^
Washington	470.7	136.9	45.4	45.2	^	^	^	^	^	^	^
Webster	395.7	113.3	45.7	45.4	^	^	^	^	^	^	^
West Baton Rouge	444.1	138.8	53.8	^	^	^	^	^	^	^	^

West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	437.2	^	^	^	^	^	^	^	^	^	^
Winn	414.2	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

^Statistic not displayed due to fewer than 16 cases.

Table F1. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
White Males

Primary Site	New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region	
Invasive cancers ³	U.S. ⁴	LA														
All Sites	479.4	538.6	↑	492.0 *	548.1	545.0	561.3 #	562.2 #	538.1	533.2	545.4					
Prostate	105.1	119.9	↑	108.8 *	133.5 #	111.9 *	130.7 #	122.6	105.0 *	117.8	119.6					
Lung and Bronchus	54.2	71.3	↑	62.0 *	65.1 *	71.0	73.2	79.5 #	79.0 #	74.0	84.4 #					
Colon and Rectum	40.9	48.4	↑	42.6 *	42.1 *	49.4	55.0 #	51.7	61.7 #	46.8	50.7					
Urinary Bladder	34.1	36.3	↑	37.1	33.0 *	41.5 #	34.8	34.7	38.0	38.4	32.4					
Kidney and Renal Pelvis	23.2	31.8	↑	26.9 *	31.6	33.0	37.6 #	34.4	27.3	31.3	32.2					
Melanoma of the Skin	35.7	31.7	↓	27.7 *	41.4 #	32.8	26.6 *	31.9	24.9 *	26.1 *	35.5					
Non-Hodgkin Lymphoma	23.5	24.0		23.0	23.6	25.9	24.8	24.3	25.3	21.8	23.7					
Oral Cavity and Pharynx	18.1	21.8	↑	21.0	23.6	22.4	20.9	18.9	21.5	21.7	21.9					
Leukemia	18.5	18.8		14.8 *	19.1	17.6	20.8	20.3	19.8	20.9	20.1					
Pancreas	14.8	14.9		14.7	12.7 *	16.1	15.7	15.1	15.2	15.3	16.4					

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F2. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
White Females

Primary Site	New Orleans Region		Baton Rouge Region		Southwest Region	Central Region	Northwest Region	Northeast Region			
Invasive cancers ³	U.S. ⁴	LA									
All Sites	422.1	432.3	↑	415.6 *	424.4	439.6	437.4	431.0	418.2	452.9 #	456.1 #
Breast	128.7	125.9	↓	135.2 #	126.1	134.4 #	125.7	114.9 *	100.9 *	124.9	121.9
Lung and Bronchus	45.2	54.0	↑	45.8 *	53.2	55.3	55.9	56.4	55.7	54.7	61.8 #
Colon and Rectum	32.0	36.2	↑	31.8 *	31.7 *	35.6	38.7	38.7	42.1 #	40.6 #	41.0
Thyroid	20.9	23.9	↑	20.3 *	24.1	23.0	24.4	18.6 *	26.9	30.7 #	25.8
Corpus and Uterus, NOS	27.5	20.0	↓	19.3	18.5	17.3 *	21.4	22.2	22.4	23.4 #	20.0
Melanoma of the Skin	22.8	19.2	↓	19.0	21.1	18.5	13.8 *	18.5	20.2	20.2	25.3 #
Non-Hodgkin Lymphoma	16.2	16.6		16.8	15.5	18.0	18.1	17.0	15.8	16.5	13.7
Kidney and Renal Pelvis	11.7	16.4	↑	13.9 *	15.3	16.7	18.8	19.8 #	15.2	14.7	20.0 #
Leukemia	11.4	12.2	↑	11.2	11.8	12.7	11.7	15.1 #	11.4	13.0	11.2
Pancreas	11.4	12.0		11.4	11.4	12.1	13.0	12.5	11.3	12.6	12.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F3. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
Black Males

Primary Site	New Orleans Region			Baton Rouge Region		Southwest Region	Central Region	Northwest Region	Northeast Region		
Invasive cancers ³	U.S. ⁴	LA									
All Sites	509.6	587.0	↑	534.8 *	628.3 #	595.2	613.6	617.0	597.7	579.3	597.3
Prostate	178.6	190.4	↑	171.3 *	215.2 #	201.5	172.7 *	196.2	196.6	178.1	216.5 #
Lung and Bronchus	66.3	88.9	↑	82.1	86.1	81.3	93.9	97.8	96.0	100.7 #	89.2
Colon and Rectum	48.2	60.9	↑	53.2 *	59.5	61.6	72.4 #	67.2	67.1	62.7	62.2
Kidney and Renal Pelvis	24.5	28.8	↑	27.7	32.0	31.9	27.3	28.8	24.1	25.7	32.2
Liver and Intrahepatic Bile Duct	15.8	22.3	↑	22.8	29.5 #	18.4	25.1	23.6	14.6 *	22.3	5.9 *
Pancreas	17.0	19.1	↑	15.7	17.7	18.0	26.8 #	17.8	18.4	21.2	21.1
Urinary Bladder	18.7	18.1		18.9	19.0	16.9	16.3	17.6	20.1	18.7	15.0
Non-Hodgkin Lymphoma	16.8	16.3		18.6	18.9	16.2	13.9	16.2	14.8	12.3 *	14.4
Myeloma	16.4	16.3		16.7	19.9	12.5	14.7	15.4	15.5	16.9	12.9
Oral Cavity and Pharynx	13.1	16.1	↑	13.6	17.4	14.1	17.8	12.8	20.6	18.1	15.6

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table F4. Incidence Rates¹ by LTR Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
Black Females

Primary Site				New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
Invasive cancers ³	U.S. ⁴	LA									
All Sites	389.6	414.9	↑	393.1 *	409.5	437.6 #	441.1 #	432.4	416.2	419.0	423.5
Breast	125.8	133.0	↑	127.0	134.4	145.6	150.6 #	125.3	132.7	128.8	121.3
Lung and Bronchus	42.0	43.4		42.5	38.6	44.8	52.5 #	50.4	44.9	41.5	43.9
Colon and Rectum	36.6	43.4	↑	39.1	40.5	43.7	47.0	42.7	45.6	49.1	49.5
Corpus and Uterus, NOS	27.5	24.4	↓	19.9 *	22.5	26.0	24.4	24.3	22.1	31.0 #	32.7 #
Kidney and Renal Pelvis	12.7	15.1	↑	16.3	14.6	16.2	13.1	15.3	15.2	13.4	16.8
Pancreas	14.4	14.9		13.7	14.3	11.8	13.1	21.9 #	13.2	16.6	20.6 #
Thyroid	11.9	13.8	↑	12.4	17.6 #	17.7	12.7	^	15.6	10.8	12.3
Non-Hodgkin Lymphoma	11.6	12.7		13.7	15.1	10.2	11.5	14.7	8.2	12.4	9.0
Myeloma	12.4	12.5		10.6	15.8 #	16.3	9.9	^	11.4	13.0	11.8
Cervix Uteri	8.2	10.3	↑	10.3	9.8	7.9	8.9	13.0	11.9	10.6	12.6

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G1. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
White Males

Primary Site Invasive cancers ³	U.S. ⁴		LA	New Orleans Region		Baton Rouge Region		Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region	
	U.S. ⁴	LA																			
All Sites	479.4	538.6	↑	493.8 *	558.1 #	549.2	559.1 #	562.2 #	538.1	533.2	545.4	538.5									
Prostate	105.1	119.9	↑	109.4 *	145.8 #	111.5 *	131.9 #	122.6	105.0 *	117.8	119.6	112.5 *									
Lung and Bronchus	54.2	71.3	↑	62.0 *	59.0 *	75.7	71.0	79.5 #	79.0 #	74.0	84.4 #	72.6									
Colon and Rectum	40.9	48.4	↑	42.9 *	37.5 *	54.0 #	54.5 #	51.7	61.7 #	46.8	50.7	47.4									
Urinary Bladder	34.1	36.3	↑	37.5	33.5	39.8	35.1	34.7	38.0	38.4	32.4	37.0									
Kidney and Renal Pelvis	23.2	31.8	↑	27.1 *	32.5	34.0	38.4 #	34.4	27.3	31.3	32.2	30.4									
Melanoma of the Skin	35.7	31.7	↓	27.8 *	45.8 #	21.2 *	26.8 *	31.9	24.9 *	26.1 *	35.5	39.8 #									
Non-Hodgkin Lymphoma	23.5	24		23.0	23.0	27.9 #	24.2	24.3	25.3	21.8	23.7	24.7									
Oral Cavity and Pharynx	18.1	21.8	↑	21.0	23.9	22.9	20.9	18.9	21.5	21.7	21.9	22.4									
Leukemia	18.5	18.8		15.0 *	19.0	19.1	20.5	20.3	19.8	20.9	20.1	17.7									
Pancreas	14.8	14.9		14.4	13.4	15.8	15.0	15.1	15.2	15.3	16.4	14.8									

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G2. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
White Females

Primary Site	U.S. ⁴		LA	New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³												
All Sites	422.1	432.3	↑	414.9 *	420.9	432.0	438.8	431.0	418.2	452.9 #	456.1 #	440.0
Breast	128.7	125.9	↓	134.1 #	133.8 #	126.2	127.2	114.9 *	100.9 *	124.9	121.9	128.5
Lung and Bronchus	45.2	54.0	↑	46.7 *	50.1	54.7	55.9	56.4	55.7	54.7	61.8 #	56.8
Colon and Rectum	32.0	36.2	↑	31.6 *	30.0 *	38.1	39.0	38.7	42.1 #	40.6 #	41.0	33.8
Thyroid	20.9	23.9	↑	20.3 *	25.4	23.1	25.2	18.6 *	26.9	30.7 #	25.8	22.1
Corpus and Uterus, NOS	27.5	20.0	↓	19.1	18.1	19.7	21.1	22.2	22.4	23.4 #	20.0	17.5
Melanoma of the Skin	22.8	19.2	↓	18.7	23.1 #	12.4 *	14.4 *	18.5	20.2	20.2	25.3 #	21.2
Non-Hodgkin Lymphoma	16.2	16.6		16.8	14.7	19.7 #	17.5	17.0	15.8	16.5	13.7	17.1
Kidney and Renal Pelvis	11.7	16.4	↑	13.9 *	13.7 *	18.5	18.3	19.8 #	15.2	14.7	20.0 #	16.9
Leukemia	11.4	12.2	↑	11.3	11.5	12.8	11.6	15.1 #	11.4	13.0	11.2	12.5
Pancreas	11.4	12.0		11.2	11.1	12.1	13.3	12.5	11.3	12.6	12.7	12.1

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G3. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
Black Males

Primary Site	U.S. ⁴		LA	New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
Invasive cancers ³												
All Sites	509.6	587.0	↑	535.9 *	623.5 #	567.1	627.7 #	617.0	597.7	579.3	597.3	640.9 #
Prostate	178.6	190.4	↑	171.4 *	213.2 #	181.3	175.8	196.2	196.6	178.1	216.5 #	230.5 #
Lung and Bronchus	66.3	88.9	↑	81.9	82.4	87.6	97.9	97.8	96.0	100.7 #	89.2	81.6
Colon and Rectum	48.2	60.9	↑	53.2 *	57.4	58.2	74.1 #	67.2	67.1	62.7	62.2	70.0
Kidney and Renal Pelvis	24.5	28.8	↑	27.8	32.3	32.4	26.7	28.8	24.1	25.7	32.2	30.3
Liver and Intrahepatic Bile Duct	15.8	22.3	↑	22.7	29.9 #	16.9	26.4	23.6	14.6 *	22.3	5.9 *	24.5
Pancreas	17.0	19.1	↑	15.7	18.4	13.8	29.0 #	17.8	18.4	21.2	21.1	19.5
Urinary Bladder	18.7	18.1		18.8	19.9	14.2	16.3	17.6	20.1	18.7	15.0	19.1
Non-Hodgkin Lymphoma	16.8	16.3		18.7	18.9	13.3	15.2	16.2	14.8	12.3 *	14.4	18.0
Myeloma	16.4	16.3		16.4	20.4	13.8	14.5	15.4	15.5	16.9	12.9	15.3
Oral Cavity and Pharynx	13.1	16.1	↑	13.6	17.4	15.4	17.6	12.8	20.6	18.1	15.6	15.8

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table G4. Incidence Rates¹ by LA OPH Region² for the Ten Most Commonly Diagnosed Cancers, 2016-2020:
Black Females

Primary Site	New Orleans Region			Baton Rouge Region			Southeast Region		Acadiana Region		Southwest Region		Central Region		Northwest Region		Northeast Region		Northlake Region	
Invasive cancers ³	U.S. ⁴	LA																		
All Sites	389.6	414.9	↑	394.9 *	412.3	436.9	440.9 #	432.4	416.2	419.0	423.5	409.5								
Breast	125.8	133.0	↑	127.7	135.4	143.3	151.9 #	125.3	132.7	128.8	121.3	135.6								
Lung and Bronchus	42.0	43.4		43.0	39.0	46.8	52.9 #	50.4	44.9	41.5	43.9	36.4								
Colon and Rectum	36.6	43.4	↑	39.0	41.9	45.6	47.2	42.7	45.6	49.1	49.5	36.6								
Corpus and Uterus, NOS	27.5	24.4	↓	19.9 *	22.4	27.8	22.8	24.3	22.1	31.0 #	32.7 #	25.2								
Kidney and Renal Pelvis	12.7	15.1	↑	16.4	13.8	15.3	13.2	15.3	15.2	13.4	16.8	18.0								
Pancreas	14.4	14.9		13.7	13.5	14.7	12.9	21.9 #	13.2	16.6	20.6 #	12.4								
Thyroid	11.9	13.8	↑	12.6	17.6 #	15.3	12.1	^	15.6	10.8	12.3	20.1 #								
Non-Hodgkin Lymphoma	11.6	12.7		13.9	15.4	9.6	11.9	14.7	8.2	12.4	9.0	11.7								
Myeloma	12.4	12.5		10.6	16.3 #	15.0	10.3	^	11.4	13.0	11.8	14.4								
Cervix Uteri	8.2	10.3	↑	10.4	9.7	9.3	7.6	13.0	11.9	10.6	12.6	10.2								

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

³Except for urinary bladder (in situ and invasive), only invasive cases are included.

⁴U.S. incidence rate estimates are from the Surveillance, Epidemiology, and End Results (SEER) Program of the National Cancer Institute, 17 regions.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Table H1. Number of Children and Adolescent Cancer Diagnoses,¹ 2016-2020 Combined, Louisiana

ICCC ² Primary Site	All Races			Whites			Blacks		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline and Benign Brain/CNS Tumors	1187	630	557	793	431	362	368	187	181
I Leukemias, myeloproliferative & myelodysplastic diseases	248	148	100	171	97	74	73	48	25
II Lymphomas & reticuloendothelial neoplasms	158	98	60	100	67	33	54	28	26
III CNS & miscellaneous intracranial & intraspinal neoplasms	301	150	151	203	109	94	95	41	54
IV Neuroblastoma & other peripheral nervous cell tumors	38	18	20	23	11	12	12	^	7
V Retinoblastoma	16	9	7	8	6	^	8	^	^
VI Renal tumors	48	24	24	32	17	15	15	7	8
VII Hepatic tumors	15	7	8	12	6	6	^	^	^
VIII Malignant bone tumors	46	31	15	35	24	11	9	6	^
IX Soft tissue & other extraosseous sarcomas	78	47	31	40	26	14	36	21	15
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	63	38	25	41	30	11	21	7	14
XI Other malignant epithelial neoplasms & malignant melanomas	130	36	94	101	25	76	25	10	15
XII Other & unspecified malignant neoplasms	^	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	44	23	21	26	13	13	18	10	8

¹Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group XI includes in situ urinary bladder tumors.

^Count is not displayed due to fewer than 6 cases during the five-year period.

Table H2. Percent Distribution of Children and Adolescent Cancers,¹ 2016-2020, Louisiana

ICCC ² Primary Site	All Races			Whites			Blacks		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites including Borderline and Benign Brain/CNS Tumors	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I Leukemias, myeloproliferative & myelodysplastic diseases	20.9	23.5	18.0	21.6	22.5	20.4	19.8	25.7	13.8
II Lymphomas & reticuloendothelial neoplasms	13.3	15.6	10.8	12.6	15.5	9.1	14.7	15.0	14.4
III CNS & miscellaneous intracranial & intraspinal neoplasms	25.4	23.8	27.1	25.6	25.3	26.0	25.8	21.9	29.8
IV Neuroblastoma & other peripheral nervous cell tumors	3.2	2.9	3.6	2.9	2.6	3.3	3.3	2.7	3.9
V Retinoblastoma	1.3	1.4	1.3	1.0	1.4	0.6	2.2	1.6	2.8
VI Renal tumors	4.0	3.8	4.3	4.0	3.9	4.1	4.1	3.7	4.4
VII Hepatic tumors	1.3	1.1	1.4	1.5	1.4	1.7	0.5	0.5	0.6
VIII Malignant bone tumors	3.9	4.9	2.7	4.4	5.6	3.0	2.4	3.2	1.7
IX Soft tissue & other extraosseous sarcomas	6.6	7.5	5.6	5.0	6.0	3.9	9.8	11.2	8.3
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	5.3	6.0	4.5	5.2	7.0	3.0	5.7	3.7	7.7
XI Other malignant epithelial neoplasms & malignant melanomas	11.0	5.7	16.9	12.7	5.8	21.0	6.8	5.3	8.3
XII Other & unspecified malignant neoplasms	0.2	0.2	0.2	0.1	0.0	0.3	0.0	0.0	0.0
Not classified by SEER or in situ	3.7	3.7	3.8	3.3	3.0	3.6	4.9	5.3	4.4

¹Children and adolescent cancers include patients aged 0-19 years.

²ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

³Group I includes myelodysplastic syndromes.

⁴Group III includes benign and borderline brain/CNS tumors.

⁵Group XI includes in situ urinary bladder tumors.

Table H3. Average Annual Cancer Incidence Rates¹ of Children and Adolescent Cancers,² 2016-2020, Louisiana

ICCC ³ Primary Site	All Races			Whites			Blacks		
	Total	Boys	Girls	Total	Boys	Girls	Total	Boys	Girls
All ICCC Sites excluding Borderline & Benign Brain/CNS Tumors	168.0	177.9	157.8	196.1	210.0	181.6	129.6	134.4	124.7
All ICCC Sites including Borderline & Benign Brain/CNS Tumors	195.9	204.0	187.4	227.0	240.9	212.4	154.6	155.3	153.9
I Leukemias, myeloproliferative & myelodysplastic diseases	40.3	47.3	33.1	48.2	53.5	42.7	30.3	39.5	21.0
II Lymphomas & reticuloendothelial neoplasms	26.4	32.1	20.5	29.0	37.8	19.7	23.0	23.5	22.5
III CNS & miscellaneous intracranial & intraspinal neoplasms	49.6	48.6	50.8	58.0	60.9	55.0	40.0	34.1	46.1
IV Neuroblastoma & other peripheral nervous cell tumors	6.1	5.6	6.5	6.4	^	^	^	^	^
V Retinoblastoma	2.5	^	^	^	^	^	^	^	^
VI Renal tumors	7.7	7.6	7.9	9.0	9.4	^	^	^	^
VII Hepatic tumors	^	^	^	^	^	^	^	^	^
VIII Malignant bone tumors	7.7	10.2	^	10.1	13.6	^	^	^	^
IX Soft tissue & other extraosseous sarcomas	12.9	15.3	10.4	11.4	14.5	^	15.2	17.6	^
X Germ cell tumors, trophoblastic tumors & neoplasms of gonads	10.5	12.5	8.4	11.9	17.1	^	8.9	^	^
XI Other malignant epithelial neoplasms & malignant melanomas	21.9	11.8	32.3	29.4	14.1	45.5	10.7	^	^
XII Other & unspecified malignant neoplasms	^	^	^	^	^	^	^	^	^
Not classified by SEER or in situ	7.3	7.5	7.2	7.6	^	^	7.6	^	^

¹Rates are per 1,000,000 and age-adjusted to the 2000 US Population (19 age groups - Census P25-1130) standard.

²Children and adolescent cancers include patients aged 0-19 years.

³ICCC: International Classification of Childhood Cancer. For more information: <https://seer.cancer.gov/iccc/iccc-iarc-2017.html>

⁴Group I includes myelodysplastic syndromes.

⁵Group III includes benign and borderline brain/CNS tumors.

⁶Group XI includes in situ urinary bladder tumors.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Table I1. Age-specific Number of Cancer Cases¹, 2016-2020, Louisiana

Primary Site														
<i>Invasive Cancers³</i>	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
All Sites	541	925	1,608	2,453	3,389	5,440	9,487	15,045	20,161	22,309	18,822	14,157	9,279	7,797
Oral Cavity and Pharynx	11	12	31	49	85	184	375	587	637	589	447	304	182	154
Lip	^	^	^	^	^	^	14	20	16	17	25	16	11	18
Tongue	^	^	11	11	30	63	96	170	209	209	142	104	53	39
Salivary Gland	^	^	9	10	6	14	15	28	44	42	37	40	33	27
Floor of Mouth	^	^	^	^	^	7	23	29	39	36	18	9	10	9
Gum and Other Mouth	^	^	^	7	13	23	43	73	76	71	70	47	41	42
Nasopharynx	^	^	6	^	8	9	16	24	19	23	13	11	^	^
Tonsil	^	^	^	13	17	37	102	152	130	104	71	36	12	^
Oropharynx	^	^	^	^	^	15	29	46	48	40	32	13	8	^
Hypopharynx	^	^	^	^	^	11	22	32	48	31	23	24	6	6
Other Oral Cavity and Pharynx	^	^	^	^	^	^	15	13	8	16	16	^	^	^
Digestive System	53	96	176	334	506	1,027	2,052	3,004	3,928	4,132	3,370	2,613	1,855	1,751
Esophagus	^	^	^	7	10	47	97	182	235	226	189	145	79	72
Stomach	^	7	20	42	22	69	125	217	283	276	246	211	142	175
Small Intestine	^	^	6	18	29	48	88	104	143	132	135	82	51	40
Colon and Rectum	39	68	113	208	340	629	1,226	1,349	1,677	1,944	1,539	1,181	891	841
Colon excluding Rectum	31	52	79	124	195	379	693	832	1,109	1,404	1,171	900	712	692
Cecum	^	^	13	14	29	67	115	138	188	288	240	210	174	175
Appendix	19	31	31	24	30	43	41	40	62	55	39	27	8	6
Ascending Colon	^	^	^	17	15	55	98	134	198	255	287	209	162	167
Hepatic Flexure	^	^	^	^	^	8	35	32	44	63	74	56	36	37
Transverse Colon	^	^	8	8	20	28	46	81	101	135	116	87	90	71
Splenic Flexure	^	^	^	^	^	6	28	23	36	50	30	29	20	17
Descending Colon	^	^	^	12	19	30	55	84	93	92	65	43	41	39
Sigmoid Colon	^	6	14	35	62	126	249	262	308	384	251	178	130	109
Large Intestine, NOS	^	^	^	^	11	16	26	38	79	82	69	61	51	71
Rectum and Rectosigmoid Junction	8	16	34	84	145	250	533	517	568	540	368	281	179	149
Rectosigmoid Junction	^	^	7	13	29	36	97	87	103	97	73	66	34	30
Rectum	8	15	27	71	116	214	436	430	465	443	295	215	145	119

Anus, Anal Canal and Anorectum	^	^	^	13	18	38	68	77	91	81	60	43	22	34
Liver and Intrahepatic Bile Duct	^	^	13	8	16	62	182	544	752	630	414	270	147	108
Liver	^	^	12	^	14	42	159	488	694	556	338	222	128	89
Intrahepatic Bile Duct	^	^	^	^	^	20	23	56	58	74	76	48	19	19
Gallbladder	^	^	^	^	^	12	21	34	58	57	71	41	34	35
Other Biliary	^	^	^	^	^	8	17	45	60	70	70	58	46	41
Pancreas	^	8	9	31	54	103	200	412	565	652	601	542	408	375
Retroperitoneum	^	^	^	^	^	^	7	9	13	9	6	6	6	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	8	11	13	22	11	13	7	9
Other Digestive Organs	^	^	^	^	^	^	13	20	38	33	28	21	22	18
Respiratory System	14	10	43	72	129	321	987	2,182	3,095	3,476	3,331	2,780	1,701	1,147
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	11	20	30	31	29	26	13	16
Larynx	^	^	8	13	19	45	134	245	282	255	179	125	61	46
Lung and Bronchus	8	10	27	56	104	271	840	1,911	2,777	3,189	3,119	2,621	1,624	1,083
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other	^	^	^	^	^	^	^	^	^	^	^	6	^	^
Bones and Joints	13	16	11	11	11	12	9	18	16	10	20	9	9	9
Soft Tissue including Heart	21	20	27	27	47	53	53	80	106	113	104	84	75	91
Skin excluding Basal and Squamous	42	90	161	182	237	295	367	502	621	668	656	506	402	386
Melanoma of the Skin	36	84	148	167	217	271	348	476	554	600	592	441	333	312
Other Non-Epithelial Skin	6	6	13	15	20	24	19	26	67	68	64	65	69	74
Breast	17	92	260	541	896	1,333	1,695	2,159	2,636	2,869	2,319	1,662	1,041	918
Female Genital System	17	65	191	279	325	375	572	784	951	961	718	406	314	259
Cervix Uteri	^	31	101	140	141	100	128	128	95	73	39	39	22	26
Corpus and Uterus, NOS	^	8	43	87	105	163	277	450	592	600	425	200	125	89
Corpus Uteri	^	8	43	86	103	158	267	438	576	578	407	192	119	82
Uterus, NOS	^	^	^	^	^	^	10	12	16	22	18	8	6	7
Ovary	10	23	27	43	48	69	95	129	182	172	155	97	94	78
Vagina	^	^	^	^	^	^	12	21	12	21	14	12	17	13
Vulva	^	^	12	7	22	37	41	37	43	56	56	36	36	43
Other Female Genital Organs	^	^	^	^	^	^	19	19	27	39	29	22	20	10
Male Genital System	62	94	107	104	126	363	1,204	2,480	3,906	4,709	3,300	1,891	880	532
Prostate	^	^	^	12	74	318	1,169	2,428	3,877	4,676	3,281	1,871	861	518
Testis	62	94	106	89	48	37	26	30	12	7	^	^	^	^

Penis	^	^	^	^	^	6	6	18	12	22	14	14	14	12
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Urinary System	10	26	67	155	269	444	750	1,225	1,669	1,857	1,750	1,423	990	870
Urinary Bladder	^	6	10	27	46	79	193	422	633	785	852	807	574	580
Kidney and Renal Pelvis	8	20	57	126	223	362	543	775	1,010	1,028	859	569	369	255
Ureter	^	^	^	^	^	^	^	14	17	17	25	28	24	16
Other Urinary Organs	^	^	^	^	^	^	9	14	9	27	14	19	23	19
Eye and Orbit	^	^	^	^	9	12	9	29	20	26	20	25	9	9
Brain and Other Nervous System	32	39	48	59	47	74	106	132	174	152	170	117	93	51
Brain	29	35	43	55	44	68	104	125	162	148	164	113	89	49
Cranial Nerves Other Nervous System	^	^	^	^	^	6	^	7	12	^	6	^	^	^
Endocrine System	89	143	230	300	331	340	349	409	433	364	269	156	82	41
Thyroid	85	141	227	293	327	332	339	393	408	334	248	142	74	37
Other Endocrine including Thymus	^	^	^	7	^	8	10	16	25	30	21	14	8	^
Lymphoma	102	145	154	158	163	264	345	521	629	732	762	665	450	397
Hodgkin Lymphoma	65	83	65	51	42	42	37	50	34	39	36	16	19	12
Hodgkin - Nodal	65	83	65	51	42	41	37	49	34	37	36	16	18	12
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	37	62	89	107	121	222	308	471	595	693	726	649	431	385
NHL - Nodal	24	35	59	64	73	157	216	320	391	469	521	463	294	256
NHL - Extranodal	13	27	30	43	48	65	92	151	204	224	205	186	137	129
Myeloma	^	^	9	20	34	89	155	213	319	400	347	308	205	181
Leukemia	38	33	40	80	72	120	231	321	393	489	470	450	394	325
Lymphocytic Leukemia	9	7	11	18	23	49	109	170	201	238	236	231	177	155
Acute Lymphocytic Leukemia	8	^	9	8	6	8	11	19	16	17	10	11	12	^
Chronic Lymphocytic Leukemia	^	^	^	7	11	32	91	138	180	203	214	208	155	144
Other Lymphocytic Leukemia	^	^	^	^	6	9	7	13	^	18	12	12	10	6
Myeloid and Monocytic Leukemia	27	25	29	61	46	67	115	146	184	234	208	199	194	145
Acute Myeloid Leukemia	16	15	14	33	17	44	74	84	108	164	135	141	123	100
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	7	6
Chronic Myeloid Leukemia	11	9	14	28	28	20	39	56	72	61	67	51	63	36
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	^	7	^	8	17	26	20	23	25
Other Acute Leukemia	^	^	^	^	^	^	^	^	^	^	8	7	9	9

Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	6	^	7	15	18	13	14	16
Mesothelioma	^	^	^	^	^	^	9	13	24	56	66	59	27	34
Kaposi Sarcoma	^	11	16	11	12	11	7	^	^	^	6	^	7	9
Miscellaneous	13	28	33	64	85	118	212	381	602	702	697	695	563	633

In Situ Cancers (not included above)

Breast In Situ	^	8	24	66	186	284	396	457	610	600	493	305	131	72
----------------	---	---	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----

^Statistic not displayed due to fewer than 6 cases.

¹Number of cases is the total for the 5-year time period.

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

Table I2. Age-Specific Average Annual Cancer Incidence Rates,¹ 2016-2020, Louisiana

Primary Site <i>Invasive Cancers</i> ³	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
All Sites	34.7	54.3	98.7	157.5	248.4	396.1	656.2	966.6	1,377.3	1,818.8	2,040.9	2,247.3	2,230.7	1,924.1
Oral Cavity and Pharynx	^	^	1.9	3.1	6.2	13.4	25.9	37.7	43.5	48.0	48.5	48.3	43.8	38.0
Lip	^	^	^	^	^	^	^	1.3	1.1	1.4	2.7	2.5	^	4.4
Tongue	^	^	^	^	2.2	4.6	6.6	10.9	14.3	17.0	15.4	16.5	12.7	9.6
Salivary Gland	^	^	^	^	^	^	^	1.8	3.0	3.4	4.0	6.3	7.9	6.7
Floor of Mouth	^	^	^	^	^	^	1.6	1.9	2.7	2.9	2.0	^	^	^
Gum and Other Mouth	^	^	^	^	^	1.7	3.0	4.7	5.2	5.8	7.6	7.5	9.9	10.4
Nasopharynx	^	^	^	^	^	^	1.1	1.5	1.3	1.9	^	^	^	^
Tonsil	^	^	^	^	1.2	2.7	7.1	9.8	8.9	8.5	7.7	5.7	^	^
Oropharynx	^	^	^	^	^	^	2.0	3.0	3.3	3.3	3.5	^	^	^
Hypopharynx	^	^	^	^	^	^	1.5	2.1	3.3	2.5	2.5	3.8	^	^
Other Oral Cavity and Pharynx	^	^	^	^	^	^	^	^	^	1.3	1.7	^	^	^
Digestive System	3.4	5.6	10.8	21.4	37.1	74.8	141.9	193.0	268.3	336.9	365.4	414.8	445.9	432.1
Esophagus	^	^	^	^	^	3.4	6.7	11.7	16.1	18.4	20.5	23.0	19.0	17.8
Stomach	^	^	1.2	2.7	1.6	5.0	8.6	13.9	19.3	22.5	26.7	33.5	34.1	43.2
Small Intestine	^	^	^	1.2	2.1	3.5	6.1	6.7	9.8	10.8	14.6	13.0	12.3	9.9
Colon and Rectum	2.5	4.0	6.9	13.4	24.9	45.8	84.8	86.7	114.6	158.5	166.9	187.5	214.2	207.5
Colon excluding Rectum	2.0	3.1	4.8	8.0	14.3	27.6	47.9	53.5	75.8	114.5	127.0	142.9	171.2	170.8
Cecum	^	^	^	^	2.1	4.9	8.0	8.9	12.8	23.5	26.0	33.3	41.8	43.2
Appendix	1.2	1.8	1.9	1.5	2.2	3.1	2.8	2.6	4.2	4.5	4.2	4.3	^	^
Ascending Colon	^	^	^	1.1	^	4.0	6.8	8.6	13.5	20.8	31.1	33.2	38.9	41.2
Hepatic Flexure	^	^	^	^	^	^	2.4	2.1	3.0	5.1	8.0	8.9	8.7	9.1
Transverse Colon	^	^	^	^	1.5	2.0	3.2	5.2	6.9	11.0	12.6	13.8	21.6	17.5
Splenic Flexure	^	^	^	^	^	^	1.9	1.5	2.5	4.1	3.3	4.6	4.8	4.2
Descending Colon	^	^	^	^	1.4	2.2	3.8	5.4	6.4	7.5	7.0	6.8	9.9	9.6
Sigmoid Colon	^	^	^	2.2	4.5	9.2	17.2	16.8	21.0	31.3	27.2	28.3	31.3	26.9
Large Intestine, NOS	^	^	^	^	^	1.2	1.8	2.4	5.4	6.7	7.5	9.7	12.3	17.5
Rectum and Rectosigmoid Junction	^	0.9	2.1	5.4	10.6	18.2	36.9	33.2	38.8	44.0	39.9	44.6	43.0	36.8
Rectosigmoid Junction	^	^	^	^	2.1	2.6	6.7	5.6	7.0	7.9	7.9	10.5	8.2	7.4
Rectum	^	^	1.7	4.6	8.5	15.6	30.2	27.6	31.8	36.1	32.0	34.1	34.9	29.4

Anus, Anal Canal and Anorectum	^	^	^	^	1.3	2.8	4.7	4.9	6.2	6.6	6.5	6.8	5.3	8.4
Liver and Intrahepatic Bile Duct	^	^	^	^	1.2	4.5	12.6	34.9	51.4	51.4	44.9	42.9	35.3	26.7
Liver	^	^	^	^	^	3.1	11.0	31.4	47.4	45.3	36.6	35.2	30.8	22.0
Intrahepatic Bile Duct	^	^	^	^	^	1.5	1.6	3.6	4.0	6.0	8.2	7.6	4.6	4.7
Gallbladder	^	^	^	^	^	^	1.5	2.2	4.0	4.6	7.7	6.5	8.2	8.6
Other Biliary	^	^	^	^	^	^	1.2	2.9	4.1	5.7	7.6	9.2	11.1	10.1
Pancreas	^	^	^	2.0	4.0	7.5	13.8	26.5	38.6	53.2	65.2	86.0	98.1	92.5
Retroperitoneum	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Peritoneum, Omentum and Mesentery	^	^	^	^	^	^	^	^	^	1.8	^	^	^	^
Other Digestive Organs	^	^	^	^	^	^	^	1.3	2.6	2.7	3.0	3.3	5.3	4.4
Respiratory System	^	^	2.6	4.6	9.5	23.4	68.3	140.2	211.4	283.4	361.2	441.3	408.9	283.0
Nose, Nasal Cavity and Middle Ear	^	^	^	^	^	^	^	1.3	2.0	2.5	3.1	4.1	^	3.9
Larynx	^	^	^	^	1.4	3.3	9.3	15.7	19.3	20.8	19.4	19.8	14.7	11.4
Lung and Bronchus	^	^	1.7	3.6	7.6	19.7	58.1	122.8	189.7	260.0	338.2	416.1	390.4	267.3
Pleura	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Trachea, Mediastinum and Other	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Bones and Joints	^	0.9	^	^	^	^	^	1.2	1.1	^	2.2	^	^	^
Soft Tissue including Heart	1.3	1.2	1.7	1.7	3.4	3.9	3.7	5.1	7.2	9.2	11.3	13.3	18.0	22.5
Skin excluding Basal and Squamous	2.7	5.3	9.9	11.7	17.4	21.5	25.4	32.3	42.4	54.5	71.1	80.3	96.6	95.3
Melanoma of the Skin	2.3	4.9	9.1	10.7	15.9	19.7	24.1	30.6	37.8	48.9	64.2	70.0	80.1	77.0
Other Non-Epithelial Skin	^	^	^	^	1.5	1.7	1.3	1.7	4.6	5.5	6.9	10.3	16.6	18.3
Breast	1.1	5.4	16.0	34.7	65.7	97.1	117.2	138.7	180.1	233.9	251.5	263.8	250.3	226.5
Female Genital System	1.1	3.8	11.7	17.9	23.8	27.3	39.6	50.4	65.0	78.3	77.9	64.4	75.5	63.9
Cervix Uteri	^	1.8	6.2	9.0	10.3	7.3	8.9	8.2	6.5	6.0	4.2	6.2	5.3	6.4
Corpus and Uterus, NOS	^	^	2.6	5.6	7.7	11.9	19.2	28.9	40.4	48.9	46.1	31.7	30.0	22.0
Corpus Uteri	^	^	2.6	5.5	7.5	11.5	18.5	28.1	39.3	47.1	44.1	30.5	28.6	20.2
Uterus, NOS	^	^	^	^	^	^	^	^	1.1	1.8	2.0	^	^	^
Ovary	^	1.4	1.7	2.8	3.5	5.0	6.6	8.3	12.4	14.0	16.8	15.4	22.6	19.2
Vagina	^	^	^	^	^	^	^	1.3	^	1.7	^	^	4.1	^
Vulva	^	^	^	^	1.6	2.7	2.8	2.4	2.9	4.6	6.1	5.7	8.7	10.6
Other Female Genital Organs	^	^	^	^	^	^	1.3	1.2	1.8	3.2	3.1	3.5	4.8	^
Male Genital System	4.0	5.5	6.6	6.7	9.2	26.4	83.3	159.3	266.8	383.9	357.8	300.2	211.6	131.3
Prostate	^	^	^	^	5.4	23.2	80.9	156.0	264.9	381.2	355.8	297.0	207.0	127.8
Testis	4.0	5.5	6.5	5.7	3.5	2.7	1.8	1.9	^	^	^	^	^	^

Penis	^	^	^	^	^	^	^	1.2	^	1.8	^	^	^	^
Other Male Genital Organs	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Urinary System	^	1.5	4.1	10.0	19.7	32.3	51.9	78.7	114.0	151.4	189.8	225.9	238.0	214.7
Urinary Bladder	^	^	^	1.7	3.4	5.8	13.4	27.1	43.2	64.0	92.4	128.1	138.0	143.1
Kidney and Renal Pelvis	^	1.2	3.5	8.1	16.3	26.4	37.6	49.8	69.0	83.8	93.1	90.3	88.7	62.9
Ureter	^	^	^	^	^	^	^	^	1.2	1.4	2.7	4.4	5.8	3.9
Other Urinary Organs	^	^	^	^	^	^	^	^	^	2.2	^	3.0	5.5	4.7
Eye and Orbit	^	^	^	^	^	^	^	1.9	1.4	2.1	2.2	4.0	^	^
Brain and Other Nervous System	2.1	2.3	2.9	3.8	3.4	5.4	7.3	8.5	11.9	12.4	18.4	18.6	22.4	12.6
Brain	1.9	2.1	2.6	3.5	3.2	5.0	7.2	8.0	11.1	12.1	17.8	17.9	21.4	12.1
Cranial Nerves Other Nervous System	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Endocrine System	5.7	8.4	14.1	19.3	24.3	24.8	24.1	26.3	29.6	29.7	29.2	24.8	19.7	10.1
Thyroid	5.4	8.3	13.9	18.8	24.0	24.2	23.4	25.2	27.9	27.2	26.9	22.5	17.8	9.1
Other Endocrine including Thymus	^	^	^	^	^	^	^	1.0	1.7	2.4	2.3	^	^	^
Lymphoma	6.5	8.5	9.4	10.1	11.9	19.2	23.9	33.5	43.0	59.7	82.6	105.6	108.2	98.0
Hodgkin Lymphoma	4.2	4.9	4.0	3.3	3.1	3.1	2.6	3.2	2.3	3.2	3.9	2.5	4.6	^
Hodgkin - Nodal	4.2	4.9	4.0	3.3	3.1	3.0	2.6	3.1	2.3	3.0	3.9	2.5	4.3	^
Hodgkin - Extranodal	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Non-Hodgkin Lymphoma	2.4	3.6	5.5	6.9	8.9	16.2	21.3	30.3	40.6	56.5	78.7	103.0	103.6	95.0
NHL - Nodal	1.5	2.1	3.6	4.1	5.4	11.4	14.9	20.6	26.7	38.2	56.5	73.5	70.7	63.2
NHL - Extranodal	^	1.6	1.8	2.8	3.5	4.7	6.4	9.7	13.9	18.3	22.2	29.5	32.9	31.8
Myeloma	^	^	^	1.3	2.5	6.5	10.7	13.7	21.8	32.6	37.6	48.9	49.3	44.7
Leukemia	2.4	1.9	2.5	5.1	5.3	8.7	16.0	20.6	26.8	39.9	51.0	71.4	94.7	80.2
Lymphocytic Leukemia	^	^	^	1.2	1.7	3.6	7.5	10.9	13.7	19.4	25.6	36.7	42.6	38.2
Acute Lymphocytic Leukemia	^	^	^	^	^	^	^	1.2	1.1	1.4	^	^	^	^
Chronic Lymphocytic Leukemia	^	^	^	^	^	2.3	6.3	8.9	12.3	16.6	23.2	33.0	37.3	35.5
Other Lymphocytic Leukemia	^	^	^	^	^	^	^	^	^	1.5	^	^	^	^
Myeloid and Monocytic Leukemia	1.7	1.5	1.8	3.9	3.4	4.9	8.0	9.4	12.6	19.1	22.6	31.6	46.6	35.8
Acute Myeloid Leukemia	1.0	^	^	2.1	1.2	3.2	5.1	5.4	7.4	13.4	14.6	22.4	29.6	24.7
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	^	^	^	1.8	2.1	1.5	2.7	3.6	4.9	5.0	7.3	8.1	15.1	8.9
Other Myeloid/Monocytic Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^
Other Leukemia	^	^	^	^	^	^	^	^	^	1.4	2.8	3.2	5.5	6.2
Other Acute Leukemia	^	^	^	^	^	^	^	^	^	^	^	^	^	^

Aleukemic, Subleukemic and NOS	^	^	^	^	^	^	^	^	^	^	2.0	^	^	3.9
Mesothelioma	^	^	^	^	^	^	^	^	1.6	4.6	7.2	9.4	6.5	8.4
Kaposi Sarcoma	^	^	1.0	^	^	^	^	^	^	^	^	^	^	^
Miscellaneous	^	1.6	2.0	4.1	6.2	8.6	14.7	24.5	41.1	57.2	75.6	110.3	135.3	156.2

In Situ Cancers (not included above)

Breast In Situ	^	^	1.5	4.2	13.6	20.7	27.4	29.4	41.7	48.9	53.5	48.4	31.5	17.8
----------------	---	---	-----	-----	------	------	------	------	------	------	------	------	------	------

¹Rates are per 100,000 and age-adjusted to the 2000 US Population

²Except for urinary bladder (in situ and invasive), only invasive cases are included.

[^]Statistic not displayed due to fewer than 16 cases.