

Mortality Tables

Table J1. Average Annual Number of Cancer Deaths by Site, Race, and Sex,
2016-2020, Louisiana

Primary Site	All races			White			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	9,345	5,042	4,303	6,386	3,453	2,933	2,854	1,528	1,327
Oral Cavity and Pharynx	174	128	46	120	88	33	52	39	13
Lip	^	^	^	^	^	^	^	^	^
Tongue	36	24	12	27	18	9	8	6	3
Salivary Gland	14	10	4	11	8	3	3	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	23	13	10	17	10	7	6	3	2
Nasopharynx	10	8	2	6	5	^	4	3	^
Tonsil	15	13	2	11	9	2	4	3	^
Oropharynx	19	15	4	10	8	2	9	7	^
Hypopharynx	7	5	^	4	3	^	2	^	^
Other Oral Cavity and Pharynx	48	38	10	32	25	6	17	13	4
Digestive System	2,595	1,533	1,062	1,677	993	683	881	514	367
Esophagus	215	174	41	158	131	26	56	41	15
Stomach	179	107	72	92	55	38	82	49	33
Small Intestine	22	12	10	14	8	5	8	4	4
Colon and Rectum	860	471	389	544	299	245	305	166	139
Colon excluding Rectum	690	371	319	432	234	198	248	132	116
Rectum and Rectosigmoid Junction	170	100	70	111	65	47	56	34	22
Anus, Anal Canal and Anorectum	17	8	8	13	6	7	4	2	^
Liver and Intrahepatic Bile Duct	516	366	150	324	225	98	180	131	49
Liver	446	330	116	276	201	75	159	120	38
Intrahepatic Bile Duct	71	36	34	48	25	23	21	11	11
Gallbladder	34	13	21	20	8	13	13	5	8
Other Biliary	29	17	12	22	13	9	6	3	3
Pancreas	682	347	334	463	238	225	214	107	107
Retroperitoneum	5	3	2	3	^	^	^	^	^
Peritoneum, Omentum and Mesentery	18	5	13	13	3	10	5	^	3
Other Digestive Organs	19	10	9	11	6	5	8	4	4
Respiratory System	2,558	1,488	1,070	1,811	1,015	797	720	456	263
Nose, Nasal Cavity and Middle Ear	10	5	5	6	3	^	3	^	^
Larynx	73	58	15	44	35	9	29	23	6
Lung and Bronchus	2,463	1,416	1,047	1,752	970	782	685	430	255
Pleura	6	5	^	6	4	^	^	^	^
Trachea, Mediastinum and Other Respiratory	6	4	^	3	2	^	^	^	^
Bones and Joints	39	21	18	27	14	12	12	6	5
Soft Tissue including Heart	62	33	28	41	22	19	20	10	9
Skin	137	97	40	124	88	36	13	9	4
Melanoma of the Skin	82	56	25	76	53	23	6	4	^

Non-Melanoma Skin	56	41	14	48	36	12	7	5	^
Breast	676	6	670	422	3	419	248	3	245
Female Genital System	439	--	439	273	--	273	161	--	161
Cervix Uteri	78	--	78	41	--	41	36	--	36
Corpus and Uterus, NOS	146	--	146	79	--	79	66	--	66
Corpus Uteri	86	--	86	48	--	48	38	--	38
Uterus, NOS	60	--	60	31	--	31	28	--	28
Ovary	182	--	182	129	--	129	51	--	51
Vagina	9	--	9	6	--	6	^	--	^
Vulva	15	--	15	11	--	11	4	--	4
Other Female Genital Organs	9	--	9	6	--	6	3	--	3
Male Genital System	451	451	--	270	270	--	178	178	--
Prostate	441	441	--	263	263	--	175	175	--
Testis	4	4	--	4	4	--	^	^	--
Penis	4	4	--	2	2	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	473	313	159	364	249	115	105	62	43
Urinary Bladder	212	148	64	168	124	44	43	23	20
Kidney and Renal Pelvis	248	160	88	186	120	66	59	38	21
Ureter	3	^	^	2	^	^	^	^	^
Other Urinary Organs	10	4	5	7	4	3	^	^	^
Eye and Orbit	4	2	2	3	^	^	^	^	^
Brain and Other Nervous System	230	128	102	188	105	83	39	22	17
Endocrine System	42	17	25	29	12	17	12	4	8
Thyroid	27	10	17	20	8	12	7	^	5
Other Endocrine including Thymus	15	7	8	9	4	5	6	3	3
Lymphoma	300	169	131	233	132	101	63	34	29
Hodgkin Lymphoma	16	8	8	12	6	6	4	2	^
Non-Hodgkin Lymphoma	284	161	123	221	127	94	59	32	26
Myeloma	194	106	88	112	64	48	81	42	39
Leukemia	333	193	140	253	147	106	76	43	33
Lymphocytic Leukemia	84	51	33	64	38	26	21	13	8
Acute Lymphocytic Leukemia	19	12	7	14	8	6	6	4	^
Chronic Lymphocytic Leukemia	55	33	22	42	25	16	13	8	5
Other Lymphocytic Leukemia	10	6	4	8	5	3	^	^	^
Myeloid and Monocytic Leukemia	160	88	72	120	66	53	37	20	18
Acute Myeloid Leukemia	129	69	60	97	53	44	30	15	15
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	14	9	6	12	7	4	2	^	^
Other Myeloid/Monocytic Leukemia	15	9	6	10	6	4	5	4	^
Other Leukemia	89	54	35	70	43	27	18	11	7
Other Acute Leukemia	15	9	7	11	7	4	4	^	2
Aleukemic, Subleukemic and NOS	74	46	28	59	36	23	14	9	5
Miscellaneous Malignant Cancer	638	356	283	440	249	191	192	103	89

^The NCI does not present counts for cells smaller than 10 for the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

-- Not Applicable

Table J2. Percent Distribution of Cancer Deaths by Site, Race, and Sex, 2016-2020, Louisiana

Primary Site	All races			White			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Oral Cavity and Pharynx	1.9	2.5	1.1	1.9	2.5	1.1	1.8	2.6	1.0
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.4	0.5	0.3	0.4	0.5	0.3	0.3	0.4	0.2
Salivary Gland	0.1	0.2	0.1	0.2	0.2	0.1	0.1	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.2	0.2
Nasopharynx	0.1	0.2	0.1	0.1	0.1	^	0.1	0.2	^
Tonsil	0.2	0.2	0.1	0.2	0.3	0.1	0.1	0.2	^
Oropharynx	0.2	0.3	0.1	0.2	0.2	0.1	0.3	0.4	^
Hypopharynx	0.1	0.1	^	0.1	0.1	^	0.1	^	^
Other Oral Cavity and Pharynx	0.5	0.8	0.2	0.5	0.7	0.2	0.6	0.8	0.3
Digestive System	27.8	30.4	24.7	26.3	28.8	23.3	30.9	33.7	27.7
Esophagus	2.3	3.4	1.0	2.5	3.8	0.9	2.0	2.7	1.1
Stomach	1.9	2.1	1.7	1.4	1.6	1.3	2.9	3.2	2.5
Small Intestine	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3
Colon and Rectum	9.2	9.3	9.0	8.5	8.6	8.4	10.7	10.9	10.5
Colon excluding Rectum	7.4	7.4	7.4	6.8	6.8	6.8	8.7	8.6	8.8
Rectum and Rectosigmoid Junction	1.8	2.0	1.6	1.7	1.9	1.6	2.0	2.2	1.7
Anus, Anal Canal and Anorectum	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	^
Liver and Intrahepatic Bile Duct	5.5	7.3	3.5	5.1	6.5	3.4	6.3	8.6	3.7
Liver	4.8	6.5	2.7	4.3	5.8	2.6	5.6	7.9	2.9
Intrahepatic Bile Duct	0.8	0.7	0.8	0.7	0.7	0.8	0.7	0.7	0.8
Gallbladder	0.4	0.3	0.5	0.3	0.2	0.4	0.5	0.3	0.6
Other Biliary	0.3	0.3	0.3	0.4	0.4	0.3	0.2	0.2	0.2
Pancreas	7.3	6.9	7.8	7.2	6.9	7.7	7.5	7.0	8.0
Retroperitoneum	0.1	0.1	0.1	0.1	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.2	0.1	0.3	0.2	0.1	0.3	0.2	^	0.2
Other Digestive Organs	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
Respiratory System	27.4	29.5	24.9	28.4	29.4	27.2	25.2	29.9	19.9
Nose, Nasal Cavity and Middle Ear	0.1	0.1	0.1	0.1	0.1	^	0.1	^	^
Larynx	0.8	1.2	0.3	0.7	1.0	0.3	1.0	1.5	0.5
Lung and Bronchus	26.4	28.1	24.3	27.4	28.1	26.7	24.0	28.1	19.2
Pleura	0.1	0.1	^	0.1	0.1	^	^	^	^
Trachea, Mediastinum and Other Respiratory	0.1	0.1	^	0.1	0.1	^	^	^	^
Bones and Joints	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Soft Tissue including Heart	0.7	0.7	0.7	0.6	0.6	0.6	0.7	0.7	0.7
Skin	1.5	1.9	0.9	1.9	2.6	1.2	0.5	0.6	0.3
Melanoma of the Skin	0.9	1.1	0.6	1.2	1.5	0.8	0.2	0.2	^
Non-Melanoma Skin	0.6	0.8	0.3	0.8	1.0	0.4	0.3	0.4	^
Breast	7.2	0.1	15.6	6.6	0.1	14.3	8.7	0.2	18.5

Female Genital System	4.7	--	10.2	4.3	--	9.3	5.6	--	12.2
Cervix Uteri	0.8	--	1.8	0.6	--	1.4	1.3	--	2.7
Corpus and Uterus, NOS	1.6	--	3.4	1.2	--	2.7	2.3	--	5.0
Corpus Uteri	0.9	--	2.0	0.7	--	1.6	1.3	--	2.9
Uterus, NOS	0.6	--	1.4	0.5	--	1.1	1.0	--	2.1
Ovary	1.9	--	4.2	2.0	--	4.4	1.8	--	3.8
Vagina	0.1	--	0.2	0.1	--	0.2	^	--	^
Vulva	0.2	--	0.4	0.2	--	0.4	0.1	--	0.3
Other Female Genital Organs	0.1	--	0.2	0.1	--	0.2	0.1	--	0.2
Male Genital System	4.8	9.0	--	4.2	7.8	--	6.2	11.7	--
Prostate	4.7	8.8	--	4.1	7.6	--	6.1	11.5	--
Testis	0.0	0.1	--	0.1	0.1	--	^	^	--
Penis	0.0	0.1	--	0.0	0.1	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	5.1	6.2	3.7	5.7	7.2	3.9	3.7	4.0	3.2
Urinary Bladder	2.3	2.9	1.5	2.6	3.6	1.5	1.5	1.5	1.5
Kidney and Renal Pelvis	2.7	3.2	2.0	2.9	3.5	2.3	2.1	2.5	1.6
Ureter	0.0	^	^	0.0	^	^	^	^	^
Other Urinary Organs	0.1	0.1	0.1	0.1	0.1	0.1	^	^	^
Eye and Orbit	0.0	0.0	0.0	0.0	^	^	^	^	^
Brain and Other Nervous System	2.5	2.5	2.4	2.9	3.0	2.8	1.4	1.4	1.3
Endocrine System	0.4	0.3	0.6	0.5	0.4	0.6	0.4	0.3	0.6
Thyroid	0.3	0.2	0.4	0.3	0.2	0.4	0.2	^	0.4
Other Endocrine including Thymus	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.2
Lymphoma	3.2	3.3	3.0	3.6	3.8	3.4	2.2	2.2	2.2
Hodgkin Lymphoma	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1	^
Non-Hodgkin Lymphoma	3.0	3.2	2.8	3.5	3.7	3.2	2.1	2.1	2.0
Myeloma	2.1	2.1	2.0	1.8	1.8	1.7	2.9	2.8	3.0
Leukemia	3.6	3.8	3.3	4.0	4.3	3.6	2.7	2.8	2.5
Lymphocytic Leukemia	0.9	1.0	0.8	1.0	1.1	0.9	0.7	0.9	0.6
Acute Lymphocytic Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	^
Chronic Lymphocytic Leukemia	0.6	0.7	0.5	0.7	0.7	0.6	0.5	0.5	0.4
Other Lymphocytic Leukemia	0.1	0.1	0.1	0.1	0.1	0.1	^	^	^
Myeloid and Monocytic Leukemia	1.7	1.7	1.7	1.9	1.9	1.8	1.3	1.3	1.3
Acute Myeloid Leukemia	1.4	1.4	1.4	1.5	1.5	1.5	1.1	1.0	1.2
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.2	0.2	0.1	0.2	0.2	0.1	0.1	^	^
Other Myeloid/Monocytic Leukemia	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	^
Other Leukemia	1.0	1.1	0.8	1.1	1.2	0.9	0.6	0.7	0.6
Other Acute Leukemia	0.2	0.2	0.2	0.2	0.2	0.2	0.1	^	0.2
Aleukemic, Subleukemic and NOS	0.8	0.9	0.7	0.9	1.0	0.8	0.5	0.6	0.4
Miscellaneous Malignant Cancer	6.8	7.1	6.6	6.9	7.2	6.5	6.7	6.8	6.7

^The NCI does not present counts for cells smaller than 10 for the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

-- Not Applicable

Table K. Average Annual Death Rate¹ by Site, Race, and Sex,
2016-2020, Louisiana

Primary Site	All races			White			Black		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Malignant Cancers	168.3	205.6	140.6	160.6	193.6	135.7	193.5	247.9	157.0
Oral Cavity and Pharynx	3.1	4.9	1.5	3.0	4.7	1.5	3.3	5.6	1.6
Lip	^	^	^	^	^	^	^	^	^
Tongue	0.6	0.9	0.4	0.7	1.0	0.4	0.5	0.8	^
Salivary Gland	0.3	0.4	0.1	0.3	0.5	^	^	^	^
Floor of Mouth	^	^	^	^	^	^	^	^	^
Gum and Other Mouth	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.5	^
Nasopharynx	0.2	0.3	^	0.1	0.3	^	0.3	^	^
Tonsil	0.3	0.5	^	0.3	0.5	^	0.2	0.5	^
Oropharynx	0.3	0.6	0.1	0.2	0.4	^	0.5	1.0	^
Hypopharynx	0.1	0.2	^	0.1	0.2	^	^	^	^
Other Oral Cavity and Pharynx	0.8	1.4	0.3	0.8	1.3	0.3	1.0	1.8	0.4
Digestive System	46.1	60.3	34.5	41.8	54.3	31.2	58.5	78.5	43.6
Esophagus	3.8	6.7	1.3	3.9	7.0	1.2	3.5	5.9	1.7
Stomach	3.3	4.4	2.4	2.4	3.2	1.7	5.7	7.8	4.1
Small Intestine	0.4	0.5	0.3	0.4	0.5	0.2	0.6	0.6	0.6
Colon and Rectum	15.6	19.2	12.8	13.8	16.9	11.3	20.7	26.5	16.6
Colon excluding Rectum	12.6	15.2	10.5	11.0	13.2	9.1	17.0	21.3	14.0
Rectum and Rectosigmoid Junction	3.1	4.0	2.3	2.9	3.6	2.2	3.7	5.2	2.6
Anus, Anal Canal and Anorectum	0.3	0.3	0.3	0.3	0.3	0.3	0.3	^	^
Liver and Intrahepatic Bile Duct	8.7	13.4	4.8	7.8	11.7	4.5	11.0	18.0	5.6
Liver	7.5	12.0	3.7	6.6	10.4	3.4	9.5	16.3	4.3
Intrahepatic Bile Duct	1.2	1.4	1.1	1.2	1.3	1.1	1.5	1.7	1.3
Gallbladder	0.6	0.5	0.7	0.5	0.4	0.6	0.9	0.7	0.9
Other Biliary	0.5	0.7	0.4	0.6	0.7	0.4	0.4	0.6	^
Pancreas	12.2	13.8	10.8	11.5	13.0	10.2	14.6	16.9	12.8
Retroperitoneum	0.1	^	^	0.1	^	^	^	^	^
Peritoneum, Omentum and Mesentery	0.3	0.2	0.4	0.3	^	0.4	0.3	^	^
Other Digestive Organs	0.3	0.4	0.3	0.3	0.3	0.2	0.5	0.7	0.4
Respiratory System	45.2	59.2	34.3	44.6	55.3	36.2	48.2	73.0	30.7
Nose, Nasal Cavity and Middle Ear	0.2	0.2	0.2	0.2	0.2	0.1	^	^	^
Larynx	1.3	2.2	0.5	1.1	1.9	0.4	1.9	3.5	0.7
Lung and Bronchus	43.5	56.4	33.5	43.2	52.9	35.5	45.9	68.9	29.7
Pleura	0.1	0.2	^	0.1	0.2	^	^	^	^
Trachea, Mediastinum and Other Respiratory	0.1	0.2	^	0.1	^	^	^	^	^
Bones and Joints	0.7	0.9	0.6	0.7	0.9	0.6	0.8	1.0	0.6
Soft Tissue including Heart	1.2	1.4	1.0	1.1	1.3	1.0	1.3	1.5	1.1
Skin	2.6	4.2	1.3	3.2	5.2	1.7	0.9	1.4	0.5
Melanoma of the Skin	1.5	2.5	0.9	2.0	3.1	1.1	0.4	0.6	^
Non-Melanoma Skin	1.0	1.7	0.5	1.2	2.0	0.6	0.5	0.8	^
Breast	12.4	0.2	22.4	10.9	^	19.9	16.9	^	28.9

Female Genital System	8.0	--	14.6	7.1	--	13.1	10.7	--	18.6
Cervix Uteri	1.6	--	3.0	1.3	--	2.5	2.5	--	4.4
Corpus and Uterus, NOS	2.5	--	4.6	1.9	--	3.6	4.2	--	7.3
Corpus Uteri	1.5	--	2.7	1.2	--	2.2	2.4	--	4.2
Uterus, NOS	1.0	--	1.9	0.8	--	1.4	1.8	--	3.1
Ovary	3.3	--	5.9	3.3	--	6.0	3.4	--	5.9
Vagina	0.2	--	0.3	0.2	--	0.3	^	--	^
Vulva	0.3	--	0.5	0.3	--	0.5	0.3	--	0.5
Other Female Genital Organs	0.1	--	0.3	0.1	--	0.3	^	--	^
Male Genital System	8.3	20.3	--	6.8	16.4	--	13.1	34.6	--
Prostate	8.1	19.9	--	6.6	16.0	--	12.9	34.1	--
Testis	0.1	0.2	--	0.1	0.2	--	^	^	--
Penis	0.1	0.2	--	^	^	--	^	^	--
Other Male Genital Organs	^	^	--	^	^	--	^	^	--
Urinary System	8.6	13.3	5.1	9.1	14.3	5.2	7.3	10.4	5.2
Urinary Bladder	3.9	6.5	2.1	4.2	7.3	2.0	3.1	4.0	2.4
Kidney and Renal Pelvis	4.5	6.5	2.8	4.7	6.7	3.0	4.0	6.3	2.5
Ureter	^	^	^	^	^	^	^	^	^
Other Urinary Organs	0.2	0.2	0.2	0.2	0.2	0.2	^	^	^
Eye and Orbit	0.1	^	^	^	^	^	^	^	^
Brain and Other Nervous System	4.2	5.1	3.4	4.9	5.9	4.1	2.6	3.4	2.0
Endocrine System	0.8	0.7	0.8	0.8	0.7	0.8	0.9	0.7	1.0
Thyroid	0.5	0.4	0.6	0.5	0.5	0.5	0.5	^	0.6
Other Endocrine including Thymus	0.3	0.3	0.3	0.3	0.3	0.2	0.4	^	^
Lymphoma	5.6	7.4	4.3	6.0	7.9	4.4	4.4	5.5	3.5
Hodgkin Lymphoma	0.3	0.3	0.3	0.3	0.4	0.3	0.3	^	^
Non-Hodgkin Lymphoma	5.3	7.0	4.0	5.6	7.5	4.2	4.1	5.3	3.3
Myeloma	3.6	4.6	2.8	2.8	3.7	2.2	6.0	7.6	4.8
Leukemia	6.3	8.5	4.7	6.6	8.8	5.0	5.5	7.5	4.1
Lymphocytic Leukemia	1.6	2.3	1.1	1.7	2.4	1.2	1.6	2.3	1.0
Acute Lymphocytic Leukemia	0.4	0.5	0.3	0.4	0.5	0.3	0.4	0.6	^
Chronic Lymphocytic Leukemia	1.0	1.5	0.7	1.1	1.5	0.7	1.0	1.6	0.7
Other Lymphocytic Leukemia	0.2	0.3	0.1	0.2	0.3	0.1	^	^	^
Myeloid and Monocytic Leukemia	3.0	3.7	2.5	3.1	3.8	2.5	2.6	3.2	2.2
Acute Myeloid Leukemia	2.4	2.9	2.0	2.5	3.0	2.1	2.1	2.4	1.9
Acute Monocytic Leukemia	^	^	^	^	^	^	^	^	^
Chronic Myeloid Leukemia	0.3	0.4	0.2	0.3	0.5	0.2	^	^	^
Other Myeloid/Monocytic Leukemia	0.3	0.4	0.2	0.3	0.3	0.2	0.3	0.5	^
Other Leukemia	1.7	2.5	1.2	1.8	2.6	1.2	1.4	2.0	1.0
Other Acute Leukemia	0.3	0.4	0.2	0.3	0.4	0.2	0.3	^	^
Aleukemic, Subleukemic and NOS	1.4	2.1	1.0	1.5	2.2	1.1	1.0	1.6	0.7
Miscellaneous Malignant Cancer	11.5	14.5	9.3	11.0	13.9	8.8	13.1	16.8	10.7
In situ, benign or unknown behavior neoplasm	4.1	5.3	3.3	4.2	5.3	3.3	4.1	5.5	3.3

¹Rates are per 100,000 and age-adjusted to the 2000 Population (19 age groups – Census P25-1130) standard.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

--Not Applicable

Table L1. Average Annual Death Rates¹ for Selected Cancers by Race and Sex, 2016-2020:
U.S., Louisiana, and 7-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site	White Males			White Females			Black Males			Black Females		
	US	Louisiana	Ind. Corr.	US	Louisiana	Ind. Corr.	US	Louisiana	Ind. Corr.	US	Louisiana	Ind. Corr.
All Malignant Cancers	178.2	193.6	↑ 169.2 *	129.7	135.7	↑ 120.3 *	209.7	247.9	↑ 239.6	144.7	157.0	↑ 145.3 *
Oral Cavity and Pharynx	3.9	4.7	↑ 3.9	1.4	1.5	1.3	4.2	5.6	↑ 6.2	1.2	1.6	↑ ^
Esophagus	7.2	7.0	6.5	1.4	1.2	^	4.7	5.9	↑ 5.8	1.5	1.7	^
Stomach	3.3	3.2	2.6	1.8	1.7	1.3	7.0	7.8	7.0	3.4	4.1	↑ 3.6
Small Intestine	0.5	0.5	^	0.3	0.2	^	0.8	0.6	^	0.6	0.6	^
Colon and Rectum	15.3	16.9	↑ 13.0 *	10.8	11.3	9.4	21.6	26.5	↑ 25.7	13.9	16.6	↑ 14.2
Liver and Intrahepatic Bile Duct	9.0	11.7	↑ 10.5	3.9	4.5	↑ 3.8	12.6	18.0	↑ 19.9	4.7	5.6	↑ 5.8
Pancreas	12.8	13.0	10.8 *	9.5	10.2	↑ 8.5	14.8	16.9	↑ 15.7	12.0	12.8	12.1
Larynx	1.6	1.9	↑ 1.4	0.3	0.4	^	2.7	3.5	↑ 3.3	0.5	0.7	^
Lung and Bronchus	42.4	52.9	↑ 41.9 *	30.6	35.5	↑ 32.3	49.4	68.9	↑ 63.0	27.0	29.7	↑ 23.2 *
Breast	0.3	^	^	19.1	19.9	17.3	0.5	^	^	26.6	28.9	↑ 30.8
Cervix Uteri	--	--	--	2.1	2.5	1.7	--	--	--	3.2	4.4	↑ 4.2
Corpus and Uterus, NOS	--	--	--	4.7	3.6	↓ 2.1 *	--	--	--	8.9	7.3	↓ 6.6
Ovary	--	--	--	6.5	6.0	↓ 6.4	--	--	--	5.6	5.9	5.6
Prostate	17.7	16.0	↓ 15.1	--	--	--	36.5	34.1	32.5	--	--	--
Urinary Bladder	7.6	7.3	7.2	2.1	2.0	1.1 *	5.1	4.0	↓ 4.1	2.2	2.4	^
Kidney and Renal Pelvis	5.3	6.7	↑ 5.8	2.3	3.0	↑ 2.1	5.0	6.3	↑ 7.0	2.1	2.5	2.9
Brain and Other Nervous System	5.9	5.9	6.2	3.9	4.1	4.8	3.3	3.4	3.3	2.2	2.0	^
Hodgkin Lymphoma	0.4	0.4	^	0.2	0.3	^	0.3	^	^	0.2	^	^
Non-Hodgkin Lymphoma	7.0	7.5	6.9	4.1	4.2	4.0	4.9	5.3	4.2	2.9	3.3	3.4
Myeloma	3.7	3.7	3.3	2.2	2.2	1.9	7.1	7.6	8.4	4.8	4.8	6.5
Leukemia	8.4	8.8	7.8	4.7	5.0	5.0	6.6	7.5	5.6	4.1	4.1	4.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table L2. Average Annual Death Rates¹ for Selected Cancers by Race and Sex, 2016-2020:
U.S., Louisiana, and 11-Parish Industrial Corridor² (Please review: [Cautions in Interpretation](#))

Primary Site	White Males				White Females				Black Males				Black Females			
	US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.		US	Louisiana	Ind. Corr.	
All Malignant Cancers	178.2	193.6	↑	171.2 *	129.7	135.7	↑	124.1 *	209.7	247.9	↑	229.3 *	144.7	157.0	↑	146.3 *
Oral Cavity and Pharynx	3.9	4.7	↑	4.5	1.4	1.5		1.1	4.2	5.6	↑	4.6	1.2	1.6	↑	1.2
Esophagus	7.2	7.0		6.2	1.4	1.2		1.1	4.7	5.9	↑	4.8	1.5	1.7		1.5
Stomach	3.3	3.2		2.8	1.8	1.7		1.2 *	7.0	7.8		6.6	3.4	4.1	↑	3.6
Small Intestine	0.5	0.5		^	0.3	0.2		^	0.8	0.6		^	0.6	0.6		^
Colon and Rectum	15.3	16.9	↑	13.0 *	10.8	11.3		9.6 *	21.6	26.5	↑	23.0	13.9	16.6	↑	15.1
Liver and Intrahepatic Bile Duct	9.0	11.7	↑	11.3	3.9	4.5	↑	3.9	12.6	18.0	↑	18.0	4.7	5.6	↑	5.0
Pancreas	12.8	13.0		11.4 *	9.5	10.2	↑	8.8 *	14.8	16.9	↑	13.8 *	12.0	12.8		11.3
Larynx	1.6	1.9	↑	1.6	0.3	0.4		^	2.7	3.5	↑	3.4	0.5	0.7		^
Lung and Bronchus	42.4	52.9	↑	43.3 *	30.6	35.5	↑	30.7 *	49.4	68.9	↑	62.3 *	27.0	29.7	↑	26.7
Breast	0.3	^		^	19.1	19.9		19.3	0.5	^		^	26.6	28.9	↑	28.8
Cervix Uteri	--	--		--	2.1	2.5		1.8	--	--		--	3.2	4.4	↑	3.9
Corpus and Uterus, NOS	--	--		--	4.7	3.6	↓	3.3	--	--		--	8.9	7.3	↓	6.9
Ovary	--	--		--	6.5	6.0	↓	6.5	--	--		--	5.6	5.9		5.8
Prostate	17.7	16.0	↓	14.9	--	--		--	36.5	34.1		32.5	--	--		--
Urinary Bladder	7.6	7.3		6.8	2.1	2.0		1.7	5.1	4.0	↓	4.3	2.2	2.4		2.2
Kidney and Renal Pelvis	5.3	6.7	↑	5.9	2.3	3.0	↑	2.1 *	5.0	6.3	↑	6.3	2.1	2.5		2.6
Brain and Other Nervous System	5.9	5.9		5.2	3.9	4.1		4.1	3.3	3.4		3.2	2.2	2.0		1.8
Hodgkin Lymphoma	0.4	0.4		^	0.2	0.3		^	0.3	^		^	0.2	^		^
Non-Hodgkin Lymphoma	7.0	7.5		6.9	4.1	4.2		3.9	4.9	5.3		5.9	2.9	3.3		3.1
Myeloma	3.7	3.7		3.2	2.2	2.2		2.2	7.1	7.6		7.9	4.8	4.8		4.8
Leukemia	8.4	8.8		7.7	4.7	5.0		4.6	6.6	7.5		7.0	4.1	4.1		3.7

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Ascension, East Baton Rouge, Iberville, Jefferson, Orleans, Plaquemines, St. Bernard, St. Charles, St. James, St. John the Baptist, and West Baton Rouge Parishes comprise the Industrial Corridor.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

*The Industrial Corridor rate is significantly lower (P <0.05) than the Louisiana rate.

#The Industrial Corridor rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate. -- Not applicable

Table M1. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2016-2020:
White Males

	All Malignant Cancers	Lung and Bronchus	Colon and Rectum	Prostate	Pancreas	Liver and Intrahepatic Bile Duct	Leukemia	Non-Hodgkin Lymphoma	Urinary Bladder	Esophagus	Kidney and Renal Pelvis
Louisiana	193.6	52.9	16.9	16.0	13.0	11.7	8.8	7.5	7.3	7.0	6.7
Acadia Parish	233.6	64.5	29.7	18.3	12.2	10.0	^	^	^	^	12.9
Allen Parish	261.9	82.1	^	^	^	^	^	^	^	^	^
Ascension Parish	162.6	45.9	12.3	10.9	13.4	11.1	^	^	^	^	^
Assumption Parish	181.9	50.1	^	^	^	^	^	^	^	^	^
Avoyelles Parish	231.1	70.3	28.5	23.0	19.5	^	^	^	^	^	^
Beauregard Parish	253.3	83.8	20.4	^	^	19.6	^	^	^	^	^
Bienville Parish	239.7	^	^	^	^	^	^	^	^	^	^
Bossier Parish	187.6	50.2	15.2	11.9	12.3	8.8	11.7	7.7	9.9	5.9	9.7
Caddo Parish	184.5	49.3	15.8	15.6	11.4	11.1	9.2	6.7	9.6	7.3	5.9
Calcasieu Parish	200.3	55.8	14.1	13.9	16.5	14.6	10.1	6.9	6.2	8.9	8.1
Caldwell Parish	204.2	91.0	^	^	^	^	^	^	^	^	^
Cameron Parish	107.1	^	^	^	^	^	^	^	^	^	^
Catahoula Parish	240.1	^	^	^	^	^	^	^	^	^	^
Claiborne Parish	177.4	52.8	^	^	^	^	^	^	^	^	^
Concordia Parish	226.1	69.5	^	^	^	^	^	^	^	^	^
De Soto Parish	183.2	54.3	^	^	^	^	^	^	^	^	^
East Baton Rouge Parish	164.2	38.2	12.5	16.5	9.8	10.0	8.3	7.3	7.9	5.7	5.5
East Carroll Parish	211.7	^	^	^	^	^	^	^	^	^	^
East Feliciana Parish	213.5	55.0	^	^	^	^	^	^	^	^	^
Evangeline Parish	204.1	58.7	21.9	^	^	^	^	^	^	^	^
Franklin Parish	203.8	82.3	^	^	^	^	^	^	^	^	^
Grant Parish	213.7	58.1	31.4	^	^	^	^	^	^	^	^
Iberia Parish	211.2	56.4	20.9	21.0	15.5	14.8	^	^	^	^	^
Iberville Parish	229.5	68.4	^	^	^	^	^	^	^	^	^
Jackson Parish	237.5	61.4	^	^	^	^	^	^	^	^	^
Jefferson Parish	180.4	46.2	12.9	13.8	12.5	12.6	8.3	7.8	7.1	6.5	6.7
Jefferson Davis Parish	234.1	73.4	29.5	22.2	^	^	^	^	^	^	^

Lafayette Parish	168.1	43.1	14.9	14.6	13.8	10.0	8.0	6.6	8.6	6.0	4.9
Lafourche Parish	205.7	55.8	24.2	13.2	11.9	17.3	8.7	11.4	^	9.8	^
La Salle Parish	202.6	64.5	^	^	^	^	^	^	^	^	^
Lincoln Parish	190.7	51.1	^	^	^	^	^	^	^	^	^
Livingston Parish	188.1	61.9	17.0	14.3	7.9	14.9	6.8	6.6	^	4.1	7.2
Madison Parish	237.9	^	^	^	^	^	^	^	^	^	^
Morehouse Parish	253.7	69.0	^	^	^	^	^	^	^	^	^
Natchitoches Parish	216.7	50.3	23.0	^	^	^	^	^	^	^	^
Orleans Parish	145.2	32.3	12.3	16.8	11.2	9.3	5.8	4.8	5.9	5.4	^
Ouachita Parish	230.0	58.1	24.3	19.4	18.5	8.6	8.7	11.9	10.3	7.2	7.3
Plaquemines Parish	185.7	49.2	^	^	^	^	^	^	^	^	^
Pointe Coupee Parish	177.3	44.7	^	^	^	^	^	^	^	^	^
Rapides Parish	188.8	46.6	24.3	12.8	12.5	9.7	11.3	7.9	^	8.6	5.9
Red River Parish	296.8	99.0	^	^	^	^	^	^	^	^	^
Richland Parish	219.2	97.8	^	^	^	^	^	^	^	^	^
Sabine Parish	231.3	66.5	^	24.4	^	^	^	^	^	^	^
St. Bernard Parish	202.9	74.1	^	^	^	16.0	^	^	^	^	^
St. Charles Parish	176.3	35.3	21.1	^	^	^	^	^	^	^	^
St. Helena Parish	235.2	^	^	^	^	^	^	^	^	^	^
St. James Parish	171.8	48.0	^	^	^	^	^	^	^	^	^
St. John the Baptist Parish	190.4	46.3	^	^	^	^	^	^	^	^	^
St. Landry Parish	219.1	54.7	18.9	18.2	14.1	11.4	^	^	^	^	^
St. Martin Parish	202.3	60.8	26.0	^	15.9	^	^	^	^	^	^
St. Mary Parish	235.6	73.4	25.1	^	^	15.3	^	^	^	^	^
St. Tammany Parish	180.1	43.8	13.9	16.2	12.4	9.9	7.5	4.7	8.9	6.1	5.3
Tangipahoa Parish	205.6	63.7	17.6	22.6	14.9	9.3	11.6	7.6	6.8	6.0	6.5
Tensas Parish	^	^	^	^	^	^	^	^	^	^	^
Terrebonne Parish	220.6	69.6	16.4	15.0	14.9	12.7	8.2	10.7	^	8.7	8.0
Union Parish	200.9	51.8	^	^	^	^	^	^	^	^	^
Vermilion Parish	191.7	46.7	13.4	20.8	11.1	14.5	^	^	^	^	^
Vernon Parish	269.0	87.9	32.2	21.4	17.5	^	^	^	^	^	^
Washington Parish	231.1	64.2	17.9	16.7	18.4	20.7	^	^	^	^	^
Webster Parish	248.9	74.1	23.3	^	17.4	^	^	^	^	^	^
West Baton Rouge Parish	158.0	40.9	^	^	^	^	^	^	^	^	^

West Carroll Parish	237.6	82.8	^	^	^	^	^	^	^	^	^
West Feliciana Parish	169.4	52.9	^	^	^	^	^	^	^	^	^
Winn Parish	243.7	83.1	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M2. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2016-2020:
White Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Ovary	Leukemia	Liver and Intrahepatic Bile Duct	Non-Hodgkin Lymphoma	Brain and Other Nervous System	Corpus and Uterus, NOS
Louisiana	135.7	35.5	19.9	11.3	10.2	6.0	5.0	4.5	4.2	4.1	3.6
Acadia	143.2	38.9	23.4	15.3	12.2	^	^	^	^	^	^
Allen	146.5	47.0	^	^	^	^	^	^	^	^	^
Ascension	124.5	36.3	19.1	8.0	10.7	^	^	^	^	^	^
Assumption	115.8	42.0	^	^	^	^	^	^	^	^	^
Avoyelles	144.6	43.2	^	16.8	^	^	^	^	^	^	^
Beauregard	168.2	55.3	21.4	19.4	^	^	^	^	^	^	^
Bienville	150.6	^	^	^	^	^	^	^	^	^	^
Bossier	133.4	41.1	20.4	7.8	8.9	5.2	^	^	^	^	^
Caddo	145.0	35.0	22.6	14.1	10.7	7.3	4.9	5.3	3.5	4.3	3.9
Calcasieu	148.7	38.1	22.1	13.8	12.5	5.2	6.7	5.2	4.3	4.5	4.0
Caldwell	119.5	^	^	^	^	^	^	^	^	^	^
Cameron	109.5	^	^	^	^	^	^	^	^	^	^
Catahoula	143.4	^	^	^	^	^	^	^	^	^	^
Claiborne	145.1	^	^	^	^	^	^	^	^	^	^
Concordia	174.1	35.1	^	^	^	^	^	^	^	^	^
De Soto	133.7	24.5	^	^	^	^	^	^	^	^	^
East Baton Rouge	115.1	28.7	17.1	8.8	8.1	7.7	4.6	3.4	3.7	5.2	2.8
East Carroll	187.9	^	^	^	^	^	^	^	^	^	^
East Feliciana	148.8	48.3	^	^	^	^	^	^	^	^	^
Evangeline	141.5	43.6	^	^	^	^	^	^	^	^	^
Franklin	139.3	32.8	^	^	^	^	^	^	^	^	^
Grant	141.5	41.2	^	^	^	^	^	^	^	^	^
Iberia	142.6	41.9	18.7	12.1	11.3	^	^	^	^	^	^
Iberville	131.7	42.6	^	^	^	^	^	^	^	^	^
Jackson	116.4	34.1	^	^	^	^	^	^	^	^	^
Jefferson	130.1	28.5	22.1	10.2	10.2	6.1	4.7	3.9	4.2	3.6	4.7
Jefferson Davis	170.2	47.6	21.9	17.1	^	^	^	^	^	^	^

Lafayette	131.3	33.7	20.7	10.5	10.1	6.3	4.4	4.1	4.0	^	^
Lafourche	141.9	36.8	18.5	16.8	6.8	^	6.6	^	6.7	^	^
La Salle	128.8	38.2	^	^	^	^	^	^	^	^	^
Lincoln	130.6	30.6	23.5	^	^	^	^	^	^	^	^
Livingston	134.0	39.1	14.9	9.1	10.8	4.8	5.6	6.1	^	^	4.8
Madison	195.7	^	^	^	^	^	^	^	^	^	^
Morehouse	136.9	43.7	^	^	^	^	^	^	^	^	^
Natchitoches	160.8	27.8	25.7	^	^	^	^	^	^	^	^
Orleans	114.0	27.9	17.0	7.9	6.1	6.9	^	3.7	^	3.8	3.8
Ouachita	147.8	39.9	22.9	9.5	11.9	7.2	6.5	^	^	^	^
Plaquemines	144.9	40.2	^	^	^	^	^	^	^	^	^
Pointe Coupee	106.9	^	^	^	^	^	^	^	^	^	^
Rapides	131.9	35.6	22.7	12.3	10.4	5.3	5.1	6.4	5.1	^	^
Red River	132.4	^	^	^	^	^	^	^	^	^	^
Richland	97.6	^	^	^	^	^	^	^	^	^	^
Sabine	133.7	45.6	^	^	^	^	^	^	^	^	^
St. Bernard	131.6	38.4	16.5	^	^	^	^	^	^	^	^
St. Charles	146.4	39.5	19.1	^	13.1	^	^	^	^	^	^
St. Helena	146.9	^	^	^	^	^	^	^	^	^	^
St. James	104.6	^	^	^	^	^	^	^	^	^	^
St. John the Baptist	137.5	30.2	28.7	^	^	^	^	^	^	^	^
St. Landry	164.3	43.7	26.1	17.8	14.9	^	^	^	^	^	^
St. Martin	138.3	34.0	21.9	15.5	^	^	^	^	^	^	^
St. Mary	140.1	41.0	15.4	^	^	^	^	^	^	^	^
St. Tammany	128.5	33.6	17.9	9.9	10.6	5.4	5.7	3.1	4.3	3.6	3.5
Tangipahoa	143.5	35.6	20.6	11.8	8.6	8.6	^	5.9	4.9	^	5.5
Tensas	175.6	^	^	^	^	^	^	^	^	^	^
Terrebonne	151.4	33.9	23.3	9.2	11.1	^	6.3	^	9.3	^	^
Union	177.2	35.3	^	^	^	^	^	^	^	^	^
Vermilion	138.3	39.6	20.1	15.2	9.1	^	^	^	^	^	^
Vernon	187.7	53.3	27.9	17.1	15.8	^	^	^	^	^	^
Washington	141.4	40.5	24.4	^	^	^	^	^	^	^	^
Webster	147.2	39.8	19.8	^	17.2	^	^	^	^	^	^
West Baton Rouge	119.3	45.1	^	^	^	^	^	^	^	^	^

West Carroll	140.8	46.6	^	^	^	^	^	^	^	^	^
West Feliciana	128.4	^	^	^	^	^	^	^	^	^	^
Winn	150.1	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M3. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2016-2020:
Black Males

	All Malignant Cancers	Lung and Bronchus	Prostate	Colon and Rectum	Liver and Intrahepatic Bile Duct	Pancreas	Stomach	Myeloma	Leukemia	Kidney and Renal Pelvis	Esophagus
Louisiana	247.9	68.9	34.1	26.5	18.0	16.9	7.8	7.6	7.5	6.3	5.9
Acadia	296.4	88.7	^	^	^	^	^	^	^	^	^
Allen	224.3	^	^	^	^	^	^	^	^	^	^
Ascension	196.4	55.5	^	^	^	^	^	^	^	^	^
Assumption	312.2	111.1	^	^	^	^	^	^	^	^	^
Avoyelles	367.9	98.3	^	^	^	^	^	^	^	^	^
Beauregard	245.0	^	^	^	^	^	^	^	^	^	^
Bienville	234.5	^	^	^	^	^	^	^	^	^	^
Bossier	194.6	48.9	^	^	^	^	^	^	^	^	^
Caddo	256.4	73.3	32.1	32.5	23.1	20.0	7.8	8.2	7.2	6.5	6.9
Calcasieu	259.6	81.8	26.2	33.2	26.6	23.5	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	619.2	^	^	^	^	^	^	^	^	^	^
Claiborne	244.0	91.1	^	^	^	^	^	^	^	^	^
Concordia	316.8	^	^	^	^	^	^	^	^	^	^
De Soto	275.9	68.3	^	^	^	^	^	^	^	^	^
East Baton Rouge	241.3	62.9	29.5	26.7	23.0	17.8	6.8	8.2	4.8	7.0	6.4
East Carroll	463.8	^	^	^	^	^	^	^	^	^	^
East Feliciana	241.7	^	^	^	^	^	^	^	^	^	^
Evangeline	313.5	107.0	^	^	^	^	^	^	^	^	^
Franklin	299.3	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	282.8	67.9	^	^	^	^	^	^	^	^	^
Iberville	294.7	91.7	^	^	^	^	^	^	^	^	^
Jackson	323.6	^	^	^	^	^	^	^	^	^	^
Jefferson	237.1	72.7	35.4	19.6	12.4	12.4	^	11.6	9.2	^	^

Jefferson Davis	297.3	^	^	^	^	^	^	^	^	^	^
Lafayette	248.8	75.0	22.3	26.8	23.0	18.6	^	^	^	^	^
Lafourche	319.7	93.1	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	212.1	65.7	^	^	^	^	^	^	^	^	^
Livingston	257.1	^	^	^	^	^	^	^	^	^	^
Madison	296.6	^	^	^	^	^	^	^	^	^	^
Morehouse	318.3	125.0	^	^	^	^	^	^	^	^	^
Natchitoches	272.9	83.1	^	^	^	^	^	^	^	^	^
Orleans	213.2	56.6	30.4	22.5	18.1	12.6	6.2	6.1	7.3	5.5	3.4
Ouachita	260.2	70.8	50.3	23.4	^	15.3	^	^	^	^	^
Plaquemines	328.1	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	257.7	^	^	^	^	^	^	^	^	^	^
Rapides	263.6	79.4	45.4	36.4	15.3	^	^	^	^	^	^
Red River	338.3	^	^	^	^	^	^	^	^	^	^
Richland	294.0	^	^	^	^	^	^	^	^	^	^
Sabine	^	^	^	^	^	^	^	^	^	^	^
St. Bernard	268.6	^	^	^	^	^	^	^	^	^	^
St. Charles	266.1	58.7	^	^	^	^	^	^	^	^	^
St. Helena	230.7	^	^	^	^	^	^	^	^	^	^
St. James	227.5	62.0	^	^	^	^	^	^	^	^	^
St. John the Baptist	227.8	49.2	54.3	^	^	^	^	^	^	^	^
St. Landry	321.1	76.7	34.2	38.1	26.5	27.2	^	^	^	^	^
St. Martin	272.1	55.6	^	51.9	^	^	^	^	^	^	^
St. Mary	239.3	53.1	^	^	^	^	^	^	^	^	^
St. Tammany	210.9	44.0	41.3	22.2	^	25.5	^	^	^	^	^
Tangipahoa	285.1	96.1	49.1	^	28.5	^	^	^	^	^	^
Tensas	^	^	^	^	^	^	^	^	^	^	^
Terrebonne	283.8	86.8	^	^	^	^	^	^	^	^	^
Union	270.5	^	^	^	^	^	^	^	^	^	^
Vermilion	280.7	^	^	^	^	^	^	^	^	^	^
Vernon	285.1	^	^	^	^	^	^	^	^	^	^
Washington	283.6	75.7	^	^	^	^	^	^	^	^	^
Webster	264.2	109.2	^	^	^	^	^	^	^	^	^

West Baton Rouge	227.9	74.1	^	^	^	^	^	^	^	^	^
West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	216.9	^	^	^	^	^	^	^	^	^	^
Winn	174.8	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table M4. Death Rates¹ by Louisiana Parish² for the Ten Most Common Cancer Deaths, 2016-2020:
Black Females

	All Malignant Cancers	Lung and Bronchus	Breast	Colon and Rectum	Pancreas	Corpus and Uterus, NOS	Ovary	Liver and Intrahepatic Bile Duct	Myeloma	Cervix Uteri	Corpus Uteri
Louisiana	157.0	29.7	28.9	16.6	12.8	7.3	5.9	5.6	4.8	4.4	4.2
Acadia	194.2	^	^	^	^	^	^	^	^	^	^
Allen	126.0	^	^	^	^	^	^	^	^	^	^
Ascension	134.2	^	48.0	^	^	^	^	^	^	^	^
Assumption	201.2	^	^	^	^	^	^	^	^	^	^
Avoyelles	164.1	^	^	^	^	^	^	^	^	^	^
Beauregard	174.7	^	^	^	^	^	^	^	^	^	^
Bienville	147.4	^	^	^	^	^	^	^	^	^	^
Bossier	150.3	28.3	26.0	^	^	^	^	^	^	^	^
Caddo	166.5	31.5	28.7	20.6	14.8	9.3	4.4	^	^	4.9	5.8
Calcasieu	181.4	29.1	29.8	18.8	19.8	10.2	^	^	^	^	^
Caldwell	^	^	^	^	^	^	^	^	^	^	^
Cameron	^	^	^	^	^	^	^	^	^	^	^
Catahoula	^	^	^	^	^	^	^	^	^	^	^
Claiborne	135.2	^	^	^	^	^	^	^	^	^	^
Concordia	175.4	^	^	^	^	^	^	^	^	^	^
De Soto	183.4	^	^	^	^	^	^	^	^	^	^
East Baton Rouge	143.5	22.4	27.2	16.0	13.1	7.2	5.3	6.5	7.0	4.5	^
East Carroll	313.1	119.1	^	^	^	^	^	^	^	^	^
East Feliciana	135.6	^	^	^	^	^	^	^	^	^	^
Evangeline	196.2	68.1	^	^	^	^	^	^	^	^	^
Franklin	108.0	^	^	^	^	^	^	^	^	^	^
Grant	^	^	^	^	^	^	^	^	^	^	^
Iberia	163.3	30.2	39.1	^	^	^	^	^	^	^	^
Iberville	161.7	^	41.6	^	^	^	^	^	^	^	^
Jackson	186.2	^	^	^	^	^	^	^	^	^	^
Jefferson	168.5	28.9	29.4	16.8	12.4	8.4	^	5.1	^	5.0	^
Jefferson Davis	108.9	^	^	^	^	^	^	^	^	^	^

Lafayette	151.2	27.2	27.5	11.9	12.9	^	^	^	^	^	^
Lafourche	178.5	^	^	^	^	^	^	^	^	^	^
La Salle	^	^	^	^	^	^	^	^	^	^	^
Lincoln	181.6	35.0	41.9	^	^	^	^	^	^	^	^
Livingston	148.8	^	^	^	^	^	^	^	^	^	^
Madison	195.5	^	^	^	^	^	^	^	^	^	^
Morehouse	180.8	^	^	^	^	^	^	^	^	^	^
Natchitoches	176.6	42.5	^	^	^	^	^	^	^	^	^
Orleans	137.9	28.8	26.5	14.6	10.1	7.0	6.0	4.3	3.3	3.3	4.6
Ouachita	167.0	31.0	26.9	13.0	20.6	^	^	^	^	^	^
Plaquemines	153.1	^	^	^	^	^	^	^	^	^	^
Pointe Coupee	144.9	^	^	^	^	^	^	^	^	^	^
Rapides	156.9	25.7	35.1	22.9	^	^	^	^	^	^	^
Red River	^	^	^	^	^	^	^	^	^	^	^
Richland	188.5	^	^	^	^	^	^	^	^	^	^
Sabine	163.4	^	^	^	^	^	^	^	^	^	^
St. Bernard	244.7	^	^	^	^	^	^	^	^	^	^
St. Charles	146.6	^	^	^	^	^	^	^	^	^	^
St. Helena	110.8	^	^	^	^	^	^	^	^	^	^
St. James	194.6	^	49.2	^	^	^	^	^	^	^	^
St. John the Baptist	154.4	^	22.9	^	^	^	^	^	^	^	^
St. Landry	180.0	41.9	24.9	21.3	^	^	^	^	^	^	^
St. Martin	144.4	^	^	^	^	^	^	^	^	^	^
St. Mary	190.0	40.5	^	^	^	^	^	^	^	^	^
St. Tammany	136.6	24.4	28.1	^	^	^	^	^	^	^	^
Tangipahoa	157.5	35.0	23.3	^	^	^	^	^	^	^	^
Tensas	216.7	^	^	^	^	^	^	^	^	^	^
Terrebonne	190.1	52.0	40.6	^	^	^	^	^	^	^	^
Union	178.1	^	^	^	^	^	^	^	^	^	^
Vermilion	157.9	^	^	^	^	^	^	^	^	^	^
Vernon	178.5	^	^	^	^	^	^	^	^	^	^
Washington	204.8	36.2	^	^	^	^	^	^	^	^	^
Webster	162.2	^	^	^	^	^	^	^	^	^	^
West Baton Rouge	119.8	^	^	^	^	^	^	^	^	^	^

West Carroll	^	^	^	^	^	^	^	^	^	^	^
West Feliciana	173.9	^	^	^	^	^	^	^	^	^	^
Winn	177.7	^	^	^	^	^	^	^	^	^	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²Cases are assigned to the parish of residence, not the parish where the diagnosis or treatment took place.

^Statistic not displayed due to fewer than 16 cases during the five-year period.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N1. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2016-2020:
White Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	178.2	193.6	↑	172.5 *	179.7 *	193.7	197.6	213.4 #	215.5 #	199.0	220.3 #
Lung and Bronchus	42.4	52.9	↑	44.3 *	49.6	50.8	53.1	63.4 #	61.2 #	54.1	64.9 #
Colon and Rectum	15.3	16.9	↑	13.0 *	14.1 *	16.8	19.5	16.6	26.9 #	17.3	18.6
Prostate	17.7	16.0	↓	14.6	16.3	15.3	15.7	14.7	17.8	16.1	19.5 #
Pancreas	12.8	13.0		12.0	11.3	12.8	13.9	15.9	13.8	12.6	15.9
Liver and Intrahepatic Bile Duct	9.0	11.7	↑	12.0	11.9	11.9	11.6	15.1 #	9.6	11.0	9.1
Leukemia	8.4	8.8		7.2	8.4	8.1	9.3	9.7	10.3	10.6	8.4
Non-Hodgkin Lymphoma	7.0	7.5		7.0	7.1	7.2	8.3	8.4	8.0	7.0	8.3
Urinary Bladder	7.6	7.3		6.6	6.9	7.5	6.6	7.9	8.3	8.3	8.3
Esophagus	7.2	7.0		5.9	5.7	8.0	7.0	9.0	7.7	7.8	6.4
Kidney and Renal Pelvis	5.3	6.7	↑	5.8	6.3	6.3	6.9	8.7	5.5	7.9	6.8

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N2. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2016-2020:
White Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	129.7	135.7	↑	126.5 *	125.4 *	136.0	139.5	152.3 #	146.0 #	141.8	141.8
Lung and Bronchus	30.6	35.5	↑	29.1 *	34.5	34.9	37.8	41.9 #	39.5	36.3	38.7
Breast	19.1	19.9		20.6	17.0 *	19.7	20.7	21.9	21.1	21.6	18.7
Colon and Rectum	10.8	11.3		9.6	9.6 *	11.3	13.4 #	13.8	14.6 #	11.5	10.0
Pancreas	9.5	10.2	↑	9.1	8.8	9.9	10.7	13.3 #	11.3	10.2	12.1
Ovary	6.5	6.0	↓	6.4	6.6	5.3	6.1	5.0	5.0	6.3	6.4
Leukemia	4.7	5.0		4.2	4.9	5.7	4.3	5.6	4.5	5.7	4.9
Liver and Intrahepatic Bile Duct	3.9	4.5	↑	4.0	4.8	3.8	4.7	5.1	5.3	4.9	3.7
Non-Hodgkin Lymphoma	4.1	4.2		3.8	3.7	5.7 #	3.8	4.3	5.7	3.7	3.1
Brain and Other Nervous System	3.9	4.1		3.6	4.0	4.3	3.4	4.0	3.2	5.4	4.8
Corpus and Uterus, NOS	4.7	3.6	↓	4.3	3.6	3.0	3.2	4.0	2.8	3.3	4.9

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N3. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2016-2020:
Black Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region
All Malignant Cancers	209.7	247.9	↑	220.1 *	245.4	254.6	274.9 #	255.8	282.9 #	249.3	269.6
Lung and Bronchus	49.4	68.9	↑	61.4 *	69.0	63.5	71.0	79.1	78.7	73.5	75.4
Prostate	36.5	34.1		31.7	32.6	40.7	28.2	26.9	43.5	32.1	50.3 #
Colon and Rectum	21.6	26.5	↑	21.5 *	24.6	24.1	30.6	31.1	37.9 #	31.0	27.1
Liver and Intrahepatic Bile Duct	12.6	18.0	↑	16.6	21.6	18.0	22.4	24.2	12.2	18.4	6.2 *
Pancreas	14.8	16.9	↑	12.6 *	15.5	17.8	23.6 #	20.5	15.1	18.5	20.1
Stomach	7	7.8		6.1	6.8	8.9	9.2	^	9.3	8.0	9.6
Myeloma	7.1	7.6		7.4	8.4	6.5	8.1	^	^	7.9	^
Leukemia	6.6	7.5		7.6	6.1	10.0	10.6	^	^	5.9	^
Kidney and Renal Pelvis	5	6.3	↑	5.5	6.7	^	7.7	^	^	6.8	6.9
Esophagus	4.7	5.9	↑	3.8 *	6.5	^	6.5	^	^	7.3	8.5

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table N4. Death Rates¹ by LTR Region² for the Ten Most Common Cancer Deaths, 2016-2020:
Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	
All Malignant Cancers	144.7	157.0	↑	147.0 *	144.9 *	167.1	166.5	170.5	164.4	162.5	177.6	#
Lung and Bronchus	27.0	29.7	↑	28.9	23.8 *	35.9	35.9 #	27.5	27.0	30.0	33.9	
Breast	26.6	28.9	↑	27.5	30.0	31.5	26.5	29.2	36.5	27.8	29.4	
Colon and Rectum	13.9	16.6	↑	15.7	14.8	17.6	18.1	17.9	21.1	18.1	15.0	
Pancreas	12.0	12.8		10.8	13.0	9.4	12.3	18.7	11.4	14.2	18.3	#
Corpus and Uterus, NOS	8.9	7.3	↓	7.1	6.9	7.3	7.0	9.0	^	9.2	8.5	
Ovary	5.6	5.9		5.9	5.2	6.8	7.4	^	^	4.7	7.0	
Liver and Intrahepatic Bile Duct	4.7	5.6	↑	4.5	6.4	6.1	7.4	^	6.9	4.7	5.3	
Myeloma	4.8	4.8		3.6	5.9	5.3	6.0	^	^	4.8	^	
Cervix Uteri	3.2	4.4	↑	3.7	4.3	4.8	3.8	^	^	5.2	4.7	
Corpus Uteri	4.6	4.2		4.2	2.9	5.1	4.5	^	^	5.9	5.4	

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[LTR Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O1. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2016-2020:
White Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	178.2	193.6	↑	172.9 *	169.5 *	205.1 #	194.5	213.4 #	215.5 #	199.0	220.3 #	191.2
Lung and Bronchus	42.4	52.9	↑	44.5 *	42.9 *	57.8	51.4	63.4 #	61.2 #	54.1	64.9 #	53.1
Colon and Rectum	15.3	16.9	↑	13.1 *	12.6 *	19.4	19.0	16.6	26.9 #	17.3	18.6	15.8
Prostate	17.7	16.0	↓	14.7	15.9	12.8 *	16.3	14.7	17.8	16.1	19.5 #	17.1
Pancreas	12.8	13.0		11.9	11.1	13.1	13.9	15.9	13.8	12.6	15.9	12.3
Liver and Intrahepatic Bile Duct	9.0	11.7	↑	11.8	11.6	13.1	11.3	15.1 #	9.6	11.0	9.1	11.9
Leukemia	8.4	8.8		7.6	8.2	7.8	9.3	9.7	10.3	10.6	8.4	8.2
Non-Hodgkin Lymphoma	7.0	7.5		7.0	6.8	9.7	8.1	8.4	8.0	7.0	8.3	6.1
Urinary Bladder	7.6	7.3		6.6	7.4	7.0	6.4	7.9	8.3	8.3	8.3	7.3
Esophagus	7.2	7.0		6.0	5.8	9.7 #	7.0	9.0	7.7	7.8	6.4	5.7
Kidney and Renal Pelvis	5.3	6.7	↑	6.0	6.0	6.6	6.9	8.7	5.5	7.9	6.8	6.3

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O2. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2016-2020:
White Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	129.7	135.7	↑	127.1 *	118.5 *	140.5	139.5	152.3 #	146.0 #	141.8	141.8	133.5
Lung and Bronchus	30.6	35.5	↑	29.4 *	32.0 *	36.1	37.6	41.9 #	39.5	36.3	38.7	36.1
Breast	19.1	19.9		20.8	17.0 *	19.3	21.1	21.9	21.1	21.6	18.7	18.0
Colon and Rectum	10.8	11.3		9.7	8.8 *	12.7	13.4 #	13.8	14.6 #	11.5	10.0	10.4
Pancreas	9.5	10.2	↑	9.1	8.5	8.7	11.0	13.3 #	11.3	10.2	12.1	10.2
Ovary	6.5	6.0	↓	6.6	6.7	5.5	6.0	5.0	5.0	6.3	6.4	5.7
Leukemia	4.7	5.0		4.2	4.9	5.6	4.3	5.6	4.5	5.7	4.9	5.4
Liver and Intrahepatic Bile Duct	3.9	4.5	↑	4.0	4.3	4.3	4.7	5.1	5.3	4.9	3.7	4.4
Non-Hodgkin Lymphoma	4.1	4.2		3.7	3.7	6.8 #	3.6	4.3	5.7	3.7	3.1	4.1
Brain and Other Nervous System	3.9	4.1		3.5	4.4	4.5	3.6	4.0	3.2	5.4	4.8	3.6
Corpus and Uterus, NOS	4.7	3.6	↓	4.2	2.6	2.7	3.4	4.0	2.8	3.3	4.9	4.2

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O3. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2016-2020:
Black Males

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	209.7	247.9	↑	221.9 *	239.3	258.2	279.6 #	255.8	282.9 #	249.3	269.6	252.9
Lung and Bronchus	49.4	68.9	↑	61.7 *	64.0	68.1	73.1	79.1	78.7	73.5	75.4	71.3
Prostate	36.5	34.1		32.4	30.8	34.8	26.7	26.9	43.5	32.1	50.3 #	44.7
Colon and Rectum	21.6	26.5	↑	21.3 *	25.7	26.9	31.6	31.1	37.9 #	31.0	27.1	18.8
Liver and Intrahepatic Bile Duct	12.6	18.0	↑	16.7	21.3	16.0	24.1 #	24.2	12.2	18.4	6.2 *	21.3
Pancreas	14.8	16.9	↑	12.6 *	16.2	13.2	24.9 #	20.5	15.1	18.5	20.1	19.7
Stomach	7.0	7.8		6.3	6.8	10.8	9.1	^	9.3	8.0	9.6	^
Myeloma	7.1	7.6		7.4	8.9	^	8.4	^	^	7.9	^	^
Leukemia	6.6	7.5		7.9	5.0	8.2	11.8 #	^	^	5.9	^	10.3
Kidney and Renal Pelvis	5.0	6.3	↑	5.8	7.4	^	8.7	^	^	6.8	6.9	^
Esophagus	4.7	5.9	↑	4.0 *	6.7	^	6.9	^	^	7.3	8.5	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).

Table O4. Death Rates¹ by LA OPH Region² for the Ten Most Common Cancer Deaths, 2016-2020:
Black Females

Primary Site	U.S.	LA		New Orleans Region	Baton Rouge Region	Southeast Region	Acadiana Region	Southwest Region	Central Region	Northwest Region	Northeast Region	Northlake Region
All Malignant Cancers	144.7	157.0	↑	147.0 *	142.5 *	175.5 #	163.7	170.5	164.4	162.5	177.6 #	155.7
Lung and Bronchus	27.0	29.7	↑	29.2	22.4 *	38.0 #	35.2	27.5	27.0	30.0	33.9	29.9
Breast	26.6	28.9	↑	27.4	31.4	30.7	26.8	29.2	36.5	27.8	29.4	26.7
Colon and Rectum	13.9	16.6	↑	15.6	14.6	18.7	17.4	17.9	21.1	18.1	15.0	17.4
Pancreas	12.0	12.8		10.7	12.3	13.7	11.8	18.7	11.4	14.2	18.3 #	10.0
Corpus and Uterus, NOS	8.9	7.3	↓	7.1	6.7	7.1	6.6	9.0	^	9.2	8.5	8.8
Ovary	5.6	5.9		5.9	5.2	7.6	7.8	^	^	4.7	7.0	^
Liver and Intrahepatic Bile Duct	4.7	5.6	↑	4.5	5.9	5.4	8.1	^	6.9	4.7	5.3	7.5
Myeloma	4.8	4.8		3.7	6.4	^	6.4	^	^	4.8	^	^
Cervix Uteri	3.2	4.4	↑	3.7	4.1	^	^	^	^	5.2	4.7	^
Corpus Uteri	4.6	4.2		4.1	2.6 *	4.8	4.4	^	^	5.9	5.4	^

¹Rates are per 100,000 and age-adjusted to the 2000 US Population (19 age groups – Census P25-1130) standard.

²[Louisiana Office of Public Health Regions](#)

^Statistic not displayed due to fewer than 16 cases during the five-year period.

*The regional rate is significantly lower (P <0.05) than the Louisiana rate.

#The regional rate is significantly higher (P <0.05) than the Louisiana rate.

↑ or ↓ The Louisiana rate is significantly higher or lower (P <0.05) than the U.S. rate.

Underlying mortality data provided by NCHS (www.cdc.gov/nchs).